



<u>92</u>

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183



ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183




ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183



ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183

95




# Handsaws

# Contractor Grade



Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws. Induction-hardened teeth stay sharp longer than non-hardened teeth. handle design allows for the back of saw blade to be used for marking 45° and 90° angles. Total length of 18" fits conveniently in most tool boxes. Ideal for cutting plastic tubing. Hardwood handle.

SKU NO.	MFG NO.	Points Per Inch	Blade	Length
706018	15-087	9	15"	380mm
706021	15-088	12	15"	380mm





Precision set sharpened teeth for fast smooth accurate cutting. Chrome-nickel alloy steel blade stays sharp. Taper ground blade reduces binding. Black striped blade and shrouded handle. Extra wide walnut stained select hardwood handle designed for comfort and control. Protective full length tell-sell sleeve.


SKU NO.	Prod. Id. No. Crosscut	Length In.	Points/ In.
704337	15-110	26	10
704339		26	8

# HANDYMAN<sup>™</sup> HANDSAW



Teeth are machine set and sharpened for accurate cutting. High carbon steel blade hardened and tempered for sharpness and long life. Select hardwood handle for comfort and control. Protective full length tell-sell sleeve.

SKU	Prod. Id.	Length	Points/
NO.	No.	In.	In.
704341	Crosscut 15-520	20	10





Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws. Induction-hardened teeth stay sharp longer than non-hardened teeth. Hardwood handle has large opening for hand for comfort when wearing gloves. Ideal for cutting plastic tubing.

SKU NO.	MFG NO.	Points	Width Under Back	Blade	e Lenath
706036	15-673	12	3-5/16		355mm

# Contractor Grade Short Cut Back Saw



Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws. Induction-hardened teeth stay sharp longer than non-hardened teeth. A unique mitre saw with the Short Cut feature and hardened tooth advantage. Hardwood handle for durability. Ideal for cutting plastic tubing

 SKU NO.
 MFG NO.
 Points per Inch
 Width
 Under Back
 Blade
 Length

 706036
 15-673
 12
 3-5/16"
 84mm
 14"
 355mm

# Contractor Grade Compass Saw




High grade tempered steel blade. Induction-hardened teeth stay sharp longer than non-hardened teeth. Teeth precision-set and sharpened for fast and smooth cutting Hardwood handle for durability.

**SKU NO.** MFG NO. Points Blade Length **706030** 15-100 8 12" 305mm

#### HAND SAW BLADE GUARDS

SKU NUMBER 741078 MANUFACTURER NO BG-100

Coping<sup>,</sup>Saw



Finest pro quality. Handles of rich, walnut stained hardwood. Blades are highest grade high carbon steel hardened and tempered to give clean, controllable cutting action.


SKU Product		Length		Depth Frame	
No.	ID No.	Inches	mm	Inches	mm
704347	15-104	63/8	160	43/4	120
704349	15-106	63%	160	6¾	170



## **Turret Head Pistol Grip Handle**

Quick change locking head holds blade in 8 positions. Furnished with 3 special purpose blades that are quickly and easily interchangeable. Positive chucking jaw lock blade—holds it rigid even under severe use. SKU Product

No. ID No.		Three Blades
704355	15-175	Wood, Metal, Drywall blades



 SKU
 Product
 Blade Length
 Points/

 No.
 ID No.
 inches
 mm
 Inch

No.	ID No.	Inches	mm	Inch
704351	15-212	12	305	8





Heavy duty 16" hardened and tempered steel blade with 5 teeth per inch gives a perfect and rapid cut every time. "SURE-GRIP LIFETIME" handle.

SKU		
NO.	NO.	SIZE
701917	HS16	16″

### UTILITY SAW



"SURE-GRIP LIFETIME" handle on a 6" heavy duty blade with beveled teeth make this tool an all-purpose favorite and not just a drywall man's aid.

SKU		0175
NO.	NO.	SIZE
701893	6KS	11½″x6″

Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.



A popular nest of saws for general home and workshop use. Consists of one 16 inch (405 mm) general utility blade 8 pt., one 12 inch (305 mm) compass blade 8 pt., and one 10 inch (255 mm) keyhole blade 10 pt., Solid hardwood handle has wing nut for holding interchangeable blades in handle. Plastic sleeve to protect blades.

10. 1 100	10 510010	to protoco bidaco.
SKU	Product	No. of
No.	ID No.	Blades
704261	15 101	

STANLE\

STANLE




# Thrifty<sup>™</sup> Mitre Boxes

The mitre box for the occasional do-it-yourselfer. Lightweight, durable plastic body has contoured design with accuracy modled in. Slots for 90° and 45° left and right. Extended front lip butts up against work table to reduce slippage. Interior is open to allow cuttings to fall through. Counterbored holes in base allow mounting wooden board and/or fastening to workbench. Can be used with back or panel saws. Cut capacity for up to standard 2 x 4 lumber. 19-600 comes with molded plastic handled back saw.

	SKU No.	Product	Back Saw	
		ID No.	Inches	mm
	701810	19-600 (with saw)	14 x 3¼	355 x 83

# Handyman® Mitre Boxes



Rigid all aluminum construction for long life. Saw guide is easily adjusted. Simple wedging mechanism locks firmly at 8 of the most commonly cut angles. One wing screw adjustment allows the use of back or panel saws of different blade thicknesses. Base has recessed kerf slots to protect saw, bolt slots for bench mounting and holes to fasten wooden work board if user desires. Depth capacity of  $2\frac{1}{4}$  inches below saw guide using recommended back saw. 19-614 comes with back saw featuring molded plastic handle with comfortable grip.

SKU No.	Product	Back	Saw	
	ID No.	Inches	mm	
701790	19-114			

#### **DELUXE RAZOR SAW KNIFE SET**



No. 5 Knife Handle and one each of Razor Saw Blade Nos. 234, 235 and 236. Also includes No. 15 Keyhole Saw Blade, Nos. 24 (2), 18, 19, and 22 blades in fitted storage tray with see-thru cover.

Carded: No. 75310 SKU NO. 700572




#### Workmaster® Mitre Box

Ideal for the do-it-yourselfer or as a second box for the pro. Cast aluminum frame construction with offset legs for stability. 4" depth capacity and patented, Free Floating Saw Guide allow larger boards to be cut with ease. Spring loaded wedge for quick angle settings. Adjustable index plate for maintaining angular accuracy. Saw thickness adjustment. 11 preset cutting positions including settings for 4, 5, 6 and 8 sided figures. Cuts from 90° to 45° left and right. Contains board stop and stock guide. Packaged in informative 4 color tell-sell box.

SKU No.	Product	Bac	k Saw	
	ID No.	Inches	mm	
701780	19-035 (with saw)	18 x 4	457 x 102	


## **Professional<sup>™</sup> Dovetail Saw**



Cuts a true, smooth and narrow kerf. Comfortably designed hardwood handle provides positive grip. Pro quality. Fine cutting 15 point blade.

SKU No.	Product	Blade L	ength
	ID No.	Inches	mm
704345	15-140	10	255


#### **Back/Mitre Saw**



For general use in connection with mitre box and cabinet work. Stiff blade with heavy steel back, solid hardwood handle. Aluminum handle hardware.

SKU	Product	Blade I	Blade Length		Width Under Back P	
No.	ID No.	Inches	mm	n Inches	mm	Inch
704411	15-636	14	355	33⁄16	81	13






#### 321 HEAVY DUTY COMPASS SAW



An all around compass saw for metal, wood, and other tough materials. The handle is plastic coated for a safe, comfortable grip. The blade attachment allows for quick, easy angle change (8 positions). The saw comes with a "Sandflex" bi-metal blade.

SKU NO.	PACKAGE CODE	BLADE LENGTH	POINTS PER IN.	CARTON WEIGHT
703705	321	11 in.	24	4.06 lbs.
703716	321-7-SB	11 in.	7	1.38 lbs.

#### SANDVIK 9 BOWSAWS



Lightweight all-around saw for pruning, gardening, farming and construction work. The 9 bowsaw features a tubular steel frame and steel plate tension lever. Replaceable Sandvik 51 hardpoint blade with peg tooth pattern for smooth cuts in green and dry wood. Available on 9-21 inch and 9-24 inch bowsaws. The Sandvik 23 hardpoint blade with raker tooth pattern for cutting green wood. Available on 9-30 inch and 9-36 inch bowsaws. All 9 bowsaws come with knuckle guard and plastic sheath for blade.

SKU NO.	PRODUCT CODE	TOTAL LENGTH	TOOL WT.
703725	9-30-23-KP	30 in.	1.9 lb.
703726	9-36-23-KP	36 in.	2.6 lb.


### SANDVIK 331 BOWSAWS



A light and handy bowsaw designed for use in inaccessible positions. Ideal for pruning, clearing and all-around sawing. Round steel tubing frame and steel tension lever. Available with replaceable Sandvik 51 or 23 hardpoint blade. Comes with knuckle guard and plastic sheath for blade.

SKU NO.	PRODUCT CODE	TOTAL LENGTH	TOOL WT.
703717	331-21-51-KP	21 in.	1.3 lb.


#### SANDVIK 23 RAKER TOOTHED BOWSAW BLADE



Made from cold rolled special Sandvik steel, the Sandvik 23 is .75 in. wide with precision sharpened and set teeth. Efficient raker toothing is designed for cutting green wood, but also can be used to cut dry wood. High-frequency induction hardened tooth points stay sharp 5 times longer than conventional blades.

SKU NO.	PRODUCT CODE	TOTAL LENGTH	TOOL WT.
703728	23-30/B	30 in.	.19 lb.
703727	23-36/B	36 in.	.19 lb.

#### SANDVIK 51 PEG TOOTHED BOWSAW BLADE



Made from, cold rolled special Sandvik steel, the Sandvik 51 is .75 in. (20mm.) wide with precision sharpened and set teeth. Peg toothing designed to cut dry and green wood. High-frequency induction hardened tooth points stay sharp 5 times longer than conventional blades. 21 in. and 24 in. blades have small teeth for smooth fine cutting. 30 in. and 42 in. blades have coarser toothing for efficient sawing of logs and construction timber

SKU NO.	PRODUCT CODE	TOTAL LENGTH	TOOL WT.
703718	51-21/B	21 in.	.13 lb.
703730	51-30/B	30 in.	.19 lb.

## SANDVIK COMPASS SAW BLADE

	SANDVIK 321SP-24		
SKU NO.	PRODUCT CODE	TOTAL LENGTH	

703716 321-7-SB 11 in.

7

<u>100</u>

# **MITRE BOX**



## Master Mechanic 12" x 5-1/4" x 3-1/4" Mitre Box

**SKU NO.** MFG NO. **133454** MFG NO. MM3602

<b>keyhoi</b>	
keyhoi	e saw
22	
	1

Keyhole Saw


Cuts curves, circles and frets, reversible blade cuts into places where an ordinary hacksaw cannot reach or cut. Cuts wood, nails, metal lath, composition board. BX cable, conduit, etc. Lightweight, pistol grip handle fits hand. Complete with 1 each wood cutting blade and metal cutting blade. SKU Product

SKU Product No. ID No.

704357 15-275

F


SKU	Product	Blade Length	
No.	ID No.	Inches	mm
704371	15-277 Metal	71/2	190





Uses regular hacksaw blades. For hard-to-get-at places and light duty cutting. Durable molded frame offers maximum hand comfort. Individually carded.


SKU NO.	Product ID No.	Length Without Blade	
		Inches	mm
704381	15-210	8¾	220



Rigid steel frame with molded cushion grip rubber handle. D-shape guard protects hand and knuckles. Frame is adjustable for 8" (205 mm), 10" (255 mm) and 12" (305 mm) blades, allows blade to be faced in four directions. Furnished with 10" 255 mm standard carbon steel blade.

		Product	Depth of Throat		Blade Length	
		ID No.	Inches	mm	Inches	mm
	704375	15-265	31⁄8	98	10	255

## Thrifty<sup>™</sup> Hacksaw



Quality features found on more expensive hacksaws, frame adjusts to 10" (255 mm) and 12" (305 mm) blades. Rugged plated steel with molded one piece plastic pistol grip handle.

SKU No.	Product ID No.	Length		Depth of Throat	
		Inches	mm	inches	mm
704377	15-565	10	255	23/4	70



# blades

Carbide grit particles permanently bonded to alloy steel, designed to cut materials that a standard blade won't even scratch

"Grit-Edge" blades are 3/4" wide to insure a straight cut sku Mfg.

NO.	No.	Length	
741664	HS12CH	12″	
741661	HS10C	10″	