12 Point Standard Metric Sockets

1/2" Inch



				•
SKU NO.	MFG NO.	HEX SIZE	DIAMETER	LENGTH
706202	40310	10mm	0.88	1.46
706205	40311	11mm	0.88	1.46
706208	40312	12mm	0.88	1.46
706211	40313	13mm	0.88	1.48
706214	40314	14mm	0.88	1.48
706217	40315	15mm	0.88	1.48
706220	40316	16mm	0.91	1.48
706223	40317	17mm	0.94	1.48
706225	40318	18mm	1.00	1.48
706228	40319	19mm	1.06	1.50
706231	40320	20mm	1.09	1.50
706234	40321	21mm	1.13	1.50
706237	40322	22mm	1.19	1.56
706240	40323	23mm	1.25	1.62
706243	40324	24mm	1.31	1.62
706247	40325	25mm	1.34	1.62
706250	40326	26mm	1.38	1.62
706253	40327	27mm	1.44	1.72
706256	40328	28mm	1.50	1.72
706259	40329	29mm	1.50	1.72
706262	40330	30mm	1.56	1.72
706265	40331	31mm	1.63	1.72
706268	40332	32mm	1.63	1.72
706271	40336	36mm	1.88	1.80


6 Point Flex Metric Sockets

3/8 Inch



SKU NO.	MFG NO.	HEX SIZE	DIAMETER	LENGTH
706095	40510	10mm	0.75	0.75
706098	40511	11mm	0.75	0.75
706101	40512	12mm	0.75	0.75
706104	40513	13mm	0.75	0.75
706107	40514	14mm	0.75	0.75
706110	40515	15mm	0.75	0.75
706113	40516	16mm	0.75	0.75
706117	40517	17mm	0.75	0.75
706120	40518	18mm	0.75	0.75
706124	40519	19mm	0.75	0.75

Extension



SKU NO. MFG NO. SIZE **213523** M1364 1-1 1/2"

6 Point Standard Metric Sockets

1/4 Inch



SKU NO. 706034 706037 706040 706043 706047 706050 706053 706056	40701 40702 40703 40704 40706 40707 40708 40709	HEX SIZE 4mm 5mm 5.5mm 6mm 7mm 8mm 9mm 10mm	DIAMETER 0.47 0.47 0.47 0.47 0.47 0.47 0.50 0.56	LENGTH 0.87 0.88 0.87 0.88 0.88 0.88 0.88 0.88
		•		0.88

Fractional Hex Bit Sockets

1/2 Inch



SKU NO.	MFG NO.	DECRIPTION	LENGTH
706127	41216	1/2" Hex Bit Socket	3.15
706130	41218	9/16" Hex Bit Socket	3.15
706133	41220	5/8" Hex Bit Socket	3.15
SKU NO.	MFG NO.	DECRIPTION	LENGTH
706163	41412	12mm Hex Bit Socket	3.15
706166	41414	14mm Hex Bit Socket	3.15
706169	41417	17mm Hex Bit Socket	3.15

Metric Hex Bit Socket







Master Mechanic, 20", Yellow, SIZE Tool Box with Lift Out Tray. 16.6" x 9" x 7.1", Black Recessed Carrying Handle & Lifetime Latch.


SKU NO. 355302 MFG. NO. 651TV



POLY TOOL BOX WITH TOTE TRAY

SKU NO. 639762 MFG. NO. 681TV SIZE: 26"

Master Mechanic 26" Yellow Tool Box with a Lift-Out Tray. Large enough to accomodate a 24" level. Easily stores large bulky tools. Impact resistant plastic is rugged yet lightweight. Interior tray car be removed & toted separately.



303 Tool Tender III by PLANO

A handy lift-out tray for small tools can be easily carried to wherever use indicates. The deep bottom handles larger equipment or miscellaneous items. Features include a recessed handle and rugged latch. Tough plastic construction.

Overall 15% "L x 7¾ "W x 5¼ "H

Colors Red

SKU NO. 705068


Utility Boxes

6-1/2" x 3-3/4" x 1-1/8"

Super Hi-Impact Plastic Utility Box 3 Large & 4 Small Compartment

SKU NO. MFG NO. SIZE

SKU NO. MFG NO. SIZE 445533 3449-7 6-1/2" x 3-3/4" x 1-1/2




Utility Boxes

8-1/4 x 4-1/4" x 1-3/8"

SKU NO. MFG NO. **3450-8** 3450-8

Super Hi-Impact Plastic Utility Box 4 Large & 4 Small Compartments




311R Tote-More with a drawer by PLANO

Handiest tote box available features self-enclosed latching drawer. Drawer contains 6 easy-access divided compartments. Ideal for carrying just the items required for the job, whether you're under the sink or on the roof. Recessed slot provides easy stacking.

Overall 14¾"L x 9½"W x 6½"H

Colors Gray/Black

SKU NO. 705054



401 Tote 'n Tool by PLANO

This practical 2-compartment box has a handy lift-out tote tray that makes it especially attractive for a variety of uses. Deep box bottom provides space for many types of bulky tools and gear. HI-impact plastic, box construction, with ABS drawbolt-type latch, with brass hasp and strong recessed handle. Lightweight design and colorful styling increases its appeal.

Overall 16% "L x 9"W x 714"H

Colors Red

SKU NO. 705056

Utility Boxes

4-5/8"W x 2 7/8"D



Clear Plastic Pocket Stowaway Organizer
Easy Access & Visibility

6 Fixed Compartments Small Part Storage SKU NO. MFG NO. SIZE

445505 3448-6 4 5/8" x 2 7/8"D




UTILITY BOX ORGANIZER

SIZE: 11" x 8" x 11"


4 stowaway boxes in a storage rack. Secure snap-shut latches. 30 convenient compartments

SKU NO. 667436 MFG. NO. 964MM



21" Gray/Black Plastic Power Tool Box with Lift-Out Tray. Total size 21-5/16" long x 12-1/2" wide x 12-3/4" high.

SKU NO. 192685 MFG. NO. 701MM



HANG OR STACK HIGH-IMPACT COPOLYMER BINS

SKU NO.	MFG NO.	SIZE
704658	12000	$3'' \times 5'' \times 6^{7/8}''$
704660	24000	$3^{7}/_{8}'' \times 5'' \times 8^{7}/_{8}''$
704664	48000	$5^{7}/_{8}'' \times 5'' \times 12''$

STORAGE BIN MOUNTING RAILS W/SCREWS

en de la companya de

SKU MFG NO. NO. 704657 25004

LENGTH 4-Binswide


Rubbermaid

HM2050 20-Inch (508 mm) Mechanic's Tool Box with Metal Tote Tray

HM2050	W	×	D	×	Н	_
Overnii	20.00 508		8.00 202		9.00 230	ln. mm
Сарисіту	Unit	We	ght	St	up Wei	ght
1,440 cubic in. 23602 cubic cm		.0 lb			11.5 (be 5.2 kg	

SKU Mfg. No. 705531 HM2050






19-Inch Low -Profile Tool Box

Slender shape permits box to be stored

19.75W x 6.00D x 4.25H





- 50120 20" HIP ROOF TOOL BOX

 Hip roof design and extra large tote tray
- · Perfect for tradesmen who carry bulky drills or three quarter inch drive set

50120	Width	Depth	Height			
Overall	19.8"	7.0"	8.0"			
8.5/9.5 lbs.	967 cu. in. storage capacity					

SKU Mfg. No. 705511 50120



30120 19" LOW PROFILE BOX

- Ideal for small tool storage
- · Holds half inch drive set with extensions, speed and flex handles

30120	Width	Depth	Height
Overall	19.8"	6.5"	4.3"
3.5 ea./22 lbs.	533 cu.	in. storage	capacity

SKU Mfg. No. 705517 30120





55218 18" 2-DRAWER **PORTABLE CHEST**

- Provides excellent storage and organization
- Drawers lock when lid is closed

55218	Width	Depth	Height		
Overall	18.6"	8.5"	9.5"		
2 Drawers	15.8"	7.3"	2.5"		
13.5/14.5 lbs.	1,184 cu. in. storage capacity				

SKU Mfg. No. 705520 55218



Rough Neck Sted Stool and Tool Box

SKU NO. MFG NO. 124076 7768

26" Industrial Tool Box

26 x 11.5 x 11.1 in.

SKU NO. MFG NO. 705206 7717



35" Industrial Tool Chest

35 x 13.6 x 14.1 in.

SKU NO. MFG NO. 705703 7718



21" Industrial Tool Boxes

21 x 10.2 x 10.7 in


SKU NO. MFG NO. 7723 705200

PCH2020 20-Inch (508 mm) 2-Drawer Portable Chest

PCH2020	W	×	D	X	н	
Overail	20.50 520		8.50 216		10.00	ín.
Top Tray Area	20.50 520	_	8,500		4.000 101	in. mm
2 Drawers	17.875 454		7.500 191		2.125 54	in. Mm
Capacity	Unit	Unit Weight		ş	nip Wei	ght
1,265 cubic kn. 20729 cubic cm		14.0 lbs. 6.4 kg			16.0 lbs 7.9 kg	







PCH2025	w	×	a	×	Н	
Overall	20 50		8.50		11.25	ln.
	520		215		286	mm
Parts Top	4,625		5.750		1.250	in.
	118		146		32	mm
Top Tray Area	20.500		8.500		4.000	in.
	521		215		101	mm
2 Drawers	17,075		7.500		2,125	iπ.
	454		191		54	mm
Capacity	Unit	We	ight	5	Ship Wei	ght
1,298 cubic ln.	16	16,8 lbs.			19.0 lbs	š
21270 cubic cm	7	6 1	eg .	l	8.6 kg	



SKU Mfg. No. 705535 PCH2025


HM1630	w	¥	D	×	н		
Overall	16.00 406		7.00 176		7.50 189	in. mm	
Capacity	Unit	Unit Weight			Ship Weight		
822 cubic in. 13473 cubic cm		6.0 lbs. 2.7 kg		7.0 lbs. 3.2 kg			

SKU Mfg. No. 705528 HM1630









with Metal Tote Tray

HM3052	w	x	D	×	н	_
Overall	30.06 764		8.06 205		9.00	in. mm
Capacity	Unit	Weig	ht	ŞI	ılp Wei	ght
2,160 cubic in. 35402 cubic cm		.0 lbs .4 kg			15.5 lbs 7.0 kg	i.

SKU 705553



HM2450 24-Inch (611 mm) Tradesman Tool Box with Metal Tote Tray

HM2450	W	×	D	×	н	
Overall	24.06 611		8.06 205		9.00 230	in. mm
Capacity	Unit	Unit Weight		SI	iip Wei	ght_
1.728 cubic in. 28322 cubic am	12,0 fbs. 5,5 kg			13.5 lb: 6.1 kg		

SKU 705537

Carpenter's Apron



- · Simulated "Man-Ma
- · Stitched and Rivet Reinforced
- 11 Pockets Wt. 1% lbs.
- Poly Web 2¼" Belt
- 2 Leather Hammer Loops and 25' Tape Holder
- Used By D-I-Y'ers

SKU NO. 703606

39 Pocket Large **BigMouth Bag**


13 Multi-use pockets inside and 26 outside organize tools and parts Internal metal frame holds bag wide open for easy access Reinforced interior bottom panel Padded sides and bottom prevent scuffing floors or countertops

SKU NO. MFG NO. 705708 1136


18"L x 8"W x 12"H



- Genuine Top Grain Russet Leather
- Stitched And Rivet Reinforced
- 3 Pockets Wt. ¾ lb.
- Belt Slots
- Tape Chain and Tool Clip
- 2 Tapered Screwdriver Holders SKU NO. 703570




- Genuine Top Grain Russet Leather
- Stitched And Rivet Reinforced
- 4 Pockets Wt. ¾ Ib.
- 1 Large Main Pocket
- 3 Small Front Pockets Belt Slots SKU NO. 703573




- Genuine Top Grain Russet Leather
- · Stitched and Rivet Reinforced
- 7 Pockets Wt. ¾ lb.
- Belt Loop Tool Snap Clip
- · Screwdriver Holder, Hammer Loop and Tape Chain . Used By D-I-Y'ers

SKU NO. 703639

Canvas Waist Apron




- Double Stitched For Added Strength
- 5 Pockets Wt. ¼ lb.
- 2 Nylon Hammer Loops
- Great For The Professional
- . For Use in The Shop SKU NO. 70354




- Heavy Duty Canvas
- Double Stitched For Added Strength
- 2 Pockets Wt. 1/4 lb.
- Can Carry Nails Or Tools
- For Use In The Shop SKU NO. 703543

Canvas Bib Apron



- · Heavy Duty Canva
- Double Stitched For-Added Strength
- 4 Pockets Wt. 1/4 lb.
- 1 Nylon Hammer Loop
- Great For The Professional
- For Use in The Shop SKU NO. 703546


Canvas Work Apron



- Heavy Duty Canvas
- Double Stitched For Added Strength
- 5 Peckets Wt. ¾ lb.
- 38"Long
- · For Use In The Shop SKU NO. 703552



- "Pro's Choice" Genuine Top Grain **Moccasin Leather**
- Double Stitched and Capped Rivets
- 11 Pockets Wt. 13/4 lbs.
- · Poly Web 21/4" Belt
- 2 Leather Hammer Loops and 25' Tape Holder
- Used By Professionals and D-I-Y'ers SKU NO. 703603



- "Pro's Choice" Genuine Top Grain Moccasin Leather
- Double Stitched and Capped Rivets
- 10 Pockets Wt. 2 lbs.
- . Slides On Poly Web 21/4" Belt
- 2 Leather Hammer Loops and Deluxe 25' Tape Holder
- Used By Professionals and D-I-Y'ers SKU NO. 703615


Tool Pouch




- Genuine Top Grain Russet Leather
- · Stitched and Rivet Reinforced
- 6 Pockets Wt. 34 lb.
- Tool Clip Tape Chain Holder • Used By The Professional Maintenance Man
- · Used By Do-It-Yourselfer's

SKU NO. 703612


Nail Bag



- Genuine Split Suede Leather
- Nylon Stitched For Added Strength
- 1 Pocket Wt. ¾ Ib.
- Tunnel Belt Loop
- 2 Leather Hammer Loops and Tape Holder Clip
- Used By Professionals and D-I-Y'ers SKU NO. 703582




- Simulated "Man-Made" Leather
- Stitched and Riveted For Added Strength
- 5 Pockets Wt. 3/4 lb.
- Tunnel Belt Loop Left-Hand Model
- 1 Leather Hammer Loop and Tape Holder Clip • Used By D-I-Y'ers SKU NO. 703591



- "Pro's Choice" Genuine Top Grain Moccasin Leather
- Double Stitched and Capped Rivets
- 5 Pockets Wt. ¾ Ib.
- Tunnel Belt Loop Left-Hand Model
- 1 Leather Hammer Loop and Tape Holder Clip

SKU NO. 703588




- "Pro's Choice" Genuine Top Grain
 Moccasin Leather
 - Double Stitched and Capped Rivets
 - 5 Pockets Wt. ¾ Ib.
 - Tunnel Belt Loop Right-Hand Model
 - 1 Leather Hammer Loop and Tape Holder Clip

SKU NO. 703585

Nail Bag



- "Pro's Choice" Genuine Top Grain Moccasin Leather
- Nylon Stitched
- 2 Pockets Wt. ¾ Ib.
- 1 Large Main Pocket and 1 Small Pocket
- Tape Holder Clip
- Used By Professionals and D-I-Y'ers
 SKU NO. 703597



- "Pro's Choice" Genuine Top Grain Moccasin Leather
- Double Stitched and Capped Rivets
- 6 Pockets Wt. 34 lb.
- 1 Large Main Pocket and 5 Small Pockets
- 2 Hammer Holders and Tape Holder
- Used By Professionals and D-I-Y'ers SKU NO. 703645

Hammer Holder



• Genuine Top Grain Russet Leather

A426

- Riveted For Added Strength
- Belt Slots Wt. 1/4 lb.
- For The Economy Minded
- Used By D-I-Y'ers

SKU NO. 703600




A439

- Genuine Top Grain Russet Leather
- Steel Cradie
- Belt Slots Wt. ¼ lb.
- Used By Professionals and D-I-Y'ers


SKU NO. 703609

Electrician's Pouch




- Genuine Top Grain Russet Leather
- . Stitched and Rivet Reinforced
- 6 Pockets Wt. 3/4 lb.
- Belt Loop Tool Snap Clip
- Screwdriver Holder
- Used By Professionals and D-I-Y'ers
 SKU NO. 703633

Dry Wall Pouch



- Genuine Top Grain Russet Leather
- Rivet Reinforced
- 6 Pocket Wt. 1 lb. Right-Hand Model
- Metal Hammer/Hatchet Holder SKU NO. 703627




- Genuine Top Grain Russet Leather
- Rivet Reinforced
- 6 Pocket Wt. ¾ lb.
- Belt Loop Tape Clip
- Leather Hammer Holder SKU NO. 703630

Multi Purpose Pouch



- Genuine Top Grain Russet Leather
- Stitched and Riveted For Added Strength
- Belt Slots Wt. ¼ lb.
- Open End To Fit Needle Nose Pliers SKU NO. 703579


Tape Holder



A463

- Genuine Top Grain Russet Leather
- Rivet Reinforced
- Belt Slots Wt. ¼ ib.
- Fits 16' 20' Tapes
- Fits Most Brands of Tapes
- Safety Snap To Prevent Loss
- Used By Professionals and D-I-Y'ers

SKU NO. 703618



- Genuine Top Grain Russet Leather
- Rivet Reinforced
- · Belt Slots · Wt. 1/4 lb.
- Fits 25' 30' Tapes
- Fits Most Brands of Tapes
- Safety Snap To Prevent Loss
- Used By Professionals and D-I-Y'ers

SKU NO. 703621

Knee Pads



- Heavy Duty Top Grain Russet Leather
- Thick Felt Padding
- Fits Ali Wt. 11/2 lbs.
- Buckle Closure
- Used By Do-It-Yourselfer's
- Used By Professionals

SKU NO. 701812

PROFESSIONAL™ HAMMER HOLSTER





HH2

Leather holster has "U" shaped steel loop to hold hammer secure. Fits onto belt to keep hammer within easy reach.


SKU NO. 700296

Tool Bag



- Heavy Duty Canvas With Leather Handles
- Nylon Stitched For Added Strength
- 18" x 15" Wt. 21/2 lbs.
- Heavy Duty Frame
- For Carrying Tools
- Used By Professionals

SKU NO. 703555



- Heavy Duty Canvas/Split Suede Leather
- Nylon Stitched For Added Strength
- 20" x 14" Wt. 3 lbs.
- Heavy Duty Frame
- For Carrying Tools
- Used By Professionals

SKU NO. 703561



- Heavy Duty Canvas With Leather Handles
- Nylon Stitched For Added Strength
- 20" x 13" Wt. 1¾ lbs.
- Steel Bar Support
- For Carrying Tools
- Used By Professionals

SKU NO. 703564

RUBBER KNEE PADS



- for all flooring jobs
- elastic straps with Velcro fasteners for maximum comfort

Adjustable web straps with slide buckles

SKU NO. 701132

Work Belt



A416

Professional All-Purpose

- Top Grain Basketweave Strap Leather
- 13/4" Wide
- Single Tongue Wt. ½ 1b.
- Nickel Plated Buckle
- Fits Waists From 29" 46"
- Used By Professionals

SKU NO. 703576



- Genuine Basketweave Top Grain Strap Leather
- 2" Wide
- Single Tongue Wt. 1/2 lb.
- Heavy Duty Roller Buckle
- Fits Walsts 29" 46"
- Used By Professionals and D-I-Y'ers

SKU NO. 703654


Web Belt



- 2¼" Poly Web Belt
- Evelet Size Adjustment
- Up To 46" Waist Wt. 1/2 lb.
- Use With Any Tool Pouch
- Used By Professionals and D-I-Y'ers

SKU NO. 703636

SPONGE RUBBER KNEE PADS



5KP

Eliminate sore knees and make work easier. Excellent for cement workers, roofers, painters and many other uses. Top quality. Strap and buckles included.

SKU NO. 701725

Lightweight Easy-Swivel Kneepads

Heavy duty construction throughout Heavy plastic front caps for easy knee swiveling

Thick foam interior for all-day comfort Double straps with hook and loop fasteners

One size fits all SKU NO. 701127 MFG NO. V6350

Top-of-The-Line **Elastic Back Support Belt**

8" Wide knitted elastic back panel 5" Wide heavy elastic side bands, adjustable for comfort

1 1/4" Comfortable knitted elastic adjustable suspenders

6 spring steel stays keep belt from rolling

Tapered front panels for comfort while bending

SKU NO. MFG NO. SIZE 38"-47" 5900L 202835 5900M 32"-38" 202843





SUSPENDERS



- Elastic straps in rear for extra comfort.
- 2" polypropylene webbing on front.
- Heavy-duty clips and adjustable slides to fit all sizes.

SKU NO.	MFG. NO.	COLOR
705700	110-R	Brown



Whether standing, sitting, reaching, bending or lifting, the BacBelt will give your customers the exact amount of support where they need it. The belt reduces the possibility of back stress and injury while


encouraging proper body mechanics. Completely adjustable and available in all sizes for men or for women.Informative and attractive packaging sells the product at point-of-purchase.

- Double, nylon-stitched on edges for long wear.
- Nylon-reinforced pull handles for sure grip.

NO. 202835 5900 M (5,6) Medium (32"-38" waists)

LEATHER KNEE PADS

HEAVY-DUTY KNEEPADS



No. 309

TOP GRAIN COW HIDE

- · professional quality
- · thick water repellent felt liner for comfort
- · riveted for long wear

Top-grain cowhide outer shell with adjustable leather straps and steel buckles (shown)

SKU NO. 701129



Coated spring-steel stays for extra back support.

• Machine wash cold, hang dry for easy care. SKU

(shown)

5900 L (5,6) Large (38"-47" waists) 202843



- Heavy vinyl-backed fabric, replaceable metal tip.
- Nylon-stitched for strength.

SKU NO. 705705




Tie-Wire Reel, Pad and **Heavy-Duty Belt**

Tie-Wire Reel. Rugged, lightweight reel feeds pre-coiled wire smoothly, easily, and quickly. Saves time and reduces wasted wire. Handles all types of tie-wire and is designed for left- or right-hand use. 61/4" Dia. x 215/16" W (159 x 75 mm).

Reel is smooth aluminum alloy with wear parts made of steel. Has large, comfortable rewind knob, nylon bushing for smooth, trouble-free operation, and easily-removed cover plate that permits quick, convenient reloading.

SKU No. 701814 Cat. No. 27400


3 Pocket Glazier's Tool Holder



3 Molded pockets retain shape Fits most glass cutters Front leather strap holds measuring tape Fits belts up to 2" wide


SKU NO. MFG NO. 702300 970L1

CONCRETE FINISHING BRUSHES



SKU	LENGTH	BRISTLE TYPE
703514	18"	Fine
703515	24"	Fine
703517	24"	Coarse
703518	36"	Coarse
895500	48"	Coarse


Battery Pliers



SKU MFG. NO. NO.

700198 19488 8" Battery Plliers

Professional Round Beam Torque Wrenches



ENGLISH SKU DRIVE SECONDARY. **LENGTH** NO. NO. 701434 74020-33 %" 0-200 in.lb (10 in.lb.) 0-230 cm/kp (10 cm/kp) 11.25" 701437 74060-33 %" 0-600 in.lb (25 in.lb.) 15.69" 701431 74015-33 1/2" 0-150 ft.lb (5 ft.lb.) 19.38"

Professional Ratchet Repair Parts




SKII MFG. RATCHET NO. NO. 702613 40970-2 40970 702649 42470-2 42470 702700 45170-2 45170 702973 47170-2 47170



SKU MFG. **RATCHET** NO. NO. 702652 42471-2 42470 702703 45171-2 45170



Convertible Retaining Ring Pliers




TIP SIZE SKU PART # NO. .038" 700183 7638 .070" 7640 700189



TIP SIZE SKU PART# NO. 700186 7639 .038"

No 7644 Retaining Ring Plier Set



SKU NO. PART# DESCRIPTION 700192 7645 Internal Ring Plier 7646 External Ring Plier 7648 8 Pairs of Tips

Internal **Snap-Ring Pliers**

SKU NO.		Tip Size & Angle	Shaft O.D.	Overall Length
	Deluxe S	Style		
700000	73237	.038″ Straight	(1/4 to 7/8) .250 to .875"	5 ^{11/} 16" (144 mm)
		Ollaight	.230 10 .015	(177 11111)



External **Snap-Ring Pliers**

SKU Tip Size Overall Cat & Angle Housing I.D. Length NO. No. **Deluxe Style** .375 to 1.0" 59/16" 700003 73242 .038" Straight (141 mm)

Nut Splitter




No. 7047 **Nut Splitter**

For quick removal of corroded or rusty nuts. Will split nuts up to 3/4" across flats. Not for power tool use. Use 3/4" hand wrench only. Bright Lustre Plate and Black Oxide finish.

Skin Packed,

SKU NO. 702051

No. 7648 Tips



TIP ASSORTMENT SKU MFG. NO. NO. SIZE .038" 700195 7648 2 EACH

.047" 2 EACH .070" 2 EACH .090" 2 EACH



9 Pieces, Sizes, $^{7}/_{32}''$, $^{1}/_{4}''$, $^{9}/_{32}''$, $^{5}/_{16}''$, $^{11}/_{32}''$, $^{3}/_{8}''$, $^{7}/_{16}''$, $^{11}/_{2}''$, $^{9}/_{16}''$, Metal tray

SKII MEG NO. NO. 710009 4908



13 Pieces, Sizes, $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{11}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{4}{2}$ " Ratchet, 6" Spinner Handle, 2" Ext., 6" Ext., Metal Box

MFG SKU NO. NO. 702394 4913





Standard **NE-Type Side Cutters**

Smooth, streamlined design. Slides more easily in and out of tool pouch. Plasticdipped handles.

SKŲ No.	Cat. No.	Α	В	С	D	Е
700701	D201-7NE		1 ⁹ / ₃₂ (33)			^{5/8} (16)
700703	D201-8NE		1 ⁷ / ₁₆ (37)			²³ / ₃₂ (18)
700707	D201-9NE		1 ¹⁹ / ₃₂ (41)		^{5/8} (16)	^{25/} 32 (20)



Square-Nose Side Cutters

The original Klein side-cutting pliers for general-purpose use. Squared nose and knurled jaws. Plastic-dipped handles.

SKU No.	Cat. No.	A	В	С	D	E
700704	D201-9		1 ¹⁹ / ₃₂ (41)			






High-Leverage Diagonal Cutters

High-leverage design provides a 36% greater mechanical cutting and gripping advantage than regular 7" and 8" heavyduty diagonal cutters. Standard-bevel cutting knives. Plastic-dipped handles-handform style on No. D228-8, curved style on No. D228-7.

SKU No.	Cat. No.	Α	В	С	D
700709	D228-8	8	13/16	13/16	7/16
		(203)	(21)	(30)	(11)

Key to Dimensions	for Pliers
A—Overall Length' B—Jaw Length C—Jaw Width	D—Jaw ThicknessE—Knife LengthF—Point Thickness
All dimen	sions are in

inches and (millimeters).



D245-5

Midget Standard Diagonal Cutters with Tapered Nose

This is the basic Klein diagonal-cutting pliers with tapered nose and standardbevel cutting knives. Available with or without coil spring to hold jaws open. Red plastic-dipped handles.

SKU No. C	at. No.	Α	В	С	D
700712 D	245-5C	5	11/16	9/16	3/8
		(127)	(17)	(14)	(10)
		With co	il spring		



Heavy-Duty Long-Nose with Side Cutters

Heavier design long-nose pliers for easier, more comfortable cutting. Plastic-dipped handles.

SKU No.	Cat. No	. A	В	С	D	E	F
700706	D203-8	8 ⁵ / ₁₆ (211)					



Interchangeable-Tip **Snap-Ring Pliers**


Deluxe style snap-ring pliers have two each of four interchangeable tips: .038"/90°, .047"/straight, .047"/45°, and .067"/straight tips. Overall pliers length: 61/4" (159 mm). Plastic grips. Spring-loaded handles.

SKU No.	Cat. No.	Description
700006	73247	Set contains one internal and one external pliers with four sets of tips.
700009	73248	Set contains one internal pliers with four sets of tips
700012	73249	Set contains one external pliers with four sets of tips.
700015	73250	Replacement tip set contains two each of the four styles of tips.

PLACE YOUR ORDERS BY FAX ON OUR ORDER FORM TO RECEIVE YOUR SPECIAL 2% DISCOUNT.

WE ARE PLEASED TO SPECIAL ORDER ITEMS THAT ARE NOT ALREADY IN OUR INVENTORY





TONGUE AND GROOVE PLIERS

SKU NO.	****		No. Size Adjustments	
707012	410	9-1/2"	4	1-1/8"
707013	420	9-1/2"	5	1-1/2"
707017	422	9-1/2"	5	1-1/2"
707011	426	6-1/2"	5	7/8"
707014	430	10"	7 '	2"
707015	440	12"	7	2-1/4"
707016	460	16"	8	4-1/4"




No.

700305 No. 2109 Heavy-duty Impact

Tool

700310 No. 2110 10" Spring Steel Replacement Blade








400044 No. 4606 2½" Heavy Duty Blade **400043** No. 4607 3¼" Heavy Duty Blade **400046** No. 4608 2¼" Heavy Duty Blade



Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.



F-12 HOOF NIPPER

SKU NO. 704857

Description F-12 Hoof Nipper Overall Length 14"

CUTTING NIPPERS

Specially designed for easy cutting of large nails, small spikes, form tie wires. Drop forged. Polished head. CHANNELLOCK BLUE™ dipped plastic comfort grips. Cutting edges hand filed.

HANDY CLAW

SKII NO. 707020 707021

SIZE NO. 148-10 10"

148-14



C-10 CUTTING NIPPER

SKU NO. 704854


Description C-10 Cutting Nipper

Overall Length 14"

SKU NO. 704851 Description

B-10 Cutting Nipper


Overall Length 10"





SKU		Catalog No.	EDP	Head D	imension	s (in)	Wt. Ea.	
NO.	(in)	Feature Code*	No.	A	В	C	(lb)	
705156	8	KC18H	D12818-77	115/64	111/64	7/16	3.00	


Tile Nippers



SKU NO.	Size	Catalog No.*	EDP	Head	Dime			Wt. Ea.
NO.	(111)	Calatog No.	NO.	_ ^	R	C	D	(ip)
705162	8	GT28H	D15128-77	43/64	127/32	15/32	57/84	3.75

Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.

Cable or BX cutters - solid steel



Hot drop-forged. Polished blades with stripping notch for insulated wire. Black handles with plastisol grips.

SKU NO.	Cat. No.	N/S No.	 ″/mm	*/mm	Pack Wt. oz/g
703744	BAN	58001	71/181	³/19	46/1304

WIRE ROPE CUTTERS

THESE ARE NOT BOLT CUTTERS

FELCO



A cable when crushed or deformed in cutting is difficult to use with fittings. These cable cutters, with unique triangular jaws, never leave a frayed end. Cutters range from the lightweight **Type C-7** — Capacity: 3/16" diameter and smaller. Length: 8". Weight: 10 oz.

NO.	No.
SKU.	Mfg.

Type C-12 — Capacity: 3/8" diameter and smaller. Length: 19". Weight: 3 lbs. **Type C-16** — Capacity: 5/8' diameter and smaller. Length: 23". Weight: 5 lbs.


SKU	Mfg.
NO.	No.
700562	C-12
700563	C-16
/00003	C-10

SWAGING TOOLS



SKU NO.	Swaging Tools Description	For Ferrules & Stops, "/mm-"/mm	Cat. No.	UPC Number 20418-	Weight Each Pounds
706797	No. 3 Swage-It tool	1/3 - 1/ 5	767-9033	16665	3.5
700870	25" Swaging Tool	1/1 - 1/5	767-9036	16860	7.0

Metal-Wizz[®] Multi-purpose snips



The MPC-3 is a home craftsman's cutting tool for countless uses. It is often used for many jobs for which a layman has traditionally used his tinner's snips, such as cutting screening and hardware cloth, light gauge sheet metal, synthetic shingles, tile gutters and downspouts, carpeting and much more. It boasts many of the laborsaving features found in Metalmaster snips, such as compound action, serrated jaws, safety latch and yellow vinyl comfort grips.

SKU NO.	Cat. No.			*/mm	capacity low carbon cold rolled steel	Wt. oz/g
703762	MPC-3	58022	9/229	11/35	20 Gauge Steel (0.035*/0.89mm)	72/2041

WIRE ROPE CUTTERS

Wire Rope Size 5/8" Diameter

Mfg.

A light tool for portable field use for continuous cutting 5/8" and under.

SKU NO. 704632

Height 65/8" Base 31/2" Weight 8 lbs.

Mfg. No. 101

Wire Rope Size 11/16" Diameter

For production use. Heavy duty continuous cutting of wire rope. Includes base holds for mounting.

SKU NO. 704633

Height 73/8" Base 63/8" Weight 16 lbs.



Wire Rope Size 11/2" Diameter


Extra Heavy Duty. For continuous cutting of wire rope, in larger sizes up to 11/2" diameter. Includes base holes for mounting.


SKU NO. 704635

Height 91/2" Base 77/8" Weight 29 lbs.


NOTE: Wear Safety Goggles







End Cutting Nippers SKU NO. MFG NO. SIZE 700081 72-7CV 700084 72-8CV 8"



Adjustable Wrenches

SKU NO. 714827 MFG NO. 75002 SIZE 8"




Locking Plier

SKU NO. 714066 MFG NO. 75044 SIZE 10"





Needle Nose Pliers


SKU NO. 440654 MFG NO. 10-582 SIZE 7"



ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005



















Tongue and **Groove Pliers**



AC118

AC124

18"

24"

701461

701464

- Strips wires clean with one easy squeeze

 up to a full 7/6". Wire grip pads hold wire firmly while sharp stripping blades cut the insulation without nicking conductor. Jaws are held open automatically to remove wire without crushing ends.
 - Perfect for production stripping of lighter-gauge wires, as used in radios, instruments, automotive, aviation, fixture or telephone wiring.
 - AWG size clearly marked at each cutting hole.
 - · Compact (7" length) and built to last.
 - · Comfortable no-slip plastic handles.

SKU NO.	CATALOG NUMBER	DESCRIPTION
511750	SED-102	Strip-Easy™ Stripper



Self-Adjusting Wire Stripper

No. 70358C. A wire stripper so simple to use it automatically adjusts itself to the diameter of the wire. The cutting blades never touch the conductors; damage to the wire is impossible. Spring action returns stripper to the ready-to-use position. Strips all wire automatically from #18 to #10 AWG sizes.


SKU NUMBER 502123 MFG NUMBER 70358C



Wire Stripper and Cutter

No. W\$150. Vaco's adjustable wire tool makes short work of cutting and stripping operations. Finely honed nose cutter gets into tight areas with ease. Wire gauge dial sets stripping dies to proper size—prevents nicked wire. Stripper adjusts from 24 to 12 gauge wire. Black oxide finish with plastic cushion grip handles. Spring-loaded model opens tool after each usage.

SKU NUMBER 505006 MFG NUMBER Ws-150



No. 1963 Tool. Patented, all purpose wiring tool cuts wire, strips wire, crimps insulated and non-insulated terminals and slices 6 sizes of bolts (4-40, 5-40, 6-32, 8-32, 10-32, and 10-24). Special features include end positioned wire cutter for reaching into hard-to-get-at places, and new bolt slicing principle that permits less hand pressure for slicing bolts with no burrs to file. Plastic comfort grip handles.

SKU NUMBER 505001 MFG NUMBER 1963



STANLEY

Cuts and strips wire from 10-26 gauge. Adjustable slide stop and hole for bending and looping wire. Rust resistant finish. Comfortable vinyl grips. Vinyl grips are for comfort only. They do not protect against electrical shock. Carded.

SKU Prod. ld./ NO. Cat. No. 500425 84-213



All-Purpose Shears and BX Cutter

High-leverage; shear-type design for onehand operation. Lightweight, compact. Has stripping notch. Cuts sheet metal, steel strapping, bundling wire. Cuts cable easily and quickly. Bow in handle designed to restore BX cable to original shape after cutting. Red plastic-dipped handles.

Length Length of Cut

75/8" (194 mm)

7/8" (22 mm)

With stripping notch


SKU No. Cat. No. 700713 1104

CRIMPING TOOLS




No. 1900 Tool. Features specially designed crimping dies for use on non-insulated type terminals . . . forms cold weld between wire and terminal barrel. Cuts wire, strips wire and crimps terminals 22 to 10 gauge AWG. Plastic comfort prio handles.

SKU NUMBER 505002 MFG NUMBER 1900



No. 19730 Wire Piler.® Unique, highly versatle wiring too! will crimp 7mm ignition terminals and 6 and 8 gauge non-insulated terminals, as well as 10 to 22 AWG insulated and non-insulated terminals. Other features include a wire cutter, stripping dies and bolt cutting dies. Large, comfortable plastic cushion grip handles.

SKU NUMBER 505003 MFG NUMBER 19730



All-Purpose Electrician's Tool

Two wire cutters— one at tip, the other halfway back near stripping holes— double the utility of this tool. Crimps insulated and non-insulated terminals, lugs and splices. Cuts wire, strips wire, cuts bolts, crimps 7-8 mm ignition terminals. Strips No. 8 to 18 AWG solid wire or 10 to 22 AWG stranded wire (6.0 to 0.75 mm²). Cuts boit sizes 6-32, 8-32, 10-32, 10-24 and 4-40. Pivot nut adjusts tension. Left- and right-hand wire-looping holes near tip. Full-sized plastic-covered handles for comfort. Easy-to-read markings. Crimping dies color-coded for easy identification.

SKU No. Cat. No. 700814 1001

Length 87/8" (222 mm)

ELECTRICIANS KNIVES

KF-300 Three-In-One Super Knife

Spear blade.

Screwdriver/wire skinner with safety lock.



SKU NO.	CATALOG NUMBER	DESCRIPTION
511755	KF-300	Three-In-One Electrician's Knife

Curved Long Nose Pliers



Typical Use: Reaching over and down between closely spaced components. Nose curved 60°. Unscored jaws prevent scratching and marring.

_	SKU	Size	Catalog No.	EDP	Head	Dimer	sion	s (in)	Wt. Ea.	•
	NO.	(in)	Feature Code	No.	A	В	C	D.	(lb)	
_	705150	4	CN54	D17234-00	13/16	29/64	1/4	5/64	.75	


Long Flat Nose Pliers



Typical Use: Electronic assembly and electrical wire work deep within electronic assemblies or electrical controls. 8-inch overall length allows use in hard-to-reach work spaces.

SKU	Size	Catalog No.	EDP	Head	Dime	nsions	(in)	Wt. Ea.
NQ.	(in)	Feature Code	No.	A	В	C	D	(lb)
705189	8	DB58P	D16388-10	13%	37/64	29/64	9/64	.38


Flat Nose Pilers



Typical Use: Holding and forming wire or flat stock, plus holding and manipulating small parts. Smooth jaws minimize marring.


SKU	Size	Catalog No.	EDP	Head	Dimer	sion	s (in)	Wt. Ea.	_
NO.	(in)	Feature Code	No.	A	В	C	D	(lp)	
705138	4	DN54	D17321-00	113/64	29/6.	1/4	5/64	81	_

Oval Head Cutter




Typical Use: General purpose cutting. Oval head with $7\!\!/_6{''}$ cutting edges gives increased life for cutting harder wires.

SKU	Size	Catalog No.	EDP	Head Dimensions		ns (in)	Wt. Ea.
NO.	(in)	Feature Code	No.	A	В	C	(ib)
705147	4	MS54	D17414-00	15/32	7/16	21/64	.69




closely spaced components.

SKU		Catalog No.	EDP	Head Dimension		ns (in)	Wt. Ea.
NO.	(in)	Feature Code	No.	A	В	C	(lb)
705135	4	EC54	D17134-00	11/32	27/64	15/64	.81




SKU	Size	Catalog No.	EDP	Head	Dimer	sion	s (in)	Wt. Ea.
NO.	(in)	Feature Code	No.	A	В	C	D	(lb)
70514	4 4	NN54	D17534-00	115/64	27/64	1/4	5/64	.75





Typical Use: General wiring applications requiring both cutting and forming. Long nose allows reaching into confined work spaces.

SKU	Size	Catalog No.	EDP	Hea	d Dir	nensi	ons ((in)	Wt. Ea.
NO.	(in)	Feature Code	No.	A	8	C	D	E	(lb)
705132	4	SN54	D17214-00	13/16	7/16	15/64	9/32	5/64	.81




Typical Use: Flush cutting from directly above the work area. Head angled at 29° to provide clearance for closely spaced adjacent components.


SKU	Size	Catalog No.	EDP	Head C	<u>Dimensio</u>	ns (in)	Wt. Ea.
NO.	(in)	Feature Code	No.	A	В	C	(lb)
705141	4	GA54	D17226-00	27/64	7/16	1/4	.75

ROUND STANDARD METAL KNOCKOUT PUNCHES

These are the most economical knockout punches to use for conventional round hold requirements in mild stee! up to 10 gauge (3.0 mm). Properly assembled through pilot holes, they will make clean, fast and accurate holes. Three-piece assembly – punch, die and draw stud. Available separately or in sets.







Every cut quick and clean.

Slug falls free in die.

...Just tip it out.

				■ *** *** *** *** *** *** *** *** ***										
HOLE SIZE														
CONDUIT AND PIPE	INCHES	INCHES	ММ		PUNCH UNIT	REPLACEMENT PUNCH	REPLACEMENT DIE	DRIVE SCREW						
	1/2	.500	12.7	PART SKU	730-½ 700734			1675AV 700809						
	5/8	.625	15.9	PART SKU	730-5/ ₈ 700736									
	3/4	.750	19.1	PART SKU	730-¾ 700739									
1/2	7/8	.885	22.5	PART SKU	71BB 700757	121AV 700787		322AVBB 700799						
	1	1.000	25.4	PART SKU	730-1 700743			112AVBB 700784						
	11/18	1.063	27.0	PART SKU	730-1-1½ ₆ 700737									
3/4		1.115	28.3	PART SKU	72BB 700758	123AV 700788	124AV 700793	249AVBB 700797						
	11/8	1.125	28.6	PART SKU	730-11/ ₈ 700746									
	11/4	1.250	31.8	PART SKU	730-1¼ 700748									
1		1.362	34.6	PART SKU	73BB 700761	125AV 700791		249AVBB 700797						
	11/2	1.5000	38.1	PART SKU	730-1½ 700749									
11/4	111/16	1.701	43.2	PART SKU	74BB 700763		128AV 700796	249AVBB 700797						
	13⁄4	1.750	44.5	PART SKU	730-1¾ 700751									
	17/8	1.875	47.6	PART SKU	730-1 ⁷ / ₈ 700752									
11/2	115/16	1.951	49.6	PART SKU	75BB 700764									
	2	2.000	50.8	PART SKU	730-2 700754									
2	23/8	2.416	61.5	PART SKU	76BB 700766	441AV 700802	442AV 700803							
	⁷ /8	.885	22.5	PART SKU	730-718 700742									
CONDUIT PL				PART SKU	735BB 700767									
72 10	74													
CONDUIT PU				PART SKU	737BB 700769									

RIDGID No. 150 Tubing Cutter

Grooved Rollers for Close Flare Cut-Offs




No. 150 features an enclosed feed screw to eliminate clogging and jamming, grooved rolls for close-to-flare cuts, and a fold-away reamer. Made from high-strength aluminum alloy with a spare cutter wheel in the handle. Cuts copper, brass, and aluminum tubing, and thin-wall conduit.

SKU	Cat.	Model	Capacity
NO.	No.	No.	
704522	31622	150	1/8" through 11/8" O.D.

RIDGID. Quick-Acting


Tubing Cutters



Push the cutter handle to snug the cutter wheel against tubing, press the release nut to automatically snap cutter open. Models 151-156 feature a quick-acting design, I-beam construction, hardened wear surfaces, and thrust bearing slide assemblies for smooth operation. These cutters are available in models for plastic pipe or metallic tubing. Models 151 and 152 feature fold-away reamers.

SKU NO.	Cat. Model No. No.		Capacity (O.D.)
704304	31632	151	1/4" through 15/4"

RIDGID. Tubing Cutters






Here's quick, clean cuts of copper, brass or aluminum tubing and thin-wall conduit. No burr, no distortion . . . rollers smooth tube for soldering. Light yet strong construction. Tracks true. Special heavy-duty wheel for steel and stainless steel. Handy fold-in reamer protects hands and pockets.

SKU NO.	Cat. No.	Model No.	Capacity
704296	32930	20	%" through 21/8" O.D.
704308	32940	30	1" through 31/8" O.D.

RIDGID.

Midget Tubing Cutters

In Extreme Close Quarters




These tubing cutters are specifically designed for use in extra close quarters on small size hard and soft copper, aluminum, brass and plastic tubing. Two rollers opposite cutter wheel permit easier rotation and faster cutting. Slide and wheel housing are strong and light weight. Large, kurled feed screw knob gives easy control of cutting pressure for cleancuts.

SKU NO.	Cat. No.	Model No.	Capacity	Turning Radius
704314	32985	104	1/8"-15/16" O.D.	111/16" max.

RIDGID. No. 138 Plastic Pipe and Tube Cutter

Designed for quick, clean cuts through 11/2"(38 mm) O.D.



Features a compound-leverage ratchet mechanism and hardened steel blade. One hand operation produces quick, clean cuts with ease. After the cut, simply depress the return latch. The spring loaded blade instantly retracts into the guard-ready for the next cut, or for safe storage. The housing is made of lightweight aluminum for long trouble free service.

SKU NO.	Cat. No.	Model No.	Capacity
704287	91125	138	1/8-11/2 O.D.



Replacement Cutter Wheels

Hardened alloy steel wheel fits all General tubing cutters.

Hardened alloy steel wheel fits all General tubing cutters. NΩ

SKU NO. 700913

RW121





SKU NO.	Type and Number Wheel	Mfg. No.
704356	E1240 Tubing Cutter	33165
704461	E2155 Soft Plastic Cutter	74720
704368	E2191 Steel Tubing Cutter	33175
704370	E2558 Alum/Copper Tube Cutter	33170
704372	E3469 Alum/Copper Tube Cutter	33185
704392	E4546 Steel Tubing Cutter	33190
704376	E5272 Hard Plastic Pipe Cutter	33195
704344	F158 Alum/Copper Tube Cutter	33160

Utility Cable Cutter



Rugged, lightweight. Cuts soft copper and aluminum cable up to 350 MCM easily. Drop-froged steel with black oxide finish. Shear-type hook jaws grab and hold cable to make clean, even cuts. Beveled tips for positive mating. Hinge bolt with pinset nut for proper blade tension Non-slip red vinyl grips. NOT DESIGNED FOR CUTTING STEEL OR ACSR.

505004 63035

SKU NO. MFG NO. CUTTING CAPACITY LENGTH 350 COPPER

350 ALUMINUM

16 3/4"

CABLE CUTTERS **TO 5/8" WIRE ROPE**

> SKU Mfg. No. 700563 C-16 700562



RIDGID Heavy-Duty Pipe Wrenches



The original heavy-duty pipe wrench, known for its serviceability. Replaceable jaws are made of hardened alloy steel. Full floating hook jaw gives instant grip and release. Handy pipe scale and large easy-to-spin adjusting nut allow fast, one-hand setting to pipe size. Comfort grip, malleable iron I-beam handle.

SKU NO.	Catalog No.	Wrench Size	Cap.	Wt. Lbs.	
704290	31000	6"	3/4	1/2	
704293	31005	8"	1	3/4	
704299	31010	10"	11/2	13/4	
704305	31015	12"	2	23/4	
704311	31020	14"	2	31/2	

SKU NO.	Catalog No.	Wrench Size	Cap.	Wt. Lbs.
704317	31025	18"	21/2	53/4
704320	31030	24"	3	93/4
704326	31035	36"	5	19
704338	31040	48"	6	341/4

RIDGID End Pipe Wrenches



Designed with an offset jaw and longer handle swing to ease work in tight places, these wrenches offer the quality features of famous RIDGID Straight Pipe Wrenches: replaceable jaws, full floating hook jaw, easy-spin adjusting nut, pipe scale and malleable iron I-beam handle.

SKU NO.	Catalog No.	Wrench Size	Cap.	Wt. Lbs.
704350	31050	E-6	3/4	1/2
704362	31055	E-8	1	3/4
704374	31060	Ę-10	11/2	13/4
704386	31065	E-12	2	23/4

SKU NO.	Catalog No.	Wrench Size	Cap.	Wt. Lbs.
704404	31070	E-14	2	31/2
704416	31075	E-18	21/2	53/4
704428	31080	E-24	3	93/4

RIDGID No. E-110 Offset Hex Wrench



Extra-wide-opening offset jaw gives easy-on, non-slip grip on sink and tube drain nuts . . . all other hard-to-get-at nuts and fittings. Thin, smooth jaws slip into tightest places. Short handle makes work easy in close quarters. Multi-sided grip allows extra leverage.

SKU	Cat.	Model	Max. Jaw	Nut	Handle	Wt.
No.	No.	No.	Opening	Capacity	Length	Lbs.
704494	31305	E-110	25/8"	Up thru 1½"	91/2"	



The design of these rugged wrenches makes it easier to work in extra close quarters . . . on round, square or irregular shapes. Fast ratchet-like action lets you work from either side. Hardened alloy steel jaws are replaceable. Tempered steel chain is held securely in double lock grips, releases quickly.

SKU	Cat.	Model	Cap	acity	Chain	Wt.	
NO.	No.	No.	Rated	Actual	Length	Lbs.	
704470	31315	C-14	2"	5"	189/16"	23/4	
704476	31320	C-18	21/2"	5″	201/4"	6	
704482	31325	C-24	3″	5"	201/4"	8	
704488	31330	C-36	41/2"	71/2"	28%"	153/4	

RIDGID Aluminum Handle

Straight Pipe Wrenches



Aluminum handles make these heavy-duty wrenches almost 40% lighter than similar wrenches with malleable iron handles. Parts are identical to those of RIDGID Straight Pipe Wrenches. Ideal for over head work.

SKU NO.	Cat. No.	Model No.	Wrench Size	Capacity	Wt. Lbs.
704440	31100	818	18"	21/2"	32/3
704458	31105	824	24"	3"	6
704467	31110	836	36"	5″	11

RIDGID.

Nos. 1-A & 2-A Heavy-Duty Pipe Cutters

Gives fast, clean pipe cutting by hand or power. Extra long shank protects adjust-



ment threads. Extra large handle for quick, easy adjustment. Balanced frame of special malleable iron. Equipped with tough blade cutter wheel. Can convert to 3-wheel cutter by replacing rollers with cutter wheels.

SKU NO.	Cat. No.	Model No.	Capacity	Wt. Lbs.
704497	32810	1-A	1/8" thru 11/4"	61/2
704506	32820	2-A	1/8" thru 2"	71/4


RIDGID 4-Wheel Pipe Cutters



These 4-wheel cutters are designed for work in areas where a complete turn is impossible. No. 42-A has short handle for use in extratight places where only a quarter turn can be made. Second handle on No. 44-S makes 2-man leverage possible on large pipe sizes. Both are equipped with 4 Heavy-Duty Wheels.

SKU NO.	Cat. No.	Model No.	Capacity	Wt. Lbs.
704515	32870	42-A	3/4" thru 2"	7

Monkey Wrench



Heavy duty industrial design for general utility, auto and plumbing work. Ideal for specialized industrial, railroad and aviation use. Drop forged from high quality steel with durable hammer head. Nickel chrome plated. Exceeds government specifications.

SKU	Size	Catalog	EDP		A		В	Wt. Ea.
NO.	(in)	No.	No.	(in)	(mm)	(in)	(mm)	(lb)
705183	12	CC712	D21412-00	12	305	3	76	2.13



CENTER CUT CUTTER

FOR FREE OR GENERAL CUTTING of soft or hard rods, bolts, etc., cold drawn spring wire, stranded guy wire, alloy wire, rods, and hard steel up to Brinell 400, Rockwell C42 hardness.

The cutting edge is in the middle of the blade with an equal bevel on each side.

Center cut type of jaws are recommended where flush cuts are not required. In its larger sizes, this is a favorite tool of many industries.

		Approx.		Capacities		
SKU No.	Tool No.	Weight Lbs.	Approx. Length	Soft Metal	Hard Metal	
700826	1490MC	2 1/8	14"	5/16"	3/16"	
700827	0090MC	31/2	18"	3/8"	1/4"	
700829	0190MC	51/4	24"	7/16"	5/16"	
700832	0290MC	81/2	30"	1/2"	3/8"	
700833	0390MC	12 1/8	36"	9/16"	7/16"	
700836	0590MC	171/8	42"	11/16"	1/2"	

IRON PIPE CUTTER

All of the best features of General's no.126 Pipe and Tubing Cutter and more

T-handle design adds a sliding feature that gives zero clearance for confined work areas, while providing greater torque for easier cutting. Solid frame for greater strength.

Equipped with RW122 heavy-duty cutting wheel for iron pipe.

Extra long feed screw for added leverage.

SKU NO. MFG NO. CAPACITY 600128 2-5/8"(67MM) 127





CLIPPER CUT CUTTER

FOR CLOSE, FLUSH CUTTING ONLY of soft or medium hard metals. Aluminum, brass, copper, wrought iron, soft steel bolts, screws, rivets, rods. wire up to Brinell 300, Rockwell C31 hardness.

The Clipper Cut, with blades beveled almost entirely from one side, makes the close, square cut required for trimming projecting ends. This design should be used only for soft or medium hard metals as indicated above. Cutting edges are in line with the handles.

				Capacities	
SKU No.	Tool No.	Approx. Weight Lbs.	Approx. Length	Soft Metal	Medium Hard Metal
700838	1490MNE	21/8	14"	5/16"	1/4"
700839	0090MNE	31/2	18"	3/8"	5/16"
700844	0190MNE	51/4	24"	7/16"	3/8"
700847	0290MNE	81/2	30"	1/2"	7/16"
700848	0390MNE	12 %	36"	9/16"	1/2"
700851	0590MNE	171/8	42"	11/16"	9/16"

DOWLING JIG

A precision jig that assures accurate line up of dowel holes in furniture and carpentry.

Revolving turret has six twist drill sizes Just lift and turn turret to lock in guide hole. Guide bars are graduated for fast positioning of hole center points Clamp screw locks tool onto work from 0" to 4" in width.


Rust resistant plated turret and parts and painted die-cast body.

Instructions included.

SKU NO. 743713

MFG NO. 840 CAPACITY 3/16",1/4",5/16' 3/8", 7/16", 1/2'

0990T STEEL STRAP CUTTER



Capacity Flat Strap up to 3/4" x .035"

For cutting flat or round strap. Wedge shaped jaws slip un-Round Strap up to 14 Gauge (.080") der tightest strap or wire for quick, easy cuts. High leverage, special tempered cut-

ting edges. 700830 0990T



High-Leverage Cable Cutter

This handy, economical tool handles most cable-cutting jobs with ease. Special highleverage design gives it amazing cutting capability for its size. Cable-gripping, shear-type jaws cut up to 4/0 aluminum (not ACSR)...up to 2/0 soft copper...up to 100pair, 24-gauge communication cable. Makes clean, efficient cuts. Compact...only 91/2" (241 mm) long, can be carried in tool pouch or Klein No. 5112 or No. 5112T tool holders. Ideal for working in confined spaces. Tough, comfortable, red plastic-dipped handles. Not designed for cutting steel or ACSR.

SKU No. Length Cat. No. 700718 63050 91/2" (241 mm)

Cutting & Bending Tools



Compound Tubing Bender

Will bend copper, brass, thin wall tubing, steel aluminum, soft wire and rods.

180° ends in a single action

Bender has calibrated angle markings from right and offset bends

Ergonomically designed handles for greater

Durable die cast alloy construction Extra-long handle for greater leverage.

SKU NO. MFG NO. CAPACITY 600139 3/16", 1/4", 5/16", 3/8" 153



A quality made Flaring Tool that accurately flares 7 sizes: $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " and $\frac{5}{6}$ " (metric configuration 6, 8, 10, 12, 14, 15, 16mm) O.D. in soft copper, brass, aluminum and mild steel (JIC and Bundy) tubing.

SKU	Cat.	Model	Description	Wt.
NO.	No.	No.		Lbs.
600137	23332	345	Flares 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", and 5/8" O.D. tubing, 45°	23/4

RIDGID No. 127

Inner-Outer Reamer

Comfort-grip, plastic construction. Long wearing alloy steel blades, protected from nicking and breakage. Does a fast professional job on cop-



per, aluminum, brass and other types of tubing. Extremely handy for quick, clean and easy I.D. reaming and O.D. beveling.

SKU NO	Cat. No.	Model No.	Capacity	Wt. Lbs.
601888	34965	127	1/4" thru 11/2" Nominal Water Tube	1/4

"PAL" Thin-Wall Conduit Reamer



Locks onto screwdriver, reams and smooths 1/2",3/4", and permit correct installation of fittings. Reams inside and outside at the same time. Two set-screws hold "PAL" tight on round or square screwdriver shanks. Reamer can be left on screwdrivers for normal use. Fits most Klien screwdrivers. Not for use on power tools.

SKU NO. MFG NO. **700001** 19350

Replacement Cutter Wheels

Hardened alloy and tool steel cutter wheels. The RW121 is interchangeable with all General cutters. Use RW122 and RW122P wheels with our high capacity cutters. Nos 125,126,127

SKU NO. MFG NO. 700925 RW122ST



SCREWDRIVER HANDLE REAMER

- General's easy to use reamer is perfect for home mechanics.
- Fluted plastic handle.

SKU NO.	NO.	CAPACITY
700916	131	1/8" to 3/8"

BIT SHANK REAMER

- Forged from tool steel.
- Spiral flute cutting edges are hardened and ground.
- Bit brace square shank.

SKU NO.	NO.	CAPACITY	
700917	135	1/4" to 2"	



RIDGID

Bench Yoke Vises

Unusually handy and efficient. Convenient pipe rest and bender. Red yoke base of strong special malleable iron. Highest quality alloy steel jaws. Capacities, 1/8 through 6 inches.

SKU NO.	Cat. No.	Model No.	Capacity	Wt. Lbs.
704560	40085	22	1/8" thru 21/2"	13

RIDGID Kit Yoke Vises

Handy portable yoke vise, easily attached to plank, work bench or post. Red malleable iron. Jaws are made of hardened alloy steel, are easy on polished pipe. Integral pipe rest. Vice screw clamp for bench up to 4 inches.



SKU NO.	Cat. No.	Model No.	Capacity	Wt. Lbs.
704563	40120	38	1/8" thru 2"	12

Pipe Extractors



Quick sure extraction of broken threaded ends of pipe, pipe plugs, fittings, etc. Extractors are straight fluted, easily driven into broken piece — turn out with any wrench. Where solid ends, etc., must be drilled, correct drill size is stamped on extractor.

Single Pipe Extractors

SKU NO.	Cat. No.	Model No.	Pipe Size	Flute Dia. O.D.	Length Overali	Use Drill
704575	35595	80	1/8"	.287	21/4"	1/4"
704578	35600	81	1/4"	.389	21/2"	3/8"
704581	35605	82	3/8"	.538	23/4"	1/2 "
704584	35610	83	1/2."	.665	3″	5/8"
704587	35615	84	3/4"	.860	31/4"	13/16"
704590	35620	85	1 "	1.069	31/2"	11/16"
704593	35625	86	11/4"	1.423	3¾"	13/8"
704596	35630	87	11/2"	1.676	4"	19/16"
704599	35635	89	2"	2.122	41/2"	21/16"



ROUND SHANK REAMERS

- General's best selling heavy duty reamer used by mechanics and plumbers.
- Forged high carbon heat treated tool steel.
- 1/2" round shank for use in drill presses or large capacity power drills.

SKU NO.	NO.	CAPAGITY	
700919	RS136	1/4" to 1-1/2"	
700922	RS137	3/8" to 2"	

135