

SKU NO.	MFG. NO.	SIZE
700804	HW223	3∕8″ × 50′
700810	HW223ME	. 3/8"/10 × 50/15



	SKU MFG.				
NO.	SIZE				
403	5%s" × 50'				
406D	5%" × 100'				
	403				



New, high-speed reel with builtin comfort grip for rapid blade extension and return. Yellowclad % in. wide, epoxy-coated blade, folding end hook, stud marks every 16 inches.

#### Speedwinder® Steel Tape

SKU NO.	MFG. NO.	SIZE
700825	HYT-50	3%" × 50'
700828	HYT-100	3/8" × 100'

#### LONG FIBERGLASS MEASURING TAPES IN OPEN REEL CASE



Over 30,000 strands of glass fibers coated with polyvinyl chloride. These Keson tapes are complete with an open reel handle. The special hole in the handle design allows for rapid reeling and unreeling. Allows mud, sand and stone to drop away from case, therefore prolonging the life of the tape blade. The flush folding handle allows for compact storage. Blade is ½ inch wide with 2 color markings on snow white background.

SKU NO.	Mir. No.	Length	
	Graduated in in	ches and feet.	
703005	OTR-18-50	50 Ft.	
703010	OTR-18-100	100 Ft.	
703020	OTR-18-165	165 Ft.	
703025	OTR-18-200	200 Ft.	
703035	OTR-18-300	300 Ft.	

#### LONG FIBERGLASS MEASURING TAPES IN METAL CASE



Over 30,000 strands of glass fibers coated with polyvinyl chloride. Engineered for all types of measuring work, the Keson measuring tapes are complete with a lifetime metal case, coated with a protective, rust-inhibitive polyvinyl chloride. The case has double throat rollers and a flush folding handle secured by the push pin handle. All metal parts are heavily plated for added durability. All tapes are one-half inch wide with color fast scale readings permanently legible on a snow white vinyl coated fiberglass.

SKU NO.	Mfr. No.	Length
·	Graduated in in	
702975	MC-18-50	50 Ft.
702980	MC-18-100	100 Ft.
702990	MC-18-165	165 Ft.
702995	MC-18-200	200 Ft.

#### STEELMASTER® LONG TAPES



#### 3/8" WIDE BLADE

Rugged zinc die-cast case. Chrome plated. True reading hook with double spurs enables one man to take many measurements unassisted. Easy to read yellow blade protected with Mylar\* for long life. Replacement blades inserted easily.

SKU NO.	Prod. Id. No.	Cat. No.	Blade Length
700164	34-400	MY100A	INCH 100 ft.

#### *Powerwinder*<sup>®</sup> Long Tape — <sup>3</sup>/<sub>8</sub>" Wide Blade



The new 50' Powerwinder® long tape totally eliminates the handwinding crank required by conventional long tapes, replacing it with a special spring powered return motor which means no more wasted time. The 50' Powerwinder long tape's innovative, 3-position control button lets you extend the tape, lock it in place, measure and return it quickly and smoothly-with just one finger. The 50' Powerwinder long tape provides all the features customers have come to expect from Stanley Powerlock tapes. Like a Mylar\* protected blade for extended wear. Bold blade graphics. A 'Iru-Zero, twoposition hook. Speed control cams, for decreased whiplash and increased tape life and a durable, compact chromeplated case with a special belt clip.

SKU	Product	Blade Length
No.	ID No.	Feet
700158	34-150	50
	* DuPont polyester film	

Master 12

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183



#### **MM12**

Automatically records measurements line to line, wall to wall, vertically, overhead, around curves and over contours.

SKU NO. 700640

Push button counter records feet and inches up to 1,000 feet without resetting Wide, precision tire provides solid traction on firm outdoor surfaces Wheel circumference 1 foot: diameter 4 inches; weight less than 2 lbs.

Special handle provides firm grip, comfort

Precision counter, always in full view, records up to 1,000 feet without resetting Counter completely sealed for protection

and ease of handling.

**MM50** 

This strong, steel-

constructed model has a

5-ft circumference wheel

rough and uneven terrain

accurately. Features new

support ribs on the handle socket for added strength.

SKU NO. 700643

which measures over

Master 30

This 3-ft. circumference wheel records accurate measurements over a wide variety of measuring jobs. Features sturdy steel construction, and new support ribs on the handle socket for added strength.

**MM**30

SKU NO. 700641

# **Professional Series**

Folds to 19 1/4" and extends to 40 1/2" Push button counter records up to 1,000 increments Precision molded dual 4" diameter, 1-foot circumference wheels Optional carring case PRIMARY USES: Law Enforcement, Roofing, Real Estate

> SKU NO. MFG NO. 701652 MM12-TWIN

# **MEASURING WHEELS**



RENTAL • BUILDING MATERIALS • HAND TOOLS • POWER TOOLS • HARDWARE • FASTENERS • PAINT • ELECTRICAL • PLUMBING • LAWN & GARDEN • JANITORIAL



Measure Master 50

PROFESSIONAL<sup>™</sup> 12"


# *Professional*<sup>™</sup> Slotted Blade Combination Square



Exclusive slotted blade can be quickly reversed. Handle design allows greater visibility for level vial. Scratch awl feature. 46-021 graduated in 8ths, 16ths, and 32nds. 46-121 graduated in metric—1mm graduations.

SKU	Product	Product		Overall L	.ength
No.	ID No.	Description	Inches	mm	
700226	46-021	English	12	305	






#### **Combination Square with Grooved Blade**

Removeable grooved blade graduated in 8ths, 16ths, and 32nds. Scratch awl, and versatile level vial built into handle. English, English-metric, and metric versions. Level vial features offers greater visibility.

SKU	Product		Overall L	.ength
No.	ID No.	Description	Inches	mm
700224	46-122	English	12	305



Inches

8

Inches

51/2

mm

140

mm

203

ID No.

46-812


No.

700233

#### **Combination Square** A versatile combination square with 12 blade. Durable die-cast metal body with vial hand set for accuracy. Coated blade resists rust. Solid brass knobs. Deep stamped graduations in 1/8", 1/16" and 1/32." Prod. SKU NO. I.D. No Desc. Combination 700224 46-122 12" Square Handvman<sup>™</sup> Grooved Blade **Combination Square** Grooved blade, scratch awl, and level vial included. English, English/Metric and Metric versions. **Overall Length** SKU Product No. ID No. Description Inches mm 700227 46-222 English 12 305 Thrifty **Try Square** 0 2 3 Lightweight homeowner's square for measuring $45^{\circ}$ and $90^{\circ}$ angles. Plastic handle. 8'' blade. $\frac{1}{8}''$ graduations. 46-504 graduated in metric 2 mm graduation. Blade Length Blade Width Handle SKU Product ID No. Description Inches Inches No. mm Inches mm 700231 46-502 111/16 English 8 203 51/8 130 **Thrifty**™ Bevel

Tough plastic handle with handy grip. Steel blade and blade locking device.

SKU	Product	Blade Length		Blade Length Handle L	
No.	ID No.	Inches	mm	Inches	mm
700236	46-825	8	203	51/2	140




## SPEED SQUARE

"The original" SWANSON SPEED® SQUARE. This popular pocket sized square incorporates features of the framing square, try, mitre & protractor squares. It makes an ideal saw guide.

Common rafter and hip/valley rafter scales permit onenumber reference for all cuts. The square is merely rotated to the proper roof pitch value on either scale to assure the correct angle cut. The slot along the scales will accommodate an adjustable locking pin for repetitive cuts using any 1/4" bolt and nut.

- 3/16" thick aluminum alloy (makes ideal saw guide).
- Sturdier than typical L-shaped framing squares.
- 7" x 7" x 10" (fits into pockets).
- 62-page Swanson's "Blue Book" for Rafter and Stairway Layout packaged with each square.
   SKU NO. 704641
   Item #00101.



CONTRACTOR GRADE

Rather layout square with blackbody and yellow graduations for maximum readability in all light conditions.

Aluminum constuction is lightweight yet durable Extra thick body for use as a saw guide with a  $0^{\circ}$  to  $90^{\circ}$  protractor scale.

RULE LENGTH BASE LENGTH 6-3/4" 10-1/4"

> **SKU NO.** MFG NO. **706111** 46-071

#### Professional<sup>™</sup> Rafter Square

STANLEY

Body 24" x 2" (610mm x 51mm) Tongue 16" x 1½" (406mm x 38mm) Rafter tables Brace measure, Octagon scale Board measure, 100ths scale

45-010 and 45-120 have a lacquered finish. Embossed graduations and figures filled with yellow color on all except the 45-010 which is filled with black color, 45-120 has blued finished. Instruction booklet included.

Graduation
------------

				Graduation			
SKU No.	Product ID No.	Material	Finish	Face Inches	Back Inches		
700217	45-010	Aluminum	Polished	1/16-1/8	1/16-1/10-1/12		

#### Workmaster<sup>®</sup> Rafter Square

#### () 建建建造造造作作作用的现在分词使用的现在分词使用的。

Body 24" x 2" (610mm x 51mm).

Tongue 16" x  $1\frac{1}{2}$ " (406mm x 38mm).  $\frac{1}{8}$ " Graduations on face and back. Embossed graduations and figures are filled with yellow color. Essex board measure and rafter table. With blued finish. Instruction booklet included.


				Grad	uation
SKU No.	Product ID No.	Material	Finish	Face Inches	Back Inches
700221	45-910	Steel	Blued	1/8	1/8

#### Workmaster® Steel Square

Body 12" x  $1\frac{1}{2}$ " (305mm x 38mm), tongue 8" x 1" (203mm x 25mm),  $\frac{1}{16}$ " graduations on face and back. Embossed graduations and figures. Lacquered finished.

				Grade	uation
SKU No.	Product ID No.	Material	Finish	Face Inches	Back Inches
00223	45-912	Steel	Buffed	1/16	1/16

#### Handyman<sup>®</sup> Carpenter Square



# Guide For END OF SILL FOR GABLE SETTING END OF SILL FOR 2 x 4 Instruction Setting FIRST STUD: FRAME MASSTER Sku USE PIECE OF ELECTRICAL TAPE TO CONTROL GAIN (IF NEEDED)

FRAME MASTER™

#### Workmaster® Homeowner's Square

Body 24" x 2" (610mm x 51mm) Tongue 16" x 1 <sup>1</sup> / <sub>2</sub> " (406mm x 38mm) • New Lumber Scale—Board Feet Equivalent • Decimal Equivalent Table—Fractions to Decimals • Metric Conversion Table—Inches to Meters • Formula for Squaring a Foundation • 45°, 60°, 30° Angle Markings • Volume and Area Formulas • Wood Screw Gauge Table—Drill Sizes • Nail Sizes (Common and Finish) quantity per pound • Depth Scale • <sup>1</sup> / <sub>8</sub> " graduations of face and back. Valuable tables and information imprinted on both sides of square. Made of non-corrosive aluminum. Embossed graduations and figures assure long term visibility.						
graduat	ions and f	igures assure	e long ter	$\mathbf{m}$ visibili	ty.	
				Gradu	uation	
SKU No.	Product ID No.	Material	Finish	Face Inches	Back Inches	
700222	45-300	Aluminum	Buffed	1/8	1/8	
LAY	K SQU OUT T		tool fea-	ware a very series of the seri	STAN	LEY

The Stanley QUICK SQUARE<sup>™</sup> tool features a moveable locking arm that insures fast, accurate measurements. Use it as a power saw guide, combination square, rafter square and protractor. Free detailed instruction booklet included in each highimpact package.



<u>185</u>

RENTAL • BUILDING MATERIALS • HAND TOOLS • POWER TOOLS • HARDWARE • FASTENERS • PAINT • ELECTRICAL • PLUMBING • LAWN & GARDEN • JANITORIAL

SKU

NO.

743786

Prod. Id.

No.

46-050

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183

MACHINIST, MEASURING, SPECIALTY TOOLS AND **PRECISION TOOLS UTILITY MICROMETERS** teoropogeooperne Externet. 300 41342 ## 301 PLASTIC DIRECT READING **INCH DIAL CALIPER** AND AN ARCHING AN ARCHING AN ARCHING AN ARCHING State of art reinforced plastic gives precision capabilities at an economical price. Measuring capacity 0 to 6 ". Contrasting color coded dial is gradu-ated in .01 and 64ths with inch and 308 mm on bar scale. · Measures 4 ways: inside, outside, depth and step readings. UTILITY MICROMETER SET No-glare easy to read dial with adjustable bezél. A practical and economical three piece Free wheeling friction roller for repeti-tive and accurate readings. measuring set for beginners and hobbyists. Fractional conversion table on back. Well suited for use in training programs, Packed in reusable plastic hang-up general toolroom and machine shop use, case. and automotive work. Accuracy guaranteed to .001". SKU NO. NO. Satin finish frames have friction thimble 702128 to permit consistent measurements. • Hex wrench is included for simple zero adjustments. Machine cut graduations. CONTRACTOR GRADE Packaged in a sturdy double wall blow STEEL RAFTER SQUARE molded case. Cold rolled steel designed to maintain accuracy of square. Individually NO RANGE INCLUDES SKU NO. inspected for accuracy. Deep 701024 202 닄 1" to 2" Standard graduations are filled with yellow 1216 1276 paint for superior readability in all light conditions. Surface protected by resist corrosion. STEEL RULES LENGTH SKU NO. MFG NO. FINISH Body General industrial quality rules are 706102 45-119 english BLUE 24' precision made, with etched fine black graduations, on stainless steel or satin 102 chrome finish. INDUSTRIAL STEEL RULES 721 **6" PRECISION STAINLESS** STEEL RULES FRACTIONAL SCALE UTILITY MICROMETERS VERNIER CALIPER A practical and economical measuring device for beginners and hobbyists. SKU STOCK SIZE Graduated in 16ths and 32nds of an NO. NO. inch with vernier reading of 1/128" · Well suited for use in training pro-700943 676 6" Rigid grams, general toolroom and machine SKU NO. NO. 721 shop use, and automotive work. 6" AND 12" PRECISION SATIN 700974 Accuracy guaranteed to .001 ". CHROME STAINLESS STEEL RULES Satin finish frames have friction thimble to permit consistent measurements. 12" Flex 700944 CF1216 · Hex wrench is included for simple 12 " Rigid 701138 CF1276 zero adjustments. Machine cut graduations. Also available in metric graduations. ECONOMY STEEL RULES 729 · Available as a three piece set. **6" STAINLESS STEEL RULES** 300 SERIES **4 INCH SLIDE CALIPER** Stainless steel caliper with inside and RANGE SKU NO. INCLUDES 700937 300/1\* 6" Flex ŅO. outside readings in 16ths and 32nds. 701022 102 0" to 1 Decimal 6" Flex 701139 300me\* Decimal equivalents table on back. equivalent (150mm) • 4" capacity. chart 202 Standard 301me/1\* 701024 ' to 2 700941 6" Flex 2" to 3" 302 Standard GRADS SKU NO. NO. 701025 700938 308 6" Flex 729 16ths and 32nds 700976 mm and 16ths \*Furnished with pocket clip

Tongue

16"

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183

GENERAL MG MACHINIST, MEASURING. AND 26 SCREW AND WIRE GAGE PRECISION TOOLS Front side measures American Standard wood screws No. 0 to No. 30 at one edge, wire and screw diameters from 1/16" to 7/16" on opposite edge. Reverse side is graduated for Old or English Wire Gage (BWG) from 17 to 0000 on one edge. New Standard or American Wire Gage (AWG) from 15 to 0000 on the opposite edge. Also includes 3" rule for measuring screw lengths. Measures 4" x 1-3/8". · Made of stainless steel. 226 NO. 26 SKU NO. 701033 252 STRAIGHT LEAF 3" leaves are 1/2" wide. Straight Edge Rule 22 23 \$ LEAVES SIZES SKU NO. NO. 8 209 .0015" to .015" .0015" to .025" 12 700929 á 9 26 Non-Glare satin finish **Embossed Graduations** 9 8 - 22 SCREW PITCH GAGES 22 8 These finely crafted measuring devices are used for gaging V, American National, or U.S. standard 60° threads. 8 Gages are notched for measuring inside threads of small holes and nuts SKU NO. MFG NO. Length 700201 10211 72 as well as external threads. Set of 51 screw pitches combines all sizes from 4 to 84, including 11-1/2 and 27 pipe thread sizes. Knurled thumb nuts lock the case in an open or closed position. Also available in 22 pitch set No. 252 and metric No. 255mm. \$ NO. OF PITCHES SIZES SKU NO. NO. 700932 252 22 22 9 to 40 3 .35 to 6.0mm 255mm

> Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.

#### **DEPTH/ANGLE GAGE**

 Our easy to read gage makes precise depth measurements in small holes and slots; also doubles as a protractor.


444

187

- Spring tension nut eases depth and angle measuring by securing rule in milled slot at 90° angle to base.
- Permits easy setting of protractor angle to 30°, 45°, and 60° settings on both sides.
- 6" x 1/4" etched stainless steel rule graduated in 32nds and 64ths.
- 2-1/2" wide hardened steel base.
- Also available graduated in millimeters No. 444mm.
- Conforms to government specifications GGG-G-17b.

SKU NO. NO. 700953 444

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183



GENERAL WOODWORKING TOOLS

#### FLAT HANDLE SCRATCH AWL

- Moderately priced scratch awl meets government specifications GGG-A-891a.
- 3-1/2" alloy steel blade runs through the handle.
- Plated steel ferrule.
- Measures 6-1/4 " overall.

#### SKU NO. NO. 700992 814

#### ECONOMY SCRATCH AWL

- Handle has flattened sides to prevent rolling.
- 3-1/2" alloy steel blade and plated ferrule.
- Measures 6-1/4 " overall.

SKU NO. NO. 700994 816

#### SCREWDRIVER HANDLE SCRATCH AWL

- Blade is firmly attached to durable plastic handle.
- Measures 5-3/4 " overall, with 3-1/2 " blade.

SKU NO. NO. 700997 817

#### HARDWOOD HANDLE SCRATCH AWL


- Our finest quality scratch awl is also our best seller.
- Alloy steel blade runs through the handle and is securely fastened to both the plated steel ferrule and the cap.
- Hardwood fluted handle is contoured for comfortable grip.
- Overall length is 6-1/2 " with 3-3/4 " blade.

SKU NO. 700998	NO. 818	

### SPECIALTY TOOLS

#### INDUSTRIAL TWEEZERS


Nickel plated tweezers for toolmakers, repairmen, electronic assemblers, and other professionals.



SKU NO.	NO.	POINT STYLE	LENGTH
706506	403	Blunt serrated	6"
706509	407	Blunt (soldering)	4"
706512	408	Sharp bent	4-1/4"
706512	408	Sharp bent	4-1/4″
706515	410	Narrow sharp	4-1/4″
706518	412	Blunt (slide lock)	6-1/2″

#### UTILITY TWEEZERS

Utility nickel plated steel tweezers for mechanics, craftspeople, and hobbyists.



Curved

Spade

6 - 1/2

<u>4-1/2</u>"

706524

706527

415

416



- · Replaceable hardened steel point.
- Available in seven sizes.
- Conforms to government specifications GGG-P-501e.

700970 800-8 8 oz. 4-1/2" <u>1-3/16"</u> 700980 800-16 16 oz. 5-3/4" 1-1/2"
--

#### HEXAGON STEEL PLUMB BOBS

- Made of hexagonal cold drawn steel, nickel plated.
- Removable cord cap for 3/32" (.094) braided cord.
- Conforms to government specifications GGG-P-501e.
- Available in three sizes.

SKU NO. NO. 700977 790-5 700979 790-8 700982 790-12	WEIGHT 5 oz. 8 oz. 12 oz.	LENGTH 3-3/8″ 4″ 4-1/2″	HEX. WIDTH 3/4″ 7/8″ 1″	
--	------------------------------------	----------------------------------	-------------------------------------	--

#### EASY REACH PICK-UP TOOL

Used to retrieve screws, nuts and small and parts from inaccesible locations

SKU NO	MANUFACTURER NUMBER	LENGTH
803100	32-S	32"
803103	40-S	40"

# 4-PIECE MICRO PROBE SET

189

: 132

100

For probing,cleaning,picking or marking small work surfaces. Four heat treated, high carbon steel point configurations: 45 degree, two double bends and hook bend. Extra long aluminum knurled body. Overall length 5-1/2" (138mm) Packaged in a reuseable plastic tube.

**SKU NO.** MFG NO. **706536** 868

# **3-PIECE PROBE SET**

For probing, cleaning, picking or marking small working surfaces

Three heat treated, high carbon steel point configurations: 45 degree, double bend and hook bend.

Extra long aluminum knurled body. Hex head prevents rolling Overall length 6-1/2"

**SKU NO.** MFG NO. **706533** 862

PLACE YOUR ORDERS BY FAX ON OUR ORDER FORM TO RECEIVE YOUR SPECIAL 2% DISCOUNT.

WE ARE PLEASED TO SPECIAL ORDER ITEMS THAT ARE NOT ALREADY IN OUR INVENTORY


ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183

MACHINIST, MEASURING,	GENERAL	
AND PRECISION TOOLS		380A
77 <b>BALL BEARING AUTOMATIC</b> <b>CENTER PUNCH</b> • Unique ball bearing action. • Lightweight aluminum body with long wearing alloy steel parts. • Body diameter 5/8 "; overall length 5"	85 <b>SINGLE POINT SCRIBER</b> • Hardened tempered point. • Overall length 4-1/2 ". <b>SKU NO.</b> NO. <b>700596</b> 85	<ul> <li>THREE POINT SCRIBER</li> <li>Finest quality machinist's scriber.</li> <li>Aluminum knurled body, with three interchangeable threaded points: short straight, short bent, and long bent.</li> <li>Overall length of tool with two short points is 9".</li> <li>Overall length with one short and one long point is 12".</li> <li>Handle and short points are 3" long.</li> </ul>
All steel solid point is replaceable.     SKU NO. NO.		SKU NO. NO. 700947 380A
700896 77		380B
	<ul> <li>POCKET SCRIBER</li> <li>Replaceable hardened and centerless ground point.</li> <li>Point reverses into knurled body for safety.</li> <li>Body diameter 3/8 ".</li> </ul>	<ul> <li>TWO POINT SCRIBER</li> <li>This scriber consists of short straight and short bent points which thread into knurled body.</li> <li>Overall length 9 ".</li> </ul>
	Conforms to government specifications GGG-S-131e.	700949 380B
	BODY BLADE OVERALL SKU NO. NO. DIA. LENGTH LENGTH 700889 81 3/8" 2-7/8" 5-7/8" 700902 81P	80 FIXED TWO POINT SCRIBER
		<ul> <li>Hardened and ground steel needle points are fixed to a knurled body.</li> <li>Has one straight point and one bent point.</li> <li>Measures 8-1/2 " overall.</li> </ul>
88CM	83	SKU NO. NO. 700587 80
TUNGSTEN CARBIDE SCRIBER AND MAGNET         • Tungsten carbide tip marks hard materials including hardened steel, ceramics, and glass.         • Alnico permanent magnet picks up smail parts and retrieves steel chips from hard to reach places.         • Scriber point reverses for safety.         • Replacement Point No. 88P.         • Overall length 6 ".         SKU NO.       NO.         700899       88CM         700991       88P	Scheme         • Replaceable hardened and centerless ground point.         • Point reverses into knurled body for safety.         • Body diameter 1/4 ".         • Conforms to government specifications GGG-S-131e.         Sku NO. NO. DIA. LENGTH LENGTH 1/4" 2-3/8" 4-3/4"         700904       83P	
88	84	510
TUNGSTEN CARBIDE POINT SCRIBER         • Tungsten carbide tip marks stainless steel, copper, ceramics, and glass.         • Screw chuck for reversing tungsten carbide point when not in use.         • Replacement Point No. 88P.         • Measures 6 " overall.	REPLACEABLE NEEDLEPOINT SCRIBER • Scribes stainless steel, copper, brass, glass, and ceramics. • Nork patterned scriber measures 5-5/16" overall. • Four extra points are stored under cap. • Replacement Point No. 84P.	WING DIVIDERS • Heavy duty divider with cast alloy body, hardened steel points, fully polished and nickel plated.
SKU NO. NO. 700898 88 700991 88P	SKU NO. NO. 700893 84 700907 84P	<b>SKU NO. NO.</b> SIZE RADIUS 701030 510-8 8" 9-1/4"

 700991
 88P
 700907
 84r
 701030
 310-5
 8"
 9-174"


 RENTAL • BUILDING MATERIALS • HAND TOOLS • POWER TOOLS • HARDWARE • FASTENERS • PAINT • ELECTRICAL • PLUMBING • LAWN & GARDEN • JANITORIAL

# WOODWORKING TOOLS.



#### **ANGLE DIVIDER**


- One of our unique tools designed for transferring angles in cornice, frieze, or gable work.
- · Divides and bisects angles.
- For accurately marking floor tiles, molding, trim, and miters.
- Body is graduated for 4, 5, 6, 8 and 10 sided figures and 30°, 45°, and 60° bisected angles.
- Adjustable leg is 6" with a 5" square base
- Constructed of nickel plated steel.
- Instructions included.



#### **ADJUSTABLE TRAMMELS**

- General's adjustable trammels accurately measure and mark distances that are too great for conventional compasses and dividers.
- For layouts, marking templates, and drawing large circles
- 6" off center eccentric points provide fine adjustment.
- Points can be replaced with pencils, ballpoint pens, crayons, or soapstone sticks for marking various materials. Clamp onto beam 5/8" to 1-1/2" thick
- of any width or length.

SKU NO. 700961	NO. 523	
-------------------	------------	--




#### PRECISION PENCIL COMPASS

- · Carpentry quality pencil compass is made of long lasting die cast, rust resistant metal.
- Spring tension adjustment for marking up to 8<sup>"</sup> diameters.
- Scribe guide for edge marking.
- For use with pencil (included) or slim ballpoint pen.

SKU NO. 701009	NO. 842	

#### PENCIL COMPASS AND SCRIBER

- · Designed for marking contours and circles.
- Positive wing nut adjustment.
- Full length hardened steel pin in metal frame for greater rigidity.
- Constructed of brass plated steel.



#### JIFFY CENTERING PUNCH

- · For quickly starting screw holes when attaching countersunk hardware such as hinges, hasps, hangers, and drawer pulls.
- Countersunk end ensures starting hole is centered in hardware screw hole.
- Hardened steel pin.


SKU NO.

700986

• Plated body is 2-1/2" x 3/8". NO.

806

	are form fluids, m petroleu
g	SKU NO
•	70702 70702 70702
]	






# **Remover & Thinner**

Surface preparation is the key in making your fluid adhere and form a uniform coating. All oils, grease and dirt must be removed prior to application of Dykem products. Dykem Remover & Thinner Fluids, Staining Colors, Hi-Spots and Markers. It can also be used in a 1:4 ratio to dilute Layout Fluids and Staining Colors.

SKU NO.	Mfg. No.	SIZE
707029	82038	16 oz. Spray
707027	82538	8 oz.
707028	82638	Quart



191





# Layout Fluids

Dykem Steel Blue is the world's leading layout fluid. It prevents glare, dries to the touch in just two to four minutes, leaves a uniform, deep blue color and gives scribed lines a clear, precise appearance. These important features can prevent inaccuracies, save materials and All products eliminate eyestrain. ulated to be resistant to cutting oisture, grease, gasoline and m solvents.

<u>192</u>

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183

ł



# Mechanical Pickup Tool

# Release the plunger and

claw picksup objects.

SKU NO. 700538


MFG NO.

# SAV-A-THREAD Repair Kits




Sn-1-Tune U

SKU NO.	MFG NO.	SIZE
703922	20213	5/16"-18
703925	20214	5/16"-24
703928	20215	3/8"-16
703931	20216	3/8"-24
703937	20217	7/16"-14
703941	20218	7/16"-20
703947	20219	1/2"-13
703950	20220	1/2"-20
703919	20504	M6-1
703934	20506	M8-1.25
703944	20508	M10-1.5
703953	20511	M12-1.75



	GEN	ERAL
SPE	CIAL	TY TOOLS
92 🥶	HEAD H	PIN VISE
<ul> <li>An exce work on jewelry.</li> <li>Two dou</li> </ul>	ptional pi models, i ible end r	n vise for delicate instruments, and eversible collets are
· Has larg	e free wh	d tool steel. eeling swivel head. 6″ diameter body.
SKU NO. 700911	NO. 92	CAPACITY .10 to .125 " .0 to 3.2mm
90		
<ul> <li>Each en may be</li> <li>Nickel p to perm</li> </ul>	d has a do reversed blated boo it use of	IN VISE buble end collet which to desired size. dy is made of tubing long wire or rods. 5/16" body diameter.
SKU NO. 700908	NO. 90	CAPACITY .0 to .125" .0 to 3.2mm
TOOL	ZALL	TZ2V
TOOL	<b>ZALL</b> TZ3V	TZ2V
14 Tools Ir Needle-no Regular P Wire Cutte 2 slotted S Phillips Sc Drop Point	TZ3V Included: se & liers er Screwdriver t Blade Sheepfoot I glish Ruler ing e Opener od File	rs



- Fully polished mirrors are enclosed in plated holders which are attached to knurled handles with ball and socket joints.
- Nos. 557 and 560 have telescoping arms and vinyl cushion grip handles.

SKU NO. 700962 700964	NO. 555 557	SIZE 1-1/4″ dia. 2-1/4″ dia.	OVERALL LENGTH 8" 10-1/2", extends to
700967 700968	558 560	1 " x 2 " oval 3-1/2 " x 2 " oblong	15" 9" 11-1/2", extends to 16"

#### GENERAL HARDWARE REVOLVING PLIER PUNCH

Made of plated steel with six tapered and hollow,hardened steel punches.sizes 5/64",3/32",7/64",1/8",5/32,and 3/16". Spring tension, self opening. Used for punching round holes leather,plastic,rubber,canvas,cardboard,and other materials

SKU NO 700884

MFG. NO 72

## Heavy Duty Aluminum Stilts

ADJUSTMENT METHOD - Wishbone Spring

High strength aluminum alloy with zinc plated steel working parts.

Adjustable height on all models. Rubber soles (replaceable) to prevent slipping. Foam rubber leg pads.

All models available with shoe strap-on adapters Maximum load on all models is 225lbs. (102 kg.)

SKU NO.	MFG NO.	SIZE
709005	31-008	18" to 28'



Huntington type (#0), hooded castiron. for dressing grinding wheels up to 10" diameter and 2" face. Overall length 10-1/2", weight 2 lbs.

SKU NO. 109678 MFG NO. 72390

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183

Our flexible magnetic strip with ad-

Available in two sizes, each 1/16" thick.

hesive backing adheres to most smooth

**MAGNETIC STRIP** 

scissors or knife.

Holds small metal objects.

· Easily cut to desired length with

surfaces.

CORED

HOLE


3/16

3/16"

367

193









#### MAGNETIZER/DEMAGNETIZER

- · Powerful rare earth magnet specially designed for magnetizing and demagnetizing screwdrivers, nut runners, wrenches, taps, and small tools.
- Converts any tool blade into a magnetic retriever for screws, nuts, and metallic particles.

802697 360 1" x 1" x 1"	SKU NO.	NO.	DIMENSIONS
	802697	360	1" x 1" x 1"







- holding, sorting, clamping, or retrieving steel or iron parts.
- · Hole in top of magnet for attaching conveyors, racks, and welding jigs.

372

**BUTTON TYPE ALNICO** 

unlimited applications.

372B 3/41

372C 1

· Button shaped magnet has almost

· Retrieves screws and steel parts.

Center hole in top of magnet for easy

HT

1/2″ 5/8″ 4 lbs

PULL

6-1/2 lbs.

MAGNETS

fastening.

802721

802724

SKU NO. NO. DIA.

SKU NO.	NO.	SIZE OZ.	APPROX. PULL LBS.	WIDTH IN.	HT. IN.	DEPTH IN.	POLE WIDTH IN.	OPENING BETWEEN POLES, IN.	CORED HOLE	OZ. WEIGHT Each With Keeper
802715	370-2	2	13	1-1/8	3/4	3/4	1/4	9/16	3/16	3
802718	370-4	4	22	1-1/2	1	1	5/16	3/4	3/16	5

384 802733

NO.

802709


376A

RENTAL • BUILDING MATERIALS • HAND TOOLS • POWER TOOLS • HARDWARE • FASTENERS • PAINT • ELECTRICAL • PLUMBING • LAWN & GARDEN • JANITORIAL


DIA


1-3/8

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183




**PROFESSIONAL**<sup>TM</sup> **STANLEY** TORPEDO LEVEI Three 360° vials-plumb, level and 45° are easily replaceable on the job. Tops and bottoms machined parallel, grooved for use on shafts, pipes, etc. Powerful magnet in base (42-464)-holds level fast to all iron and steel surfaces. Prod No SKU 1.D. Length of NO. 700203 No. Inches Vials 42-464 3 9 ALUMINUM LINE LEVEL -VC-DA STANLEY Lightweight hexagon MEG NO. SKU case. Clear 360® vial. NO. 700209 42-187 STABILA EVELS TORPEDO MAGNETIC BOX LEVEL WILL FIT IN TOOL POUCHES OR POCKETS! EPOXY LOCKED VIALS BOX LEVEL ACCURACY SKU NO. MFG, NO. LENGTH 708019 21993 10' JOURNEYMAN DELUXE STABILA ALUMINUM BOX SECTIONS, LOCKED VIALS, NEVER NEEDS ADJUSTING! THREE CLEAR VIALS, UNBREAKABLE END CAPS ARE PADDED SKU NO. MFG. NO. LENGTH 708000 24640 24" (milled) 708004 24670 48" (milled) 708011 24680 72' **DIE-CAST TORPEDO** LEVEL STABILA  $\bigcirc$ TWO CRYSTAL CLEAR, UNBREAKABLE ACRYLIC VIALS. ONE HORIZONTAL & ONE VERTICAL SKU NO. MFG. NO. LENGTH 708021 25010 10'










#### MAYES HIGH-IMPACT STYRENE LINE LEVEL

Professional accuracy in a molded line level. Features patented shake-proof line clips. Easily readable from all sides.

SKU NO.	MFG. NO.	SIZE	LENGTH
703101	10199	3″	3″



MAYES

# WATER LEVEL

Amazingly simple device attaches to any garden hose to accurately determine levels for driveways, lawns, fences, sills, ceiling, footings and grading. No parts to breakdown or wear out.

-	•	
SKU	MFG.	DESCRIPTION
NO.	NO.	
700205	10309	Water Level

a		<u>متنتع</u>		
				<b>A</b>
୍ଦ୍	IQI.		Ц <u>́</u> й і М	
1.19	ALC: NO.	- HERICAR	Section 1	

#### MAYES SUPER-CEDE® TOP-VIEW MAGNETIC LEVEL Supersedes the torpedo level

Patented powerful V-groove magnetic edge selfaligns when used on pipe or conduit. Will not "flip-flop" on corners like flat magnetic edge torpedo levels do. Has no cosmetic ends.  $7^{1/2}$ " length has better balance and stability when carried in rear pocket. Made for the electrician and plumber but also belongs in every home. Virtually unbreakable plumb, level and 45 degree vials. Sturdy aluminum-core body.

SKU NO.	MFG. NO.	NO.	VIALS
703100	10750		3
	SC750		

# EMPIRE Brass Bound Wood Level ANGLE

Made of select Honduran Mahogany with brass bound edges that resist frame warpage. Beveled end cushions protect from shock. Six glass vials incased behind clear crystal glass with special caulk, read both level and plumb.

SKU NO.	MFG. NO,	LENGTH
703492	990-BB	36″
703495	990-BB	42″

# VELANDER<sup>™</sup> Flat Brass Wood Level

Heavy duty brass 3/6" wide and 1/16" thick. Precision fit along all edges and firmly fastened with brass screws. Select Honduran Mahogany. Shock absorbing ends. SKU NO. MFG. NO. LENGTH

**703507** 20-036 36"

#### BULL'S EYE LEVEL

- A circular, all directional level made of unbreakable acrylic plastic.
- For leveling machines, hi-fi equipment, pool and game tables, electric appliances, and many other items which must be level to give their best performance.

SKU NO. 701013	NO. 847	DIAMETER 1-3/8″	



847