
Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183



## Series AF100


SKU NO.	No.	Description  Magnetic Base, V-Grooved Side, 2-3/4" Diameter Dial.		
703540	AF100M			
703519				



#### Series AF200

SKU NO.	No.	Description
703522	AF200VM	Magnetic Base, 1 Level Vial, 2-3/4" Diameter Dial.

# DASCO PRO INC.



# Angle Finder Attachment

Only Dasco Pro offers this unique angle finder attachment. Attaches to standard aluminum levels allowing direct reading of angles instantly and accurately - from 0º to 90º in any quadrant. Angle and grade chart on back converts angles to pitch per inch and pitch per foot.

SKU	No.	Descrip-	Std.
NO.		tion	Pack
703537	AF30	1-3/4"	ea.


# Angle Finders are Not Affected by Magnetic Fields, Heat, or Cold

# Mitre Square

The built-in angle finder makes this a superior tool for accuracy. Marks not only 45° and 90° angles but also any angle between 0° and 360°. The professional will also appreciate the 12" etched blade, hardened steel scriber and movable die cast head.

SKU NO.	No.
703516	S39F

# **ELECTRA LEVEL**<sup>TM</sup>



Uses 9-Volt Battery (Not Included)


Model No. 62010


### **ELECTRONIC WATER LEVEL** One-Man Operation--Fast Set-Up


- The only leveling device capable of "blind" leveling--even around corners!
- · Buzzer sounds as level is found.
- · Patented technology--utilizes the basic principle of water leveling.
- · Ideal for erecting fences, building decks, sloping driveways, drainage plumbing, suspended ceilings, landscaping and much more!
- Includes 25-Ft. hose.

SKU NO. 705597

A higher form of tools.







# STUDSENSOR<sup>™</sup>

Fully automatic — Self calibrating

## A STUD FINDER THAT FINDS STUDS-NOT NAILS!

#### **NON-MAGNETIC TOOL MEASURES WALL DENSITY**

- Patented Technology Finds Studs First Time — Everytime!
- Locates Exact Center of Studs and Joists
- Works On Most Wall Coverings:
- Dry Wall
- Plaster
- Wood
- Acoustic Ceilings
- Other Laminates
- Red LED lights when stud edge is located
- Eliminates guesswork -- no more extra holes in walls!
- Made in U.S.A.

#### SS9434

Studsensor

**Uses 9-Volt Battery** (not included)

#IRCOM

Calibrates automatically to wall density. LED display only.

SKU NO. 705600

#### **MAGNETIC STUDFINDER**



#### STANLEY

Locates wall studs easily. Magnet is attracted to steel nails & holding drywall to studding grooved base for marking stud location.

Prod. Id./ SKU

NO.

No.

Size ln.

700337

47-400 1% x 1% x 1¼

PLACE YOUR ORDERS BY FAX ON **OUR ORDER FORM TO RECEIVE** YOUR SPECIAL 2% DISCOUNT.

WE ARE PLEASED TO SPECIAL ORDER ITEMS THAT ARE NOT ALREADY IN OUR INVENTORY

# **ESON**®

# **DUICK FILL CHALK LINE REEL**

100 ft. Spun Polyester Line



Chalk line reel is made of light weight space age cycolac®. Line is made of spun polyester which has the strength of tylon and the holding power of cotton. Filling is a breeze. Simply insert spout and squeeze the bottle. Pull spout out and rubber grommet self seals.

SKU NO.	Mfr. No.	
703175	FB-2	Chalk Box

#### **DUICK RETURN CHALK LINE REEL**

Rewinds 31/2 Times Faster 100 ft. Spun Polyester Line



Keson chalk line reel is made of space age cycolac®. Simply disengage gear drive with pressure on the handle and it's free wheeling. Release the pressure and it locks in place. Flip handle over and line rewinds 31/2 times faster than conventional chalk line reels. It's a real time saver! Line is made of spun polyester which has the strength of nylon and the holding power of cotton. Filling is a breeze with the quick fill rubber grommet. Simply insert spout and squeeze the bottle! Pull spout out and grommet self seals.

SKU NO.	Mfr. No.		
703170	GB-1	Geared Chalk Box	

# STRAIT-LINE REPLACEMENT LINES



- High tensile strength
- Cotton cord

SKU NO.	STOCK NO.	SIZE
744068	64550	50'
744069	64610	100′




Die cast case. Felt gasket hugs line, distributes uniform chalk coating. Universal hook attaches to any projection or slot. Can be used as plumb bob.

SKU	Product ID No.	Length		
No.		Feet	mm	
700239	47-050	50	15	
700241	47-100	100	30	

#### STRAIT-LINE" CHALK REELS

- The Original
- Durable aluminum alloy construction
- Self-locking handle
- "Hold-Tite" plated anchor ring
- Fits pocket, hand sure grip design is easier to
- Doubles as a plumb bob

INDUSTRIAL QUALITY



SKU NO.	CARDED STOCK NO.	SIZE
744065	63950	50' (15m) chalk
744066	64110	100' (30m) chalk

# STRAIT-LINE" FAST RETRIEVE **CHALK**

ISWIN.





- 3½ to 1 high-speed retrieval
- Self-Chalking Chalk Line Reel

SKU NO.	CARDED STOCK NO.	SIZE
744080	64310	100′

#### REPLACEMENT **CHALK LINE**



High quality replacement line,100 ft. (30m) on reel.

SKU NO. MFG NO. Lenath 100' or 30m 47-101 700242

#### REPLACEMENT LINE/SPOOL




Replacement line on spool for all Keson chalk line reels made of triple wound spun polyester which has the strength of nylon and the holding power of cotton. Includes metal catch hook.

Mfr.		
No.	Length	
RL-100R	100 Ft. Spool	
	No.	No. Length

#### **ULTRA-FINE® MARKING CHALK**



_	NO.	No.	No.	Size	Color
-	703260	······	8R	8 oz	Red
	703275		W8	8 oz.	White
	703265		8B	8 oz.	Blue
	703280		8Y	8 oz.	Yellow
•	703230		12R	12 oz.	Red
	703245		12W	12 oz.	White
	703235		12B	12 oz.	Blue
	703250		12Y	12 oz.	Yellow
-	703200		106R	5 lb	Red
	703215		106W	5 fb.	White
	703205		106B	5 fb.	Blue
	703220		106Y	5 lb.	Yellow



# T-50 Heavy Duty

Powerful! One squeeze shoots a staple wherever a nail can be driven—into the hardest wood, plywood, com-

position board, plastic and even light metals.
Widely used by professional contractors and do-ityourselfers for installing ceiling tile, insulation, build-

ing papers, wire fencing, screening, upholstery and 1001 other heavy duty nailing jobs.
All steel construction with chrome finish. Patented jam-proof mechanism with hardened steel working

Loads one full strip (85) #T-50 staples of .050 wire in 6 sizes, 1/4, 5/16, 3/8, 1/2, 9/16" and Ceiltile™.

# T-50	2 lbs. ea.	One per box
CKII NO	700640	,



Wire Tackers

Safety, speed and efficiency, built-in performance. A model to fit every wire and cable 12 different stapled sizes.

# Holds 18 Staples in Sizes %" × 7/14"

SKU NO. NO. 700604 T-18



#T-25M Holds 85 Staples, in Sizes %22" 3/8" 1/16" %16"



Holds 53 Staples, in Sizes %1.6" 5/6" 7/6" 700608 SKU NO.




Electric Staple Gun

Fast, easy-squeeze trigger operation for fastening jobs such as insulating ceiling tile, upholstering, screening, etc. Built with solid-state electronic circuitry, one-piece solid steel base and rugged lightweight hi-impact durable housing. Comes with three-wire heavy duty cord and works on any 110V, AC-60 cycle outlet. Patented, precision-locked jam-proof mechanism. Hand contoured for comfort. UL and CSA listed. Colorful baked enamel finish. Uses 6 T-50 Staple sizes: 1/4, 5/16, 3/8, 1/2, 9/16" and Celittile".

SKU NO. 700616

2-1/2 lbs. ea



#### HAMMER TACKER "Heavy Duty"

Feeds and drives staples automatically, as fast as you swing it! Holds 2-full strips T-50 Staples Only. Well

#HT-50A SKU NO. 700613

# Multi-purpose Staple Gun Kit

Contains: T50 Staple Gun 3 paks T50 staples, sizes 1/4" 3/8" & Ceiltile. Wire, Screen and Window shade attachments, SL50 staple lifter and molded case

SKU NO. MFG NO. 701612 T50MP

# Electric Heavy Duty Brad Nail Gun


Ergonomic Design Shoots 3 sizes of Arrow brads 5/8", 3/4", & 1"

SKU NO. MFG NO. ET100 701613

# Professional Staple & Nail Gun

Easy Squeeze Mechanism

Uses 6 No. T50 Staple sizes, and drives BN1810 5/8" (15mm) brads Uses T50 attachments.



Compact, lightweight, ideal for housewife to use. Handy for repairing screens, light upholstery, trimming kitchen shelves, lining closets, making cornices and hundreds

of light household tacking chores. Sturdy all-steel construction. Built-in staple remover. Visible refill window. Handle locks to fit compactly in

Loads (100) # JT-21 staples of .030 wire in 2 sizes: 1/4 and 5/16".

# JT-21 1-1/4 lbs. ea. SKU NO. 700605

One per box

Intermediate Duty

SKU NO.

Baked enamel finish




visible fall wildow, removable mark and challenge easy cleaning and inspection; safety handle lock.

Loads one full strip (85) #T-50 staples of .050 wire in 6 sizes. 1/4, 5/16, 3/8, 1/2, 9/16" and Ceiltile™.

1-3/4 lbs. ea. One per box

700614








#### STAPLES

SKU	MFG.	MODEL	
NO.	NO.	NO.	SIZE
700638	186	T-18	3/8″
700635	214	JT-21	1/4"
700637	215	JT-21	5/16"
700626	256	T-25	3∕8″
700628	257	T-25	7/16"
700629	259	T-25	9/16"
700617	504	T-50	1/4 "
700619	505	T-50	5∕16″
700620	506	T-50	%″
700622	508	T-50	1/2 "
700623	509	T-50	%16″
700625	50ct	T-50	ceiling
700632	7510	T-75	5/8″









#### STAPLING HAMMER

701963

00353




SKU NO. 707767

#### **STAPLES**

SKU NO. SIZE #

707769 1/4" STCR50191/41M 707771 STCR50193/81M





MFG. NO. SKU NO. 701990 40001



MFG. SKU NO. NO. 702005 70001




SKU MFG. NO. NO. 702015 78000




SKU MFG NO. NO. 701985 72025

### 702 ACE CLIPPER



#### 82 HEAVY DUTY CLIPPER



#### **PROFESSIONAL TACKER**

# **BOSTITCH**



T5-8D4

SKU NO. 707761


**STAPLES** 

SKU NO. SIZE STCR5019/21M 707773 1/2" 1/4" STCR5019/41M 707769 3/8" STCR50193/81M 707771 9/16" STCR50199/16M 707775

PLACE YOUR ORDERS BY FAX ON **OUR ORDER FORM TO RECEIVE** YOUR SPECIAL 2% DISCOUNT.

WE ARE PLEASED TO SPECIAL ORDER ITEMS THAT ARE NOT ALREADY IN OUR INVENTORY


# 2-in-1 Hand Riveter







LONG STROKE Bolt in upper hole for easy pulling rivets in one pull



One hand operation with normal squeezing action provides enough pulling power to set all popular size rivets (see spec. columns below). 2-in-1 adjustment features a single long stroke for most hand riveting applications and a short "ratchet action" power stroke for setting larger diameter rivets. Outside jaw-grip adjustment wheel opens and closes jaws with fingertip ease to fit any size mandrel and to obtain maximum stroke efficiency. Professional slim nose allows 2-in-1 to go where other hand riveters cannot. Ideal for reaching into corners and recessed areas. Three nosepieces 1/8, 5/32 and 3/16" included with tool. Nosepieces are stored in handle. Heavy duty all steel construction insures long life and minimum wear. Polished finish, nickelchrome plated. Red vinyl cushion grip and hand stop.

•	SKU No.	Catalog Number	Capacity 3/32" rivet diameter thru-	Net Weight	Length
-	850120	2-in-1	3/16" w/steel mandrel 5/32" w/stainless steel mandrel	1 lb. 4 oz.	8"

# 1/8" - 3/16" **Hole Punch**

Adjusts from 1/4" to 1-1/8" Depths

Compound

design

Does the work of more expensive leverage bulkier punches faster and easier. Work overhead to prepunch rivet holes in suspended ceiling grids or use in any edge application for making holes in window extrusions, metal ductwork or sheet stock. Compound leverage increases one hand mechanical advantage 8 to 1. Spring return handles allow quick set-up for repetitive applications. Stop gauge permits adjustments from 1/4" to 1-1/8" increments. Punch and die are easily replaceable or changed from standard 1/8" hole size to 3/16". Punche and dies

Red vinyl

stops.

cushion grips with handle

Maximum Capacity (3 layers) 22 gauge

Easy interchangeable 1/8" and 3/16" punch and die.

SKU MFG NO. NO. 805639 **HP-18K** 

#### 12-Piece Punch and Chisel Kit

SKU NO. 653246 MFG NO. 88

The most popular punches and chisels. The cold chisels features our exclusive Targethead design to reduce spalling and mushrooming



# SP40 Iron (40 watt)

#### Weller®

# SP23 Iron (25 watt)



 $8\frac{1}{4}$ "/210mm long. Lightweight pencil iron for hobby and electronic work, ½"/6mm diameter tip develops 900°F (482°C).

SKU NO.	Cat. No.	W	V	Hz
703855	SP40	40	120	50/60

# SP80 Iron (80 watt)



93"/247mm long. Medium-duty pencil iron for hobby work, stained glass and minor repairs. Includes soldering iron rest. 3"/10mm diameter tip that develops 900°F (482°C).

Cat.				
No.	W	V	Hz	_
SP80	80	120	50/60	
	Cat.	Cat. No. W SP80 80	Cat. No. W V SP80 80 120	Cat. No. W V Hz SP80 80 120 50/60

# **SP120 Iron (120 watt)**



113"/289mm long. Heavy-duty iron for greater output. Ideal for home work-shop and repairs, stained glass and hobbies, includes soldering iron rest. ½"/13mm diameter long-life iron plated tip develops 900°F (482°C).

SKU	Cat.			
NO.	No.	W		Hz
703861	SP120	120	120	50/60

# **SP175 Iron (175 watt)**



12½"/318mm long. Extra heavy duty iron for demanding jobs like sheet metal work. Includes soldering iron rest. 5"/16mm diameter long-life iron plated tip develops 900°F (482°C).

SKU	Cat.			
NO.	No	W		Hz
703864	SP175	175	120	50/60



8½"/210mm long. Featherweight soldering iron with pencil handle and replaceable tip, designed for hobbies, kits, radios. 1"/3mm tip develops 750°F (399°C).

SKU NO.	Cat. No.	w	V	Hz	
703849	SP23	25	120	50/60	_

# **GENERAL DUTY** SOLDERING

- 25 watt iron ideal for most hobby work.
- Comfortable and easy to use.
- High quality iron with genuine Weller tip.

SKU NO. 703852



# **Acid Brush**



#### HORSEHAIR BRISTLES **METAL SHAFT**

SKU MFG NO. **LENGTH** 700541 00501 3/8" × 6"

# Universal 8200PK Kit Universal (140/100 watts)

# Weller® All-Purpose Dual Heat Soldering Gun Has fingertip selection of high


or low output.



All purpose gun. Fingertip, trigger selection of high or low output from this instant-heat gun that's ready to solder in 6 seconds. High efficiency tip of tin plated pure copper. Light illuminates work. Compact, balanced pistol-grip design. Soldering hints booklet included. 2-wire cord. UL-listed. Boxed. Full color informative packaging.

SKU NO.	Cat. No.	N/S No.	w	V	Hz
703813	8200	47584	140/100	120	50/60

# Replacement tips for 8200, D550. 9200K & 7200 Guns







SKU NO.	Cat. No.	Description	Series No.
703807	8125	Premium iron and tin plated soldering tip - 2 per card	8200
703795	7135	Copper soldering tip plated - 2 per card	8200/9200K
703801	7250	Copper soldering tip plated - 2 per card	D550
703804	7250AN	Same as 7250, but with hex inserts and acorn nuts.	D550
703783	6110	Cutting tip, nickel plated copper - 2 per card	8200/9200K
703786	6120	Smoothing tip, nickel plated copper - 2 per card	8200/9200K
?	6130AN	Same as 6110, but with hex inserts and acorn nuts.	D550
?	6140AN	Same as 6120, but with hex inserts and acorn nuts.	D550
?	7235	Soldering tip - 2 per card	7200

# **TIPS**

SKU NO.	MFG NO.	MODEL
703798	7135N	8200
703789	6130	D550
703792	6140	D550
703810	8125N	8200

#### Weller\*

# **Professional D550PK Kit**

Weller **Heavy Duty** Soldering Gun Kit **D550PK** 



8 piece heavy-duty soldering kit featuring the versatile Weller Model D550 soldering gun with tin plated heavy copper tip. Kit also includes 1 sealing tip, 1 cutting tip, flux brush, soldering aid tool, coil of 40/60 rosin-core solder and sturdy plastic carrying case plus soldering hints booklet. UL-listed. Full color informative packaging.

SKU NO.	Cåt. No.	N/S No.	w	V	Hz
703825	D550PK	47542	260/200	120	50/60

### **Solder Tips**



Marksman replacement tips Nickel-plated copper tips are available in a variety of styles MTG series tips are iron-plated for heavy-duty soldering irons



SKU NO. MFG NO. 703840 MT6

Description: 703781 MTG20

SP23/SP25D Smoother Tip SP80/SP1-80/WLC200 Chise/Tip

Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.

### 2 PC Pencil Flame Torch Kit



SKU NO. MFG NO. 718687 MM100

#### Surefire

#### **SELF—Igniting Torch**

A safe durable product for the end user. Automatic shut-off stays-cool burn tube. Adjustable flame works anvtime, manual

> SKU NO. 700004

Mfg No. T-400



Turnèr® 14.1 oz. **Propane Fuel** Cylinder

MM175-65

- Fits standard propane torches, lanterns, stoves, etc.
- Disposable steel cylinder

SKU NO. 704285





#### High temperature brazing fuel cylinder

- Produces flame temperatures up to 600°F hotter than with propane fuel
- 14.1 oz/400 g propylene cylinder
- · Ideal for soft soldering, silver soldering and
- · Consistent high temperature burning to get job done quickly and let you tackle high temperature heating jobx
- · Propylene burns at virtually the same temperature as MAP gas and it performs much better in cold weather
- . May be used with all torches that burn MAP gas and many that use propane
- · Disposable steel cylinder

SKU NO. 285455

Turner® 7 piece Propane Torch MM99-L5



- Ideal kit for the Handyman Includes standard pencil point burner. 14.1 oz. propane fuel cylinder, brush flame tip, chisel point soldering tip, flame spreader tip. sparklighter and operating
- instructions. Packed in rugged chest SKU NO. 704294



Turner® 2 piece **Torch Kit** MM555-65

- For all general purpose work
- Standard pencil point burner with disposable 14.1 oz. propane fuel cylinder
- Complete with instructions

SKU NO. 704291



For use with D.I.Y. oxy/propane brazing, welding and cutting torches

**SKU NO. 704324** 



Quick Fire™ selfigniting regulated torch.

For use with propane/high temperature brazing fuel



- · Ideal for brazing, soldering, thawing, etc.
- · Angled swivel tube to reach difficult areas
- Self-igniting Quick Fire™ piezo ignitor
- · Easy on/easy off valve
- · Operates at any angle
- High energy flame to get the job done quickly
- · Adjustable pressure regulator for a consistent flame under all conditions
- Kit is presented in attractive, informative, full color box

SKU NO. 202512



· Combines propane with compressed oxygen to handle full range of torch jobs.

· Contains torch with dual control regulator, 14.1 oz. propane and 1.4 oz. oxygen cylinders.

Braze rods, protective glasses, sparklighter and two welding tips

SKU NO. 450536

# **SOLDERING TOOLS & ACCESSORIES**

SKU NO	MFG NO	DESCRIPTION
700016	OT-4002	PROPANE/MAPP GAS TORCH KIT
703816	8200PK	SOLDERING GUN KIT

#### **SOLDERING GUN REPAIR TIPS**


SKU NO	TIP NO	APPLICABLE GUN/IRON
703828	MT1 CONE	SP23
703843	MT10 CHISEL	SP40
703831	MT2 SOLDER	SP23
703834	MT3 CHISEL	SP23
703837	MT5 WOODBURNIN	G SP23
703874	ST1 1/16" SOLDER	

# Weller® Introduces portable soldering with the


# portasol°P-1

### CORDLESS, REFILLABLE BUTANE GAS POWERED SOLDERING TOOL





SKU NO MFG NO DESCRIPTION
703880 P1C PORTASOL CORDLESS SOLDERING IRON



# Universal Two-Hand Benders for Soft Tubing

- Precision bends soft tubing up to 180° without crimping
- For use on 1/4" to 5/8" soft and medium-soft copper, brass, aluminum, steel and stainless steel tubing
- Tool conveniently marked at 30°, 45°, 60°, 90°, 120°, 135°, 150° and 180° for accuracy
- Lightweight and designed for easy handling, with handles that prevent bruised and pinched knuckles, even with 180° bends

SKU NO.	PART NO.	DESCRIPTION
605645	2.5141	3/8" O.D. Bender

PLACE YOUR ORDERS BY FAX ON OUR ORDER FORM TO RECEIVE YOUR SPECIAL 2% DISCOUNT.

WE ARE PLEASED TO SPECIAL ORDER ITEMS THAT ARE NOT ALREADY IN OUR INVENTORY

#### **SPRING TYPE TUBING BENDERS**

For bending of copper and other thin wall tubing, made of spring steel.

SKU NO	MFG NO	TUBING O.D.
600933	1182	5/16"
600936	1184	3/8"
611152	1188	7/8"

#### **TUBING CUTTERS**

SKU NO	MFG NO	SIZE RANGE
600132	120	1/8" TO 1 1/8"
600134	123R	1/8" TO 1/2"
600133	125	1/4" TO 1 1/2"

#### PIPE THAWING EQUIPMENT

Electrically thaws all metal pipes. Uses current applied to pipes to produce resistance heat to melt ice in pipes. Includes 2- 20' cables of # 2 gage wire.

SKU NO 608035


MFG NO IB-300-20-2



For joining indentical size sheet metal pipe and duct, or aluminum corrugated downspout, at the job site. Powerful compound leverage design makes hand crimping fast and easy. All steel construction with durable nickel plate finish. Red vinyl cushion grips with handle stops offer added comfort and ease of operation

SKU Number	Catalog Number	Throat Depth	Length	Net Weight	
850100	C1	1-1/4"	9"	1 lb.	

# **Hand Notcher**




Fast and easy cutting. Notcher makes a clean 30° "V" shaped cut in sheet metal. 13/16" maximum throat depth. Upper cutting jaw is drop forged high impact alloy steel. Hook design of cutting jaw facilitates notching corners or take-off tabs to desired depth without slipping. Nickel plate and black oxide finish. Blue grips.

SKU Number	Catalog Number	Throat Depth	Cutting Angle	Length	Net Weight	
850110	N1	13/16"	30°	8*	1 lb.	


# Punch Lock Stud Crimper

SECURES ANY WIDTH STUD AND RUNNER WITHOUT SCREWS OR OTHER FASTENERS.




Compound leverage increases mechanical advantage nearly 7 to 1. Simply squeeze handles together with one hand while holding stud in place. A unique punch and die shape creates a rectangular crimp, bending over thicknesses of channel and stud at the same time to form a sturdy bond.

SKU NO.	Catalog Number	Description	Throat Depth	Capacity (Sheet Metal)
805636	PL1	Punch Lock/	1-1/2"	Max. (2) layers
		Stud Crimper		22 gauge.



Punch impression spaced 3/8" from edge of metal. Heavy forged cutting jaw. Nickel plate and black oxide finish. Green grips.

SKU Number	Catalog Number	Throat Depth	Length	Net Weight	
850115	SL1	3/8"	8"	1 lb.	



Fast, easy to use and lightweight. Handy lock makes tool pocket sized for on-the-job use. Zinc plated steel. Red grips.


SKU	Catalog	Throat	Length	Net
Number	Number	Depth		Weight
850095	SC1	1-1/4"	8"	1/2 lb.

# **Folding Tools**



Sturdy tools fold 24 to 30 gauge mild steel. Tools have folding seams for both 3/8" and 1/2" folds. Two sight holes along each folding seam aid in aligning the tool and assuring an accurate bend. Available in 8" and 12" folding lengths. Stores flat in bottom of tool box. Handy hang-up hole. Steel seam halves are securely fastened together with permanent welds. Gray metallic baked enamel finish.

SKU Number	Catalog Number	Capacity	Folding Depth	Length	Net Weight	
850125 850130	8	24-30 ga. 24-30 ga.	3/8", 1/2" 3/8", 1/2"	8" 12"	14 oz, 1 lb. 4 oz.	




Bends and flattens metal easily. Makes permanent, tight fitting seams. Precise vee-notched depth graduations on jaws are in 1/4" increments. Jaws are drop forged, high impact steel. Hardened steel handles resist abuse. Powerful compound leverage design. Black vinyl cushion grips with handle stops offer added comfort and ease of operation. All steel parts and hardware are nickel plated.

SKU	Catalog	Jaw Capa	city	Overall	Net	
Number	Number	Depth	Width	Length	Weight	
850105	S2	1/4" to 11/4"	31/4"	8"	1 lb. 8 oz.	



# Burgess® Electric Engraver The All-Purpose Marking Tool



- Perfect for hobbies, crafts and workshop.
- Permanently marks metal, glass, plastic, wood and steel.
- Variable stroke operation.
- Great for home or office.
- 6 foot cord for portability.
- Well balanced for ease of operation.

CARBIDE ENGRAVING POINT SKU NO. 701141 MFG. NO. 1874



No. 100

Saw Horse **Bracket** All steel

Fully mechanical for HEAVY DUTY SERVICE

This time-tested bracket needs no nails, bolts, screws or miter cuts on legs.

■ Wingnut locks legs and rail firmly in place.

Consumer-packaged in pairs . . . . wt. 4 lbs.

For use with standard 2 x 4 lumber SKU No. 118968

No.MM=300

All Steel



Spee-Dee Saw Horse **Bracket** 

Medium Duty Model

Riveted bracket for added structural strength

Featuring flanged nail holes for quick and easy disassembling

Colorfully packaged in pairs, this all steel bracket is highly popular for its simplicity of assembly and disassembly.

One pair package wt. 1.8 lbs. SKU No. 118976



SKU No.

Mfg. No. **PACKED** 

705505

10PB

**PAIRS** 

PLACE YOUR ORDERS BY FAX ON **OUR ORDER FORM TO RECEIVE** YOUR SPECIAL 2% DISCOUNT.

WE ARE PLEASED TO SPECIAL ORDER ITEMS THAT ARE NOT



#### PLASTIC DIP SPRAY

For Marking, For Furniture, For Street Marking

SKU NO.	Mfg. No.	Color	Size
705093	11201	Red	12 oz.

#### **PLASTIC DIP**

Covers cracks, chips or peels. Stops rust and corrosion. Good for Tool Grips

SKU NO.	Mfg. No.	Color	Size
705078	11601	Red	16 oz.
705084	11602	Yellow	16 oz.
705075	11603	Black	16 oz.
705087	11604	Blue	16 oz.
705072	11605	Orange	16 oz.
705090	11607	White	16 oz.





Heavy duty aluminum contractor Grade Quick Square

SKU NO. MFG NO. SIZE 706108 46-053



