
835



Janitor – Metal


A popular mop handle with brass wing nut, the janitor has remarkable corrosion resistance. The zinc plated head is riveted into one solid unit. An ideal moo handle for hospital and institutional cleaning

annig.	
SKU NO.	MFG NO.
	Wood Handle
890090	No. 92 6" head, 54"
	With Steel Handle
890093	No. 937 — 7" Head, 63" Long



Designed for use with wide-band mop, will outlast several ordinary handles. The mop is held by strong certified aluminized malleable iron jaws. Can't mar baseboards or furniture. The curved style is excellent for the hard to reach areas.

SKU NO. MFG NO. 890099 No. 90 - Curved Head, 60" long



Speed Change

The speed change with a brass wing nut and fall away retaining bar, allows for simple and fast mop changing. Built for rigidity, all parts are heavily electroplated to resist rust.



Rayon and Cotton Mop Heads





Sturdy, yet light this economical mop hancle is ideal for wide band mops. Heavy electroplated clamp style head holds mop in iron grip. Loosen wing nut for quick mop release.

SKU NO.	MFG NO.
890096	No. 817 - 63½" long

Rayon



SKU NO.	WT.
890168	12 oz.
890165	16 oz.
890162	20 oz.
890159	24 oz.

SKU MEG SKU MEG NO. NO. WT. NO. NO. WT. 890156 7012 12 oz. 890147 7024 24 oz. 890153 7016 16 oz. 890144 7032 32 oz.

Toilet Bowl Swabs




Plastic Handle Large Swab Head

> SKU MFG NO. NO. 890169 **BSR-1**


SKU NO.	SIZE	
890061	48″	
890062	24″	
890064	36″	
RE	FILL	
890065	24″	
890067	30″	
890068	36″	

PUSHMOP WITH HANDLE




<u>836</u>

10





Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.



10






RENTAL • BUILDING MATERIALS • HAND TOOLS • POWER TOOLS • HARDWARE • FASTENERS • PAINT • ELECTRICAL • PLUMBING • LAWN & GARDEN • JANITORIAL

<u>83</u>

Washroom Accessories



Made of a durable and flexible vinyl, Mipro Urinal Screens can be cut with a scissor for custom fitting. Color: Sanitary Blue

SKU	MFG	
NO.	NO.	
891167	9301	- 10¾" W x 11¼" D x 4½" TC
891170	9302	- 123/4" W x 12" D x 7" TC
891173	9303	- 16¼″ W x 9½″ D x 4″ TC
891176:	9304	- 15¾" W x 11" D x 4" TC
891179;	9305	- 16" W x 121/2" D x 5" TC

TOILET TISSUE MFG. DESCRIPTION


UNU		
890513	790	Softweve Toilet Paper 1 roll 2 ply
890516	510	Scottissue Toilet Paper 1 roll 1 ply
890519		Northern Toilet Paper 4 rolls 2 ply
890522	TS603	Verigood Toilet Paper 1 roll 1 ply

10

GKH

840

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183



SKU NO. MFG. NO. 890053 B3474

CONTURA SERIES SOAP DISPENSER

Corrosion-resistant valve dispenses antibacterial soaps, iodine/alcohol-based solutions, as well as liquid and lotion soaps, and synthetic detergents. Container is satin-finish stainless steel. Capacity: 40 fl oz (1.2 L).



Unbreakable refill window. concealed wall fastening. Hinged filler-top requires special key to open. Vandal-resistant. Measures 7" W, 6 1/2" H.


54%

SKU NO.	MFG. NO.
890050	B4112

CLASSIC SERIES ROLL TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Seamless beveled flange. Accepts paper rolls 8", 800 ft. (244 m) long. Delivers preset length of towel: 21/2", 4" or 5" (65, 100 or 125mm) per stroke. Removable, 12-gal. receptacle locks into cabinet. Rough Wall Opening: 16" W, 543/ H, 4" min. depth. Ht.: 67-74" to top of unit; wheelchair accessible side reach, 60".

> SKU NO. MFG, NO. 890038 B3961



slow opening and closing. Nonporous polyethylene resists odors and bacterial growth; matches Bobrick color #889 Grey. Unit has foam core for added durability. No hinge structure exposed on interior or exterior surfaces.

D.

SKU

No.

890077

BABY CHANGING TABLE

LINERS

Mfg.

No.

HSG7015

With moisture proof backing.




SKU NO. MEG NO SIZE 89022

features smooth concave changing area

with safety strap, hooks for bags and purses, and universal instruction graphics. Pneumatic cylinder provides controlled,

2210

30½"W x 18½"



BROWN KRAFT PAPER

Used for protecting packages from scuffing and damage. SKH Mfg. No. No. Size UC3R0936 36"x1770' 891293





HARDWOUND ROLL TOWELS Adjust-A-matic® VISTA® Lever HRT Dispenser with ATX™ Automatic Stub Roll Transfer System

 Lever action dispenses toweling in 2¹/₂", 3¹/₂" or 41/2" increments

 MoneySaver[™] Roll Transfer Indicator signals when to transfer the stub roll into position and load a new roll


- Automatically transfers paper flow from the stub roll to the main roll
- Holds one 71/8" wide roll, up to 850' (8" diameter), plus a 4" stub roll, approximately 200'
- · Made from high impact plastic

KU NO.	ſ
1225	


S

80

MFG. NO. 58553



Generation II, White Jumbo Bathroom Tissue, 2 Ply Roll, 4" x 1000', Use With #580-50 Dispenser. SKU NO. MFG. NO. 794966 794-966



White, Half-Fold Toilet Seat Cover Dispenser. Capacity - 2 Sleeves, 250CT, (Must Be Purchased in Pairs). Sturdy ABS Plastic And Comes Ready-To-Install With Mounting Tape and Screw Holes.

SKU NO. 826647



250 Ct. Toilet Seat Cover REfills, Half-Folded To Fit The HG-1 Dispenser, or Any Other Standard Half-Fold Seat Cover Dispenser.

MFG. NO.

HG-5000

MFG. NO.

HG-1-2

SKU NO. 826724

34" x 1%" x 4%"

795211



890167

1993

Boraxo, 5 LB Heavy Duty Powdered Hand Soap, Per Package. SKU NO. MFG. NO.

795-211



WET FLOOR SIGN

Heavy-duty, highly visible, easy-to-read wet floor caution signs. Secures area cleaning, mopping or maintenance tasks needing to be marked off. Signs are impact-resistant. Folds flat for space saving storage on carts or in closets. Ridged pattern on feet, minimizes contact with floors without damaging finish.

SKU Mfa, No. No. 890113 9152

ALSO AVAILABLE IN SPANISH




PARA TOILET BOWL BLOCK

4 oz. block with plastic hanger. Fits over the rim of most toilets.



SKU	Mfg.
No.	No.
141788	9514

CLEAR-VU SOAP DISPENSER



· Unique water-resistant top, ideal for showers.


- Accommodates a wide variety of liquid and lotion soaps except pumice.
- Smooth, curved design prevents bacteria growth and unsightly smoke burns.
- Large push bar meets ADA requirements. Dispenses approximately 1 cc per stroke
- depending on soap viscosity. See-thru tank allows easy view of soap level.

SKU	I
No.	1
890037	ç

Mfq. No. 9331

Wall Mount Liquid Hand Soap Dispenser.

SKU NO. MFG. NO. 891237 641-837



842



3M COMMERCIAL HANDY GRIP CONTOUR SPONGE

More absorbent, more durable. Wipes up spills more quickly. 10 times more absorbent than polyurethane sponges.

SKU NO.	MFG NO.	SIZE
890512	08442-4	HANDY GRIP

O-CEL-O CELLOSE SPONGES HANDY SPONGE

Resists odors by killing odor causing germs in the sponge. Ideal for washing dishes and wiping counters.

SKU NO.	MFG NO.	SIZE
890509	07274-2	4 pack



SCOTCH-BRIGHT NEVER RUST WOOL SOAP PADS

Never Rust Wool Soap Pads are gauranteed to never rust or splinter. Each pad contains an effective grease-cutting soap. For heavyduty cleaning jobs.



SCOTCH-BRITE NEVER SCRATCH WOOL SOAP PADS

Never Scratch Wool Soap Pads are uniquely designed for non-stick cookware, stove and countertops. Each pad contains an effective

> SKU NO. MFG NO. SIZE 86905-1



O-CEL-O CELLULOSE SPONGES HOME, CAR & BOAT SIZE All O-Cell-O sponges resist odors by killing odor-causing germs in the sponge.

SKU NO. MFG NO. 890515 07220-9



O-CEL-O CELLULOSE SPONGES All O-Cell-O sponges resist oders by killing odor-causing germs in the spong-through hundreds of uses.

> SKU NO. MFG NO. SIZE 585833 07244-5

2PK



SCOTCHGARD CLEANER FOR FABRIC & UPHOLSTERY

Cleans and leaves behind Scotchgard protection. Cleans effectively and gently to restore fresh, new look to colorfast household fabrics.

MFG SKU NO. SIZE NO. 678987 01748-3 14oz





SCOTCH-BRITE MULTI-PURPOSE SCRUB SPONGE Multi-Purpose Scrub Sponges clean

fast without scratching. Safe for Teflon, Silverstone and Calphalon non-stick cookware.

> SKU NO. MFG NO. 00183-3 898992



SCOTCH-BRIGHT LARGE HEAVY DUTY HOUSEHOLD SCRUB SPONGE

Large Heavy Duty Scrub Sponges are perfect for the big jobs around the house, as well as outdoors.

> SKU NO. MFG NO. 214525 00003-4



SCOTCH-BRIGHT HEAVY DUTY SCRUB SPONGE

The Heavy Duty Scrub Sponge is designed to provide fast cleanups of tough jobs-romoves tough, baked-on messes 50% faster than competitive heavy duty scrub sponges.

SKU NO.	MFG NO
663450	00000-3


duty scour pads making tough jobs fast and

SCOTCH-BRITE SCOUR PAD


SKU NO. MFG NO. 742866 01000-2

Heavy Duty Scour Pads clean tough baked -on

messes 50% faster than competitive heavy




128683 8 Pads easv




<u>844</u>

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183



<u>845</u>



SKU

No.

286481

Mfg.

No.

286-781

SKU

No.

203612

Mfg.

No.

D5007



THE AGGRES DIRT - NOT f	SIVE SCRAPE	<u>R MAT THAT</u>	C	ROWN	ST	A - KLE	EN TM
						GRADE SOL TY FLOOR P	ID VINYL FOR ROTECTION
 Heavy transformed to the test of test	ind use in ex affic areas s of dirt and g estaurants, c ns are likely arkets - espe <u>Mfg. No.</u> SL0023 RODUC	subject to a rit clubs - any to wear hig cially prod size 24" × 36" ING TI	concentra- where gh heel shoes uce sections coLOR GREEN GREEN	 1/8" thick so cart traf Reduces sli Easy to insta 	leen matting 3' plid vinyl to pro fic wear and t pping - has rik all - Simply cut routine main	otect floors f ear bbed surface t to size with	rom foot and e for traction knife or scissors
			TTERN DESIGN	SKU No.	Mfg. No.	SIZE	COLOR
				895015 895012	SKROO36 SKROO36	36" W 36" W	BLACK BROWN
 Total thickne Protect carp 	ecorator sandst ess under %" in oets "Traffic Pat ck holds tight o	cluding pad h" from wear					
SKU No.	Mfg. No.	WIDTH	ТҮРЕ				
755600	0030	27″	CLEAR				

Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.





SUPER PENETRANT

A powerful blend of quick-acting, fast-penetrating solvents that loosens rusted nuts, bolts and parts in seconds. Frees parts frozen by rust, corrosion, scale, paint, varnish, carbon or gum. Guaranteed safe on all metals. Whenever rust or corrosion is a problem, reach for LIQUID WRENCH®! Truly one of the modern miracles of chemical research! Because of its performance in practically every use, LIQUID WRENCH® has earned a place in millions of workshops, factories, homes, garages, farms and shipyards the world over!

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870013	L1-06	Spray	6 oz.
870014	L1-12	Spray	11 oz.
870007	L1-16	Spout	16 oz.
870011	L1-34	Can	Gal.



A specially compounded fluid for certain automatic transmissions and transayles

SKU NO.	MFG. NO.	SIZE
875601	991083609	QT





SILICONE SPRAY LUBRICANT Heavy-duty SILICONE SPRAY LUBRICANT stops squeaking, sticking, prevents rust and corrosion and lubricates doors, locks, drawers, windows. Brightens rubber, vinyl and

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870073	M9-14	Aerosol	16 oz.



HOUSEHOLD OIL

Lubricates, cleans, polishes. Prevents rust and tarnish. A high quality oil that can be used anywhere a light lubricant is needed.

SKU NO.	MFG. NO.	SIZE
875636	(6605) 8720	3 Oz.
875639	(6605) 8727	8 Oz.



SUPER LUBRICANT

LUBRICATES locks, hinges, casters, appliances, sewing machines, bicycles, skates, toys. Also excellent for typewriters, fine instruments, guns and sporting equipment.

PROTECTS power tools, hand tools, lawn mowers, valves and fittings against rust and corrosion. Excellent for throttle controls, carburetor linkage and heater motors. Dries wet ignition systems.

PENETRATES and frees rusted nuts, bolts, screws, engine heads, mufflers, tail pipes, heat risers, manifolds, U-bolts, heater controls and cable releases. "IT DRIVES THE MOISTURE AWAY."

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870019	L2-06	Spray	6 oz.
870017	L2-34	Can	Gal.





87

SKU	MFG.	SIZE
NO.	NO.	SPRAY
0585	20007	12 oz.

leather.

<u>848</u>

ADDISON BUILDING MATERIAL CO. INC., • 3201 S. Busse Rd., Arlington Heights, IL 60005 Order Department (847) 437-1288 • Main (847) 437-1205 • FAX (847) 437-4183

	Detrivered TOOO PLUS EXHAUST REPAIR KIT	IR	PERIMATEX® EXTEND® Rust Treatment Provides one-step rust treatment that
LOCTITE® QUICK SOLDER™ Radiator Repair Kit	PERMATEX® 1000 PLUS'* Exhaust Repair Kit		destroys old rust, prevents new rust. Just brush it on. Within minutes, rust disappears and a thick, durable polymer coating develops. Excellent protective primer. Can be painted
Brass-filled strip seals small holes, seams, leaks, tanks and inlet/outlet tubing. Cures in only 15 minutes. Withstands normal operating temperatures and pressures. Repairs steel, brass and aluminum radiators. Excellent, water, alcohol and antifreeze resistance.	Complete kit for repairing crack splits in mufflers, tailpipes and pipes. Withstands temperatures 1000°F (540°C). Kit contains re use foil packed bandage and su wire.	exhaust s over eady to	over. Designed to remove and destroy rust in automotive applications SKU NO. P/N DESCRIPTION 870489 RT-8A 8 fl. oz. bottle
Radiators in cars, trucks, farm equipment SKU NO. P/N DESCRIPTION 870709 12195 .5 oz., 3.5" ribbon	Mufflers, tailpipes on automob trucks, tractors and farm equip SKU NO. P/N DESCR 870471 MRK-1 1 banda		BATTERY
GAS TANK 8 RADIATOR REPAIR	ASTINUTORY WATER PINE WATER PINE	Permatex®	Battery Cleaner Spray it on and wash corrosion of Acts in just three minutes. Level 1 - contents under pressur Automotive, marine, farm machinand motorcycle batteries SKU NO. P/N B70231 SA-8 6 oz. aerosis 5.75 oz. nei
PERMATEX® Gas Tank & Radiator Repair	PERMATEX® Water Pump Lube & Radiator Anti-Rust	Hydraulic Jack Oil Improves lubrication in all typ	
Versatile product solves many problem. Seals small holes and weak seams in gas tanks without welding or tank removal. Repairs leaks and holes in all types of radiators. Stays flexible. Permanent. Hardens in 15 minutes.	Lubricates to prevent squeal and pump corrosion. Disperses rust. Protects metal parts with corrosion-resistant film.	hydraulic units. Prevents ruś sludge build-up. Permits hyd actuator to function properly temperatures from -49°F (-41 120°F (48°C). Maintains pro viscosity. Contains anti-oxid anti-rust and anti-wear additi maximum service life. Non-c formula.	t and raulic in SFC) to Der ant, ves for orrosive Stops terminal corrosion and increases battery life. Spray on bi terminals, in or out of storage. Level 3 - extremely flammable
Holes and seams in gas tanks, radiators or gas cans	Water pumps, thermostats, radiators	Floor lifts, motorcycle front f hydraulic hand jacks, rebuild shocks	
SKU NO. P/N DESCRIPTION 870486 GTR-1 .25 oz. 3" ribbon	SKU NO. P/N DESCRIPTION 870708 38M 12 fl. oz. cone top can	870702 78E 1 c	SKU NO. P/N DESCRIF It. bottle 870234 SA-9 6 oz. aeros gal. can 5 oz. net w 5 oz. net w

RENTAL • BUILDING MATERIALS • HAND TOOLS • POWER TOOLS • HARDWARE • FASTENERS • PAINT • ELECTRICAL • PLUMBING • LAWN & GARDEN • JANITORIAL



M. P. SEALANT

MULTI-PURPOSE SEALANT AND CONDITIONER WITH ACID NEUTRALIZERS circulates through the system, sealing leaks, stopping head gasket and combustion chamber seepage, preventing rust and lime formation by neutralizing corrosive acids.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870038	C1-05	Jar	6 oz.



TAR AND BUG REMOVERS SPRAY OR POUR

Specially formulated to remove tar and bug residue from car finishes, motorcycles, chrome grilles, wheels and bumpers.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870047	TR-1	Aerosol	16 oz.



DOT 3 SUPER HD BRAKE FLUID

Minimum boil point 450°F. Meets and exceeds DOT 3 and all other Federal and SAE specifications and standards for motor vehicle brake fluid. Resists boiling under heavy and constant braking. Mixes with all other approved brake fluids. Suitable for use in ATE, Girling, Lockheed and other systems.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870049	M43-12	Plastic Can	12 oz.
870053	M43-32	Plastic Can	32 oz.



POWER STEERING FLUID Meets service requirements for GM, Ford, Chrysler and AMC. Formulated with detergent additives for a cleaner system. Non-corrosive, non-foaming, intermixes completely for smoother, easier steering.

 SKU NO.	MFG NO.	DESCRIPTION	SIZE
870080	M27-12	Can	12 oz.



CARB-MEDIC® SPRAY

A blend of powerful solvents that cleans carburetors, chokes, valves. Use it directly on linkages, automatic chokes, PCV valves and heat riser valves. Will not harm catalytic converters or oxygen sensors.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870044	M48-14	Aerosol	16 oz.



HEAVY DUTY PUNCTURE SEAL

Security in a can! Heavy duty polymer formula instantly seals 3/16" punctures and inflates tire to full driving pressure (28 to 30 PSI). For tubed and tubeless tires. Handy 8" extension hose attaches to tire valve regardless of position. Seals in 2-3 miles.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870071	M11-24	Aerosol	18 oz.



COOLING SYSTEM STOP LEAK

ALUMINIZED FORMULA stops and prevents leaks and seepage in radiators, heater cores, blocks, cylinder heads, freeze plugs and gaskets. Will not clog or damage cooling system.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870082	C5-51V	Card	1 oz.



BRAKE & CV JOINT CLEANER

High solvency and fast evaporation instantly degreases both conventional and disc brake assemblies. Quickly dissolves and flushes away brake fluid, grease, oil and other contaminants without disassembly.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870032	M7-20	Spray	20 oz.





HEAVY DUTY PUNCTURE SEAL

New formula Puncture Seal is truly nonflammable. Contains no hydrocarbon gas or flammable solvents! Convenient 9-ounce size for today's smaller tires. Screw-on top for quick application to valve stem. Automatically inflates tire as applicator opens tire stem valve.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870062	M11-12	Aerosol	12 oz.







RENTAL • BUILDING MATERIALS • HAND TOOLS • POWER TOOLS • HARDWARE • FASTENERS • PAINT • ELECTRICAL • PLUMBING • LAWN & GARDEN • JANITORIAL

Powder

9 oz.



ELECTRIC MOTOR CONTACT & BRAKE CLEANER

A non-flammable, non-conducting cleaning solvent for alternators, generators, starters, contact relays and other electric components. Dries fast, leaves no residue. Excellent for brake linings, CV joints.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870037	NM-1	Aerosol	20 oz.



5 MINUTE MOTOR FLUSH

For the removal of accumulated gums. varnishes and sludge from internal engine parts. Circulated through the engine for 5 minutes before an oil change and especially before changing the oil filter, MOTOR FLUSH will free sticky valves and piston rings allowing oil to circulate freely to all parts of the motor.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870058	MF-2	Can	Qt.





This multi-grade, low consumption motor oil is formulated with QSX and provides the lubrication protection required for both cold outside temperatures and elevated engine operating loads and temper-atures. Quaker State is an excellent choice for motorists who desire outstanding allseason engine lubrication with the widest viscosity range. Exceeds car manufacturers' warranty requirements. Quarts.

SKU NO. Mfg. No. 1432442 870618 1480508 870633

UNDERCOATING PLAIN-RUBBERIZED

SKU

NO.

870059

SKU NO.

870617

870619

Designed to protect the car body from rust and corrosion. Provides a tough, flexible, moisture-proof coating. Muffles

noise. Undercoating seals out moisture

and dust. Most effective after repairs

MARINE/LAWN & GARDEN

PLUGS

DESCRIPTION

Aerosol

CHAMPION

LAWN & GARDEN AND

MARINE SPARK PLUGS

Type

CS14

J6C

Copper plus spark plug.

823

846

SIZE

16 oz.

and on replacement parts.

MEG

NO.

T16-16

17264

Mfg. No.

1457100

1458025





MOTOR OIL This single-grade, low-consumption motor oil is formulated to keep engines at peak performance. Contains QSX formulation to keep engines running cleaner. Quaker State HD is for motorists who desire maximum engine protection and performance when ambient temperatures remain constant between oil changes. Exceeds car'manufacturers' warranty requirments

QUAKER STATE

SKU NO. 870609

Quarts

Mfg. No.

Grade Size 1497049 403648 30WHD Qt.

MULTI-VIS WITH Z-7® SF/CC

Blended with select, high quality lube stocks and Pennzoil additive Z-7. No other

oil additives needed Proven effective in increasing gas mileage. Also provides long-

lasting engine protection while guarding

against wear and corrosion, and keeps engines clean. Excellent for tast cold-

weather starts and high-temperature engine

protection. Meets or exceeds car manufacturers' warranty requirements



SKU NO.	Mfg. No.	Grade	Size
870624	1432780 93619	10W30	Qt.
870639	1432806	10W40	Qt.






WEATHERPROOF CEMENT **BOXED/CARDED**

Fast drying, high strength, flexible and waterproof adhesive. Sticks to all types of weatherstripping. Sticks vinyl tops, upholstery, dashboards, etc. Sticks rubber to metal, rubber to rubber and vinyl to metal.

SKU NO.	MFG NO.	DESCRIPTION	SIZE
870043	T14-05	Boxed	5 oz.



SKU NO.	Mfg. No.	Size
870500	1496686 12	16 oz
870502	1496728 13	32 oz







PERMATEX® FORM-A-GASKET® No. 1 Sealant

Fast drying, hard setting sealant designed for sealing rigid materials and flanges, or patching holes and joints where permanent assembly is desired. Temperature range -65°F to 400°F; resists common shop fluids and fuels.

Freeze plugs, threaded connections, manifold gaskets

SKU NO.	P/N	DESCRIPTION
870150	1AR	1.5 oz. carded
870153	1BR	3 oz. carded
870144	1C	11 oz. cartridge



PERMATEX® FORM-A-GASKET® No. 2 Sealant Slow drying, non-hardening sealant designed for sealing cut gaskets and stamped parts. Allows for easy disassembly if required. Temperature

disassembly if required. Temperature range -65°F to 400°F; resists common shop fluids and fuels. Use where sealing is more important than adhesion.

Valve cover gaskets, oil pan gaskets

SKU NO.	P/N	DESCRIPTION
870162	2AR	1.5 oz. carded
870165	2BR	3 oz. carded
870156	2C	11 oz. cartridge



PERMATEX® AVIATION FORM-A-GASKET® Sealant

Slow drying, non-hardening brush-top sealant approved for use in aviation as well as automotive applications. Temperature range $-55^\circ{\rm F}$ to $400^\circ{\rm F};$ resists gasoline, oil and grease.

Close-fitting machined surfaces, sealing hoses, solid gasket dressing

SKU NO.	P/N	DESCRIPTION
870171	3D	16 oz. bottle
870168	3H	4 oz. bottle



PERMATEX® High Tack SPRAY-A-GASKET® Adhesive Sealant

All-purpose adhesive that sets fast to seal and hold the heaviest of gaskets in place. Remains effective under extreme temperatures of −65°F to 450°F. Resists gasoline, oil, kerosene, propane and butane. Level 2 - extremely flammable▲

Holds and seals all felt, cork, metal, paper, rubber and asbestos gaskets

ł			
	SKU NO.	P/N	DESCRIPTION
	870180	99GA	6 oz. aerosol can,
			4 oz. net wt.
	870177	99MA	12 oz. aerosol can,
			8.75 oz. net wt.



PERMATE Repair Ki		l & Leather
automotiv upholstery tool, 7 OEI vinyl adhe	e vinyl an /. Contain M color c sive and f	it for home and d leather s: heat transfer ompounds, clear iller (net .34 fl. aper, plastic
Vinyl and car seats, upholster	chairs, st	ar upholstery, infant tools, marine a
car seats.	chairs, st	tools, marine



PERMATEX® Blue RTV Silicone Gasket

The original Blue. Replaces almost any cut gasket. Makes reliable 'formed-inplace' gaskets that resist cracking, shrinking and migrating. Coats pre-cut gaskets to increase reliability. Temperature range -65°F to 500°F intermittent; resists auto and shop fluids. First generation 1970-1980 gasket maker. Also available in AUTOMATIC TUBE™ dispenser.

SKU NO. P/N DESCRIPTION 870174 6BR 3 oz. carded




	and only in the second s		
LOCTITE Adhesiv		iew Mirror	
Approved and used by GM, Ford and Chrysler. Permanently remounts mirrors to windshields. Achieves handling strength in seconds; mirror-mounting strength in 15 minutes. Available in single and multi-applications.			
Mounting rearview mirrors to windshields OEM INTERCHANGE, see pg. 26			
SKU NO.	P/N	DESCRIPTION	
870882	11067-2	2-part carded	



PERMATEX® ULTRA COPPER[™] Hi-Temp RTV Silicone Gasket

For 4-cylinder, turbocharged or high-performance engines. The most advanced, high temperature RTV silicone gasket available. Sensor-safe, low odor, non-corrosive. Superior adhesion. Three times more oil resistant than conventional silicones; Eight times more flexible than cut gaskets. Temperature range -75°F to 700°F intermittent; resists auto and shop fluids and vibration. Guaranteed not to leak. Exhaust manifolds/headers, valve covers, oil pans, intake manifold end seals, timing covers, water pumps, thermostat housings SKU NO P/N DESCRIPTION 870170 101BR 3 oz. carded





A virtually unbreakable snowbrush for customers who are fed up with flimsy, conventional models. Rugged honeycomb constructed handle and Colordar¹¹⁴ scraper blade give it amazing strength. Scraper has chip-resistant EDM'd edge and Hoppy snowflake pattern. Thick lockedin bristles. 19^a long. Available in assorted colors.

SKU NO.	Mfg. No.	
877500	1425545 13311	



SUPER DELUXE SNOWBRUSH

We've reinvented the snowbrush! This new tool has a longer reach (22 inches); a streamline design that has the look of the 90's; and the best ice scraper in the world built in. It's virtually unbreakable with specially designed sculpted handle. Rugged Bear Claw® Colordar™ blade handles the toughest ice as flexible 'claws' tollow windshield contours. Ice chippers cut through thick ice. Sophisticated, contemporary colors: taype with black or white brush. Smoke color blade. Hang hold in the handle.

SKU NO.	Mfg. No.	
877509	1527803	18513

