


Prosnip®



Prosnip® 20SL™ Offset Snips

225mm/9"
Cuts straight and angles
or curves to left

SKU NO.
703777


Prosnip® 20SR™ Offset Snips

225mm/9"
Cuts straight and angles
or curves to right

SKU NO.
703780

Aluminum Snips

**Strong and
Lightweight
with Inlaid
Steel Blades**



Superior quality, heavy duty snips are only 1/3 the weight of steel types, and give many more years of service. Comfortable, sleek contour aluminum handles have reinforcing ribs to duplicate the strength of steel. Handles will not spring when cutting heavy gauges of sheet metal. Inlaid blades are supreme cutlery grade moly steel, electronically heat treated and tempered for continuous use. Precision ground, beveled cutting edges stay sharp longer and make pattern cutting, even circle cuts, an easy job. Blades are resharpenable

Replacement Blades

SKU NO.	Catalog Number	Length of Cut	Overall Length	Net Weight
850140	M14RB	Blade set and rivets for M14 Snip		
850135	M14	3½"	14"	1 lb. 8 oz.


Soft touch Multi-Purpose Scissors



Flat-bottom styling for making long, straight cuts
 Ideal for cutting multiple layers of fabric, string, paper
 construction paper and many other materials
 Spring action reduces hand fatigue
 Left- or right- handed
 Made in U.S.A.

SKU NO. MFG NO.
702566 99117097

COMPOUND LEVERAGE Channel Shear



SRC24A
Channel Shear

Compound leverage shear cuts through 20 gauge metal studs and runner faster, easier and more economically than any other tool on the market. Shear completes cut in one easy stroke without deforming metal channel. Die assembly assures that cutting action is clean and precise. Hollow ground chrome/moly steel blade can be resharpened or replaced. A 36" long handle provides additional leverage making cutting with this shear almost effortless. Lightweight and portable enough to be where you want it, when you want it. Model SRC24A cuts 6 basic channel sizes (1½, 2½ & 3½" stud and accommodating runners). Shear features rugged all steel and bolt construction. Handle has red vinyl comfortable grips.

SKU NO.	Catalog Number	Capacity	Cuts both Stud & Runner Sizes	Height	Length
850160	SRC24A	20 gauge	1-5/8, 2-1/2, 3-5/8"	8"	36"

ADEL NIBBLING TOOL

CUTS

Holes - Any Shape any Size over 7/16"

NOTCHES

Clearance For Plugs - Wiring

TRIMS

Undersized Holes To Fit Parts

CAPACITY

Steel - 18 Gauge (.0475")
 Aluminum - 16 Gauge (.0625")
 Plastic and Copper


THE ORIGINAL.

IT'S EASY TO USE

Start with a 7/16" Hole Then Cut to Size and Shape Required. Replacement Punches Available.

SKU NO. 703508

CARBIDE-TIPPED LAMINATE SCORING CUTTER



Features: Cuts laminates quickly and neatly.

Directions: Using a straight-edge as a guide, simply make several scribe cuts into the decorative side (the deeper the score-cut, the easier the break). While holding the straight edge firmly down, lift the outer edge of the laminate upward and the laminate will break cleanly at the scored line. The reversible blade has a carbide tip on each end. When cutting other plastics such as Plexiglas, the break is made by pressing outer edge downward away from cut. Length: 6" long.

SKU NO. 706800

MODEL NO. PC344


2



**Wiss®
Metalmaster® Snips
(Cuts left)**
M1R

Cuts up to 18 gauge (0.49 in.) sheet metal. Compound action with safety latch, red vinyl grip.


SKU NO. 703747



**Wiss®
Metalmaster® Snips
M2R (cuts right)**

Cut with half the effort required of conventional snips.


SKU NO. 703750



**Wiss®
Metalmaster® Snips
M3R (cuts straight)**
Heavy-duty professional strength cutting.

SKU NO. 703753

**Electrician's scissors –
solid steel**



175-E5V

Hot drop-forged. Fully nickel plated. Double stripping notch for 19 gauge (.035) and 23 gauge (.022) wire. Scraper and file on back edge of blade full drop run.

SKU NO.	Cat. No.	Length "/mm	Blade "/mm
703774	175-E5V	5 1/2 / 133	1 1/4 / 48

**Wiss®
Pipe
and Duct
Snips**

Cuts straight, curves and any combination.



Cat. No. M41R

SKU NO. 703759

**Wiss®
Metalmaster®
Snips**
The versatile snips with the superior cutting ability.



Cat. No. M5R

Bulldog


SKU NO. 703756

Ratcheting Cable Cutter Duckbill combination pattern snips



With one-hand, cleaning cut copper up to 400 MCM, and aluminum and multi-conductor cables up to 600 MCM. Unique ratchet-action holds cable tight and allows rapid, straight cuts with minimum effort. Hold open spring speeds cutting action. Quick-release lever opens blade at any time during operation. Large, finger-formed handles have limit guards and plastic covering for comfortable, non-slip grip. Strong, light-weight tool can be locked in closed position for pouch carrying.
**NOT DESIGNED FOR:
CUTTING STEEL or ACSR**


SKU NO. MFG NO. LENGTH
505008 63060 10"



Duckbill pattern snips feature the advantage of cutting moderately tight curves to the left or right in light stock as well as cutting straight. Duckbill snips are very popular with the home craftsman and with professional artisans for light duty metal cutting because of their great versatility. Cushion grip handles for comfort and better grip.


SKU NO.	Cat. No.	N/S No.	Length "/mm	Blade "/mm	Recommended max. capacity low carbon cold rolled steel
703768	V-13	58050	7/178	1 1/4 / 44	23 Gauge (0.025"/0.63mm)
703765	V-10	58043	10 1/2 / 260	2 1/5 / 57	23 Gauge (0.025"/0.63mm)
703771	V-19	58051	13/330	3/76	21 Gauge (0.032"/0.81mm)

Straight pattern snips



Straight pattern snips are primarily for straight cuts, although they will cut wide curves when trimming light stock. The inside edge of the blade face is flat and tends to guide the tool along a straight line. This most traditional of tinner's snips is still widely used in the plumbing, heating, air conditioning and roofing trades.


SKU NO.	Cat. No.	Length "/mm	Blade "/mm	Recommended max. capacity low carbon cold rolled steel
703741	A-13	7/178	1 1/4 / 44	23 Gauge (0.025"/0.63mm)
703738	A-12	8 1/2 / 209	2/51	23 Gauge (0.025"/0.63mm)
703735	A-11	9 1/4 / 248	2 1/5 / 57	23 Gauge (0.025"/0.63mm)
703732	A-10	11/279	2 1/6 / 63	21 Gauge (0.032"/0.81mm)
703729	A-9	12 1/2 / 317	3/76	20 Gauge (0.035"/0.89mm)



5-Piece Phillips-Tip Screwdriver Set

Set of five Phillips-tip screwdrivers in reclosable, seal-tight heavy-vinyl pouch.

Cat. No.	SKU No.	Set Contains	
Cat. No.	Description	Overall Length	
89002	700567	Regular Screwdrivers	
P01	Round-shank, No. 0 Phillips-tip	5 1/4 (133)	
P1	Round-shank, No. 1 Phillips-tip	6 1/2 (165)	
P2	Round-shank, No. 2 Phillips-tip	7 5/8 (194)	
P3	Round-shank, No. 3 Phillips-tip	10 (254)	
Stubby Screwdriver			
P5	Round-shank, No. 2 Phillips-tip	3 5/8 (92)	



6-Piece Combination Screwdriver Set

Set of four slotted and two Phillips-tip screwdrivers in reclosable, seal-tight heavy-vinyl pouch.

Cat. No.	SKU No.	Set Contains	
Cat. No.	Description	Overall Length	
89003	700570	Slotted-Tip Screwdrivers	
A216-4	1/8 Round-shank, cabinet-tip	7 (178)	
A316-6	3/16 Round-shank, cabinet-tip	9 5/8 (244)	
A416-6	1/4 Round-shank, keystone-tip	7 5/8 (194)	
A516-6	5/16 Round-shank, keystone-tip*	10 (254)	
Phillips-Tip Screwdrivers			
P1	Round-shank, No. 1 Phillips-tip	6 1/2 (165)	
P2	Round-shank, No. 2 Phillips-tip	7 5/8 (194)	

*Heavy-duty model



R20

Round-Shank, Square-Recess Tip


Designed to accommodate square-recess screws used in recreation, boat and hobby industries.

SKU No.	Cat. No.	Point No.	Shank Size Dia. x Length	Overall Length
700489	R10	1	1/4 x 4 (6.3 x 102)	7 5/8 (194)
700492	R20	2	1/4 x 4 (6.3 x 102)	7 5/8 (194)
700495	R30	3	1/4 x 4 (6.3 x 102)	7 5/8 (194)

6-Piece Combination Bull Driver® Screwdriver Set


Set of six Bull Driver screwdrivers in reclosable, seal-tight vinyl pouch. See individual screwdriver listings for full details.

Cat. No.	SKU NO.	Set Contains	
Cat. No.	Description	Overall Length	
89005	700576	Regular Screwdrivers	
BD111	No. 1 Phillips tip, 6 5/8 (168) overall length.		
BD122	No. 2 Phillips tip, 8 1/2 (216) overall length.		
BD135	5/16 slotted stubby, 4 (102) overall length.		
BD146	1/4 x 6 slotted, 10 1/2 (267) overall length.		
BD284	1/4 x 4 slotted, 8 1/2 (216) overall length.		
BD306	5/16 x 6 slotted, 11 3/16 (284) overall length.		



Round-Shank, Profilated® Phillips-Tip

SKU No.	Cat. No.	Pt. Size	Shank Length	Overall Length
700381	BD122	2	4 (102)	8 1/2 (216)



Round-Shank, Clutch-Head Tip

Specially designed for positive fit with clutch-head screw recess.

SKU No.	Cat. No.	Bit Point Dia. x Shank Length	Overall Length
700411	CH430	1/8 x 3 (3.2 x 76)	6 (152)
700414	CH540	5/32 x 4 1/4 (4 x 108)	7 3/4 (197)
700417	CH640	3/16 x 4 1/4 (4.8 x 108)	7 3/4 (197)
700420	CH860	1/4 x 6 (6.3 x 152)	9 5/8 (244)



Square-Shank, Keystone-Tip


SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700396	BD284	1/4 x 4 (6.3 x 102)	8 1/2 (216)
700399	BD286	1/4 x 6 (6.3 x 152)	10 1/2 (267)
700402	BD306	5/16 x 6 (7.9 x 152)	11 3/16 (284)
700405	BD308	5/16 x 8 (7.9 x 203)	13 3/16 (335)
700408	BD310	5/16 x 10 (7.9 x 254)	15 5/16 (385)



1/8-In. Round-Shank, Cabinet-Tip

Small-diameter shank for use in recessed holes or tight places.


SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700348	A216-4	1/8 x 4 (3.2 x 102)	7 (178)
700351	A216-6	1/8 x 6 (3.2 x 152)	9 (228)
700354	A216-8	1/8 x 8 (3.2 x 203)	11 (279)



Reversible-Blade Screwdrivers

Reversible-blade screwdrivers offer the convenience of two different-size tips in a single tool. Blade inserts and locks into full-size handle with exclusive Comfordome® top. Choose the blade combination that meets your requirements— two slotted tips, two Phillips tips or one of each.

SKU No.	Cat. No.	Type and Size of Blade	Overall Length
700426	DU2	No. 1 Phillips x 3/16" Slotted tips	6 3/16" (157 mm)
700429	DUH4	No. 2 Phillips x 1/4" Slotted tips	6 9/16" (167 mm)



3/16-In. Round-Shank, Cabinet-Tip

Medium-duty screwdrivers well-suited for electrical and telecommunications work.


SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700357	A316-4	3/16 x 4 (4.8 x 102)	7 5/8 (194)
700360	A316-6	3/16 x 6 (4.8 x 152)	9 5/8 (244)
700363	A316-8	3/16 x 8 (4.8 x 203)	11 5/8 (295)



Extra-Heavy-Duty 3/8-In. Round-Shank, Keystone-Tip

Extra-length and extra-wide blade handles the biggest screws.

SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700378	A616-10	3/8 x 10 (9.5 x 254)	14 1/2 (368)



1/4-In. Round-Shank, Keystone-Tip

Fills many job needs with a choice of lengths.

SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700366	A416-4	1/4 x 4 (6.3 x 102)	7 5/8 (194)
700369	A416-6	1/4 x 6 (6.3 x 152)	9 5/8 (244)

Heavy-Duty 5/16-In. Round-Shank, Keystone-Tip

Make turning big screws easier. Choice of three lengths.


SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700372	A516-6	5/16 x 6 (7.9 x 203)	10 (254)
700375	A516-8	5/16 x 8 (7.9 x 254)	12 (305)



Round-Shank Profilated® Phillips-Tip

Profilated tips fit more accurately and torque without slippage.

SKU No.	Cat. No.	Pt. Size	Shank Length	Overall Length
700459	P01	0	2 1/2 (63)	5 1/4 (133)
700462	P1	1	3 (76)	6 1/2 (165)
700465	P2	2	4 (102)	7 5/8 (194)
700468	P3	3	6 (152)	10 (254)



Stubby Round-Shank, Profilated® Phillips-Tip

Precision-fitted tips in stubby style for close-quarter work.

SKU No.	Cat. No.	Pt. Size	Shank Length	Overall Length
700471	P5	2	1 3/8 (35)	3 5/8 (92)
700474	P6	1	1 1/4 (32)	3 (76)



Pocket-Clip Round-Shank, Profilated® Phillips-Tip

Designed for the smallest-size Phillips screws and with convenient pocket clip.


SKU No.	Cat. No.	Pt. Size	Shank Length	Overall Length
700677	P12	0	2 1/2 (63)	4 15/16 (125)



Extra-Long Round-Shank, Profilated® Phillips-Tip

For hard-to-get-at screws. Has oversize Comfordome® handle.

SKU No.	Cat. No.	Pt. Size	Shank Length	Overall Length
700477	P18	1	8 (203)	11 1/2 (292)
700480	P28	2	8 (203)	11 5/8 (295)
700486	P212	2	12 (305)	15 5/8 (397)
700483	P202	2	20 (508)	24 1/2 (622)



5-Piece Round-Shank Slotted-Screwdriver Set

Set contains a general-purpose selection of five most-used slotted screwdriver styles and sizes. Reclosable, seal-tight vinyl pouch.


Cat. No. 89001 SKU No. 700564

Cat. No.	Description	Overall Length
A216-4	1/8 Round-shank, cabinet-tip	7 (178)
A216-6	1/8 Round-shank, cabinet-tip	9 (228)
A316-6	3/16 Round-shank, cabinet-tip	9 5/8 (244)
A416-4	1/4 Round-shank, keystone-tip	7 5/8 (194)
A516-6	5/16 Round-shank, keystone-tip*	10 (254)

* Heavy-duty model




Dynagrip Screwdriver Set



Contractor Grade 6 Piece Screwdriver Set
 Non Slip Grip Handles
 Set contains #1 Phillips, #2 Phillips,
 3" Cabinet, 6" Cabinet
 4" Standard & 6" Standard Screwdrivers.

Magnetic Screwdriver Sets



Each screwdriver has a powerful magnet built into its shank to hold interchangeable bits and also screws. Comfortable handle for fatigue-free driving. Interchangeable bits store inside handle. Wide selection of bits for different screw types.

SKU No.	Cat. No.	Description	Bits Included
700507	70427	Torx® Set Contains five popular Torx® sizes. Overall Length 7" (178 mm)	T15, T20, T25, T27, and T30 Torx®
700501	70035	4 bits magnetically. Includes 3/16 and 9/32 plus #1 and #2 Phillips bits. 9" long.	

Reversible Impact-Driver Set

Rugged, hand-impact driver turns, frozen or other stubborn screws. Can also be used on 3/8" square-drive impact sockets. Internal, spring-loaded helical design transforms the impact of a hammer blow to up to 200ft. lbs. of shock torque. Easily reverses for tightening or loosening screws. Constructed of high-grade alloy steel.

SKU NO. 701429 MFG NO. 70220 HEX BITS. 5/16" 1/2"



600 Series

Heavy-Duty Square-Shank, Keystone-Tip

Designed for the most demanding uses. With heavy-duty square shank for wrench-assisted turning. Keystone-tip.

SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700543	600-1	1/4x1 1/2 (6x38)	3 7/16 (87)
700553	600-4	1/4x4 (6x102)	8 11/32 (212)




602 Series

Heavy-Duty Round-Shank, Keystone-Tip

Built to handle the tough jobs with ease. Keystone-tip.

SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700552	602-4	1/4x4 (6x102)	8 11/32 (212)
700558	602-6	5/16x6 (8x152)	10 15/16 (278)
700561	602-8	3/8x8 (10x203)	13 7/16 (341)



Round-Shank, Keystone-Tip

SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700384	BD144	1/4 x 4 (6.3 x 102)	8 1/2 (216)
700387	BD146	1/4 x 6 (6.3 x 152)	10 1/2 (267)
700390	BD156	5/16 x 6 (7.9 x 152)	11 3/16 (284)
700393	BD158	5/16 x 8 (7.9 x 203)	13 3/16 (335)




601 Series

Round-Shank, Cabinet-Tip

Perfect for electrical and telephone work. Tip is no wider than shank diameter for use in recessed holes and other tight spaces.

SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700546	601-4	3/16x4 (5x102)	7 3/4 (197)
700548	601-6	3/16x6 (5x152)	9 3/4 (248)
700549	601-8	3/16x8 (5x203)	11 3/4 (298)



Machined to more exact Phillips-tip profile for better, tighter fit—and better results!

603 Series

Round-Shank, Special Profilated® Phillips-Tip

Tips are profilated to provide a more consistent geometric symmetry than conventional Phillips-tip screwdrivers. Provide more accurate fit and torque without slippage.


SKU No.	Cat. No.	Point Size	Shank Length	Overall Length
700537	603-3	No. 1	3 (76)	6 3/4 (171)
700540	603-4	No. 2	4 (102)	8 5/16 (211)



Conduit-Fitting Screwdriver

Hooded-blade design keeps tip from slipping out of screws, especially when tightening overhead conduit fittings. Deep-ribbed Cushion-Grip for maximum turning power and comfort.

SKU No.	Cat. No.	Shank Tip Width	Shank Length	Overall Length
501132	19360	3/8" (9.5 mm)	1" (25 mm)	5 1/32" (153 mm)



Pocket-Clip Screwdriver

Round-shank screwdrivers ranging from 3 1/4" (82 mm) to 6 7/16" (164 mm) long, with convenient pocket clip. No. A010 has keystone-tip, all others have cabinet tip.

SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700345	A116-3	3/32 x 3 (2.4 x 76)	5 7/16 (138)

YANKEE® OFFSET RATCHET SCREWDRIVERS



STANLEY

FOR SLOTTED SCREWS

Designed to get around even the tightest angles. Two different size blades of special alloy steel, hardened & tempered. Handle designed for secure grip.

SKU NO.	Prod. Id. No.	Cat. No.	Blade L x D	O/A Length In.
700481	68-400	3400	1/4 x .040 3/8 x .050	3 3/8

YANKEE® OFFSET RATCHET SCREWDRIVER



STANLEY

FOR SLOTTED & NO. 2 PHILLIPS POINT SCREWS

Designed to get around even the tightest angles. Two tips — slotted & No. 2 Phillips — of special alloy steel, hardened & tempered. Handle designed for secure grip.

SKU NO.	Prod. Id. No.	Cat. No.	Blade L x D	O/A Length In.
700482	68-402	3402	1/4 x .042	3 3/8

YANKEE® OFFSET RATCHET SCREWDRIVERS



STANLEY

FOR PHILLIPS HEAD SCREWS

Designed to get around even the tightest angles. Two different size points hardened & tempered. Handle designed for secure grip.

SKU NO.	Prod. Id. No.	Cat. No.	Point Sizes	O/A Length In.
700484	68-412	3412	1 & 2	3 3/8




808

FOUR WAY OFFSET SCREWDRIVER

- Handy tool for machinists, repairmen, and do-it-yourselfers.
- Has four tool steel blades mounted at four different angles.
- Permits short movements where turning space is limited.
- Made of nickel plated steel, body is 5-1/4" long with 1/4" straight blades.

SKU NO.	NO.
700989	808

OFFSET SCREWDRIVER




STANLEY

Forged steel driver. Fits #1 and #2 pt. Phillips head screws.

SKU NO.	Prod. Id. No.	Cat. No.	Blade Diam. In.	O/A Length In.
700478	65-032	2612	1/4	4 1/32


OFFSET SCREWDRIVER



STANLEY

Versatile forged steel driver with two tips, for slotted and No. 2 Phillips head screws.

SKU NO.	Prod. Id. No.	Cat. No.	Blade Diam. In.	O/A Length In.
700479	65-033	2613	1/4	4 1/32



2-Piece Offset Screwdriver Set



SKU NO.	Cat. No.	Set Contains
700579	210122	P120 (No. 1 and No. 2 Phillips tip) and VO2 (1/4" to 5/16" slotted tip)


72- Piece Insulated Terminal Kit

Contains 10 assorted single-grip, insulated-terminal styles recommended for automotive and other applications. Includes No. 1963 crimping tool with bolt utter and 72 total terminals of the following: No. 67302 butt connector, ring-tounge terminal No's 63306, 63310 and 63410. Kit is made of sturdy see thru plastic with compartments for the crimping tool and 10 terminal styles.



SKU NO.	MFG.
501144	6065-63

MAGNETIC SCREW DRIVER SET



No. 70035—Magnetic shank holds choice of 4 bits magnetically. Includes 3/16 and 9/32 regular plus #1 and #2 Phillips bits. 9" long.

SKU NO. 700501

Medium Duty Combinations Two & Three Jaw Reversible Puller

Choose either a two point or a three point grip, when the extra stability and pov point pull.



SKU NO. MFG NO.
702027 92306

5 Ton Puller 7.00 Spread 3.50 Reach

Rapi-Driv Screwdrivers with Slotted or Phillips-Tips



Crank-action handle spins screws fast with one hand. Shank rotates in handle to save time and effort, especially on long-threaded screws in switch plates, light fixtures, etc.

Cabinet-Tip Rotary Screwdrivers

SKU NO.	MFG NO.	OVERALL LENGTH
701423	670-6	9 3/4"

Phillips-Tips Rotary Screwdrivers

SKU NO.	MFG NO.	OVERALL LENGTH
701426	682-6	9 3/4"


Super-Long Screwdrivers



Heavy-duty, long-reach screwdrivers for reaching into walls and other hard-to-get-to places where added length is necessary. Each screwdriver features Vaco's oversize Comfordome handle.

SKU NO. 701435
MFG NO. 70155

Cat. No.	Screwdriver Type	Overall Length
70155	Round slotted	24 1/2"



One Way Screw Remover

SKU NO.	MFG NO.	ONE WAY SCREW REMOVE SIZE
610039	8915	SIZE (6-8)
610042	8925	SIZE (8-10)
610045	8935	SIZE (12-14)

100 PLUS® SCREWDRIVER



STANLEY

**POCKET SCREWDRIVER —
STANDARD BLADE & TIP**

Practical for light work. Boron steel blades are polished and chrome plated to resist rust. Fully cross ground tips for more secure fit. Equipped with clip for shirt pocket.

SKU NO.	Prod. Id. No.	Cat. No.	Blade L x D (In.)	O'all Lgth. In.
700358	66-101	1010	2 x 1/8	4 3/8

SCREW HOLE STARTER



STANLEY

Ideal for the home handyman. The point bites fast & clean at the exact spot screw is to be placed & threads the hole for easy entry & turning of screw. Molded plastic handle with full size, comfortable grip.

SKU NO.	Prod. Id. No.	Cat. No.	Length In.
700341	69-008	61-008	6 1/2

**4-WAY™ WORKMASTER®
SCREWDRIVER**



STANLEY

Four tips in one tool — 3/16" & 1/4" slotted /#1 and #2 Phillips. Triangular handles "fits the fist". Zinc plated barrel is rust resistant. Black oxide tips. Individually carded.

SKU NO.	Prod. Id. Cat. No.	Box Qty
700457	66-401	6

CLIP 'N GRIP



STANLEY

Ideal for automotive & electronic type applications. Three stainless steel screw holding attachments 3/16", 1/4" and 5/16" fit securely on round bar screwdrivers.

SKU NO.	Prod. Id. Cat. No.
700476	69-300

**MAGNETIC TIP
WORKMASTER®
SCREWDRIVER**




STANLEY

Workmaster® handle with built-in bit storage. Comfortable—Added Torque. 5 bits: 3/16", 9/32", slotted and 1 point, 2 point Phillips and T15 TORX. Shaft is winged and anchored firmly in handle. Long life and durability with aluminum shank and forged hex socket. Permanent magnet located in shaft holds bits in place. Magnetism passes through bit to hold screws in place.

SKU NO.	Prod. Id. Cat. No.	Box Qty
700461	66-801	5


Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.

Genuine Phillips



SKU No.	Mfg. No.	Size
700648	2501	3"
700651	2502	4"
700654	2503	6"
700657	2504	8"

Square shank stubby



SKU No.	Mfg. No.	Size
700636	2343-1 1/4"	1 1/4"

Scratch awl



SKU No.	Mfg. No.	Size
700633	2245	3 7/8" / 98

Mechanic's round



SKU No.	Mfg. No.	Size
700618	2143-3	3"
700621	2143-4	4"
700624	2143-6	6"
700627	2143-8	8"
700630	2143-10	10"

Mechanic's square



SKU No.	Mfg. No.	Size
700639	2343-4	4"
700642	2343-6	6"
700645	2343-12	12"
700606	343-12	12"

Electronic thin blade



SKU No.	Mfg. No.	Size
700597	244-4	4"
700600	244-6	6"
700603	244-8	8"

Electrician's round




SKU No.	Mfg. No.	Size
700612	2142-4	4"
700615	2142-6	6"

Phillips stubby




SKU No.	Mfg. No.	Size
700660	2522	1 1/4"

4-IN-1 SCREWDRIVER



For Slotted and Phillips Head Screws.



CHANGE BITS IN SECONDS

**2-SLOTTED TYPE BITS
2-PHILLIPS TYPE BITS**

All purpose compact tool, made of 8650 alloy tool steel bits. Ground & polished. Six spine solid red handle.

SKU NO.	MFG. NO.	Description
700295	10	Slotted-Slotted Bit
700325	—	Combination Bit
700335	—	Phillips-Phillips Bit
700340	—	Stubby Repl. Handle
700350	—	4 In 1 Replacement Handle
700355	—	4 In 1 Screw Driver
700050	—	2 Slot 2 Phillips

Pocket with clip screwdriver



SKU No.	Mfg. No.	Size
700609	543-2	2"


Mechanic's Round Screwdriver



- Round shaft
- Ergonomic, high efficiency, high torque handle
- Chrome vanadium steel shafts for strength and extended wear
- Highly polished and brightly chrome plated blade for superior appearance and corrosion protection

SKU NO. 702560
MFG. NO. SDF56 SIZE 5/16" X 6"

**THRIFTY™
 SCREWDRIVER SET**



STANLEY


6 PIECE SET

Blades forged from hardened steel blades. Plastic handles have full size comfortable grips. Plastic rack contains 1 each: 4" & 6" STD, 3" & 6" Cabinet Tip, #1 & #2 Phillips.

SKU NO.	Prod. Id. No.	Cat. No.	Box Qty
700464	64-457	62-407	1

JAW MFG. CO.

SPECIAL SCREW DRIVERS



- SKU NO. 705459 **210** Phillips Flex Driver for hard to reach screws. 7-1/8" o.a. length with ample plastic handle. No. 1 Phillips head. Wt. 0.14 lb.
- SKU NO. 705462 **211** Regular Flex Driver has a 3/16" wide alloy blade and a 1/4" dia. flex shaft. 7-1/4" o.a. length. Wt. 0.14 lb.

FLEXIBLE SHAFT DRIVERS



- SKU NO. 705465 **SD14** 1/4" Sq. Spin Driver for 1/4" midget sockets. 1/4" dia. Flex shaft. 6-5/8" o.a.l. Add MF4 or MF6 for length. Works around obstructions. Wt. 0.12 lb.



Slotted Screw-Holding Screwdrivers

Split-blade screw-holding driver wedges into screw slot. Positive gripping action holds, starts and drives slotted screws in awkward, hard-to-reach places.

SKU No.	Cat. No.	Shank Tip Width x Shank Length	Overall Length
700435	K23	1/8 x 3 (3.2 x 76)	5 1/4 (133)
700438	K28	1/8 x 8 (3.2 x 203)	10 1/4 (260)
700441	K34‡	3/16 x 4 (4.8 x 102)	7 3/4 (197)
700444	K36‡	3/16 x 6 (4.8 x 152)	9 3/4 (247)
700447	K38‡	3/16 x 8 (4.8 x 203)	11 1/4 (298)
700450	K44	1/4 x 4 (6.3 x 102)	8 1/4 (209)
700453	K46	1/4 x 6 (6.3 x 152)	10 1/4 (260)
700456	K48	1/4 x 8 (6.3 x 203)	12 1/4 (311)

‡ Blade thickness of .043" expanding to .085".

**WORKMASTER®
 RATCHET
 SCREWDRIVER SET**


Features 3 position ratcheting mechanism. 5 bits: 3/16", 1/4", 5/32" slotted, #1 and #2 point Phillips. Handle stores bits. Packed in a reusable storage case.

68-750

SKU NO. 700508




**SIX (6) PIECE PRECISION
 SCREWDRIVER SET**



(6) Precision screwdrivers feature swivel-head handles. Bright plated shafts fluted for grip. Hardened and tempered steel blades with blued finish to resist corrosion. Plastic storage case to index tools.

SKU NO.	Prod. Id. No.	Descip.
701867	66-039	6pc. Set

**HANDYMAN® TORX™
 SCREWDRIVER SET**



STANLEY

Four popular sized TORX screwdrivers in handy plastic pouch. Screwdrivers designed to handle the growing number of TORX drive systems in Do-It-Yourself repair: automotive, appliance and electronics. Nickel plated bars resist rust. Larger, thicker handle for comfortable grip.

SKU NO.	Prod. Id./ Cat. No.	Includes Tips
700466	64-557	T15, T20, T25, T30



100 PLUS® PUSH DRILL



STANLEY

Chuck firmly grips drill points so they cannot be pulled out when tool is in use. Magazine contains eight heat-treated, hardened drill points, 1/16" to 11/64" Chrome plated. Individually carded.

SKU NO.	Prod. Id. No.	Cat. No.	Length In.
704329	03-043	41YC	11½

YANKEE® PUSH DRILL



STANLEY

Yankee® Push Drill magazine handle made of tough blue plastic—contains four heat treated, hardened steel drill points, 5/64", 7/64", 9/64", 11/64". Handle will hold 8 bits. Individually carded.

SKU NO.	Prod. Id. No.	Cat. No.	Length In.
704331	03-046	46Y	10½

YANKEE® SPIRAL RATCHET SCREWDRIVER



STANLEY

QUICK RETURN TYPE

Heavy duty type. Time & labor saver for craftsmen in all fields. Right & left hand drive as well as rigid setting is adjusted instantly by a simple shifter. Spring keeps the blade in the screw slot & automatically returns handle to drive position after each stroke. Furnished with two bits — ¼, #2. Remove spring to convert to manual return type.

SKU NO.	Prod. Id. No.	Cat. No.	Bit Length In. Extended	Bit Length In. Closed
700487	68-131	131A	27¾	19½

YANKEE® HANDYMAN® SPIRAL RATCHET SCREWDRIVER




STANLEY

QUICK RETURN TYPE/ TRANSPARENT MAGAZINE HANDLE

The complete tool! Right & left hand drive as well as rigid setting is adjusted instantly by a simple shifter. Spring keeps the blade in the screw slot & automatically returns handle to driving position. Transparent plastic magazine handle holds extra 2 pt. screwdriver bit & two drill points — 7/64", 9/64".

SKU NO.	Prod. Id. No.	Cat. No.	Bit Length In. Extended	Bit Length In. Closed
700493	68-233	233H	10	7¾

HAND DRILL




STANLEY

Solid smooth running gear and single pinion. All steel frame, nickel plated, 3 jaws sintered iron, steel chuck. Hardwood handle in natural finish. Gear finished in red.

SKU NO.	Prod. Id. No.	Cat. No.	Chuck Cap. In.	Lgh. In.	Box Qty.
704327	03-105	514A	¼"	10¼	1

BIT BRACE



STANLEY

Open ratchet bit brace with pin alligator jaws. Polypropylene head and handle with blue finish. Ideal for the home owner.

SKU NO.	Prod. Id. No.	Sweep In.
700014	02-660	10

YANKEE® SPIRAL RATCHET SCREWDRIVERS



STANLEY

QUICK RETURN TYPE

Time & labor saver for craftsmen in all fields. Right & left hand drive as well as rigid setting is adjusted instantly by a simple shifter. Remove spring to convert to manual return type. Furnished with 2 screwdriver bits — 7/32, #2.

SKU NO.	Prod. Id. No.	Cat. No.	Bit Length In. Extended	Bit Length In. Closed
700488	68-130	130A	20¼	15

YANKEE® HANDYMAN® ACCESSORY SETS



STANLEY

Assortment packs contain drill points and screwdriver bits for use in with Yankee® Spiral Ratchet Screwdrivers.

SKU NO.	Prod. Id. No.	Cat. No.	Contains
700511	68-330	330H	Bits - 331, 352 Drill Points - 7/64", 9/64", 11/64"

DRILL POINT SET



STANLEY

For Yankee® Handyman® Spiral Ratchet Screwdriver. Set contains one each: 5/64", 7/64", 9/64" drill points. For use with 135A, 133H, 233H drivers.

SKU NO.	Prod. Id. No.	Cat. No.
700509	68-333	333H

YANKEE® RATCHET SCREWDRIVER BITS



STANLEY

Precision machined tips fit Phillips head screws. Chrome plated to resist rust.


Prod. Id. No.	Cat. No.	Point Size	For Drivers	Lgh. In.
702101	68-371	—	1 30A, 130A	3¼
702110	68-375	—	2 31A, 131A	1¾
702119	68-378	—	2 233H	1¾



Seven-Piece Nut-Driver Set


Seven 3-inch-shaft nut drivers as described in set No. K7, but in reclosable, heavy-vinyl, seal-tight hang-up pouch.

Cat. No. **89004** Description **Seven-piece nut-driver set in pouch.**
 SKU No. **700573**



Individual 3-Inch-Shaft Metric Nut Drivers

SKU No.	Cat. No.	Handle Color	Hex Size	Overall Length
703940	70204	Black	4 mm	6 ⁵ / ₈ (168)
703943	70245	Black	4.5 mm	6 ⁵ / ₈ (168)
703946	70205	Black	5 mm	6 ⁵ / ₈ (168)
703949	70255	Black	5.5 mm	6 ⁵ / ₈ (168)
703952	70206	Black	6 mm	6 ⁵ / ₈ (168)
703955	70207	Black	7 mm	6 ⁵ / ₈ (168)
703958	70208	Black	8 mm	6 ⁵ / ₈ (168)
703961	70209	Black	9 mm	6 ⁵ / ₈ (168)
703964	70210	Black	10 mm	7 (178)
703967	70211	Black	11 mm	7 (178)



7-Piece Hex-Drive Socket Set


Seven-piece 1/4"-drive hex-socket set. Includes 1/4", 5/16", 3/8", 7/16" and 1/2" sockets plus 1/4" hex socket-driver, and 1/4" hex-key wrench. Sockets store inside screw-top driver handle. Driver blade is 4" (102 mm) long. Hex-key wrench is 3 1/2" (89 mm) long overall.

SKU No. **700504** Cat. No. **70135** Description **Seven-piece set with 1/4" driver, 1/4" hex-key and 5 sockets.**



Individual 3-Inch-Shaft Nut Drivers

SKU No.	Cat. No.	Handle Color	Hex Size	Overall Length
703879	S6	Black	3/16"	6 ⁵ / ₈ (168)
703882	S7	Brown	7/32"	6 ⁵ / ₈ (168)
703885	S8	Red	1/4"	6 ⁵ / ₈ (168)
703888	S9	Orange	9/32"	6 ⁵ / ₈ (168)
703891	S10	Amber	5/16"	6 ⁵ / ₈ (168)
703894	S11	Green	11/32"	6 ⁵ / ₈ (168)
703897	S12	Blue	3/8"	6 ⁵ / ₈ (168)
703900	S14	Brown	7/16"	7 (178)
703903	S16	Red	1/2"	7 (178)




Individual 4-Inch-Shaft Nut Drivers

SKU No.	Cat. No.	Handle Color	Hex Size	Overall Length
703906	S18	Red	9/16"	8 (203)
703909	S20	Red	5/8"	8 (203)

Ten-Piece 3-Inch-Shaft Metric Nut-Driver Set with Stand

White enameled metal stand holds one each of all ten 3-inch-shaft metric nut drivers described above. Identification label makes individual size selection easy.



SKU No. **703970** Description **Metric nut-driver set with stand. Measures 7"W x 3 1/8"D x 6 3/4"H (178 x 79 x 171 mm) with drivers in place.**

Seven-Piece 3-Inch-Shaft Nut-Driver Set

Set contains seven hollow-shaft nut drivers in the most popular hex sizes. Convenient vinyl pouch hangs up, rolls up, stands up.

SKU No. **703912**


Cat. No.	Set Contains			
	Cat. No.	Handle Color	Hex Size	Overall Length
K7	S6	Black	3/16"	6 ⁵ / ₈ (168)
	S8	Red	1/4"	6 ⁵ / ₈ (168)
	S10	Amber	5/16"	6 ⁵ / ₈ (168)
	S11	Green	11/32"	6 ⁵ / ₈ (168)
	S12	Blue	3/8"	6 ⁵ / ₈ (168)
	S14	Brown	7/16"	7 (178)
	S16	Red	1/2"	7 (178)

Five-Piece 3-Inch-Shaft Nut-Driver Set

Set contains five hollow-shaft nut drivers and comes in a hang-up box.

SKU No. **703915**

Cat. No.	Set Contains			
	Cat. No.	Handle Color	Hex Size	Overall Length
89969	S6	Black	3/16"	6 ⁵ / ₈ (168)
	S8	Red	1/4"	6 ⁵ / ₈ (168)
	S10	Amber	5/16"	6 ⁵ / ₈ (168)
	S11	Green	11/32"	6 ⁵ / ₈ (168)
	S12	Blue	3/8"	6 ⁵ / ₈ (168)




BONDHUS



2

SKU No.	Cat. No.	Description
705339	10633	BSX 8 7/64-5/16
705333	10637	BSX 13 .050-3/8
705330	10645	BSX 7 5/64-3/16
705336	10737	BSX 11L 5/64-3/8

705327	10686	BSX 6mm 1.5-5mm
--------	-------	-----------------




SKU No.	Cat. No.	Size
705276	10602	.050
705279	10603	1/16
705282	10604	5/64
705285	10605	3/32
705288	10606	7/64
705291	10607	1/8
705294	10608	9/64
705297	10609	5/32
705300	10610	3/16
705303	10611	7/32
705306	10612	1/4
705309	10613	5/16
705312	10614	3/8



On 1/4" Hex


SKU No.	Cat. No.	Size
705420	10807	1/8
705417	10812	1/4
705414	10813	5/16
705411	10814	3/8
705423	10816	1/2



No. 19718A 18 Piece Fractional Hex Key Set


CONTAINS	SIZES
9 Short Wrenches	1/20", 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32" and 1/4"
9 Long Wrenches	5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8"
Pouch	

SKU NO. 703951



SKU No.	Cat. No.	Description
705315	10936	BLX 12 .050-5/16
705318	10945	BLX 7 5/64-3/16

705321	10999	BLX 9mm 1.5-10mm
705324	10946	BLX 6mm 1.5-5mm



SKU No.	Cat. No.	Size
705342	10902	.050
705345	10903	1/16
705348	10904	5/64
705351	10905	3/32
705354	10906	7/64
705357	10907	1/8
705360	10908	9/64
705363	10909	5/32

705366	10910	3/16
705369	10911	7/32
705381	10912	1/4
705375	10913	5/16
705378	10914	3/8
705372	10915	7/16
705384	10916	1/2
705387	10917	9/16

705390	10918	5/8
--------	-------	-----

705391	10949	1.27mm
705393	10950	1.5mm
705396	10952	2mm
705397	10954	2.5mm

705399	10956	3mm
705402	10960	4mm

705405	10964	5mm
705408	10968	6mm

705410	10972	8mm
705413	10976	10mm



SKU No.	Cat. No.	Size
705426	12170 *	7mmL

* Not included in metric sets.

T-Handle Hex Keys

Individual



Note: 6" and 9" T-handle hex-key lengths are nominal.

T-Handle design delivers more power to hex-head fasteners. Handles have comfortable, molded-in finger grips. Cat. No. and hex size on handle for positive identification. Available in 6" length in both English and metric measure, and 9" blade length English measure.

6" Length (English Measure)

SKU No.	Cat. No.	Hex Size x Blade Length
704158	76206	3/32" x 4"
704161	76207	7/64" x 4"
704164	76208	1/8" x 4"
704167	76209	9/64" x 4"
704170	76210	5/32" x 4"
704173	76212	3/16" x 4 1/2"
704176	76214	7/32" x 4 1/2"
704179	76216	1/4" x 4 1/2"
704182	76220	5/16" x 4 1/2"
704185	76224	3/8" x 4 1/2"

6" Length (Metric Measure)


704033	76302	2 mm x 5 3/4"
704034	76325	2.5 mm x 5 3/4"
704036	76303	3 mm x 5 3/4"
704040	76305	5 mm x 4 1/2"

9" Length (English Measure)

704188	79206	3/32" x 7 1/4"
704191	79207	7/64" x 7 1/4"
704194	79208	1/8" x 7 1/4"
704197	79209	9/64" x 7 1/4"
704200	79210	5/32" x 7 1/4"
704203	79212	3/16" x 7 1/2"
704206	79214	7/32" x 7 1/2"
704209	79216	1/4" x 7 1/2"
704212	79220	5/16" x 7 1/2"
704215	79224	3/8" x 7 1/2"

(Metric Measure)

704037	76304	4 mm x 5 3/4"
704040	76305	5 mm x 6 3/4"
704043	76306	6 mm x 6 3/4"
704045	76308	8 mm x 6 3/4"
704046	76310	10 mm x 6 3/4"



T-Handle Hex-Key Sets with Stand

These sets are made up from the T-handle hex keys listed above: 6" English or metric, or 9" English-measure lengths. They are furnished complete with a rugged metal stand for convenient hanging or storage on a bench or wall.

SKU No.	Cat. No.	Description
704134	70152	Set of ten 6" English-measure hex keys (No. 76206 thru No. 76224), plus metal stand.




SL Series

Individual Short-Arm Hex Keys

18 hex sizes, all with a short arm to allow easier access in tight spots. English measure.

SKU NO.	Cat. No.	Size and Length		
		W	B	C
704065	SL2	.050"	19/32"	121/32"
704068	SL4	1/16"	5/8"	123/32"
704071	SL5	5/64"	21/32"	113/16"
704074	SL6	3/32"	23/32"	129/32"
704077	SL7	7/64"	3/4"	21/32"
704080	SL8	1/8"	13/16"	23/16"
704083	SL9	9/64"	27/32"	211/32"
704086	SL10	3/32"	29/32"	217/32"
704089	SL12	3/16"	1"	23/4"
704092	SL14	7/32"	13/32"	31/32"
704095	SL16	1/4"	13/16"	35/16"
704098	SL20	5/16"	15/16"	311/16"
704101	SL24	3/8"	17/16"	45/32"
704104	SL28	7/16"	11/2"	43/4"
704107	SL32	1/2"	15/8"	51/4"
704110	SL36	9/16"	13/4"	53/4"
704113	SL40	5/8"	17/8"	61/4"
704116	SL48	3/4"	21/8"	71/4"



LL Series

Individual Long-Arm Hex Keys

Extra length for hard-to-reach applications. English measure.

SKU No.	Cat. No.	Size and Length		
		W	B	C
703990	LL2	.050"	19/32"	229/32"
703993	LL4	1/16"	5/8"	31/16"
703996	LL5	5/64"	21/32"	31/4"
703999	LL6	3/32"	23/32"	37/16"
704002	LL7	7/64"	3/4"	35/8"
704005	LL8	1/8"	13/16"	313/16"
704008	LL9	9/64"	27/32"	4"
704011	LL10	5/32"	29/32"	43/16"
704014	LL12	3/16"	1"	415/32"
704017	LL14	7/32"	13/32"	47/8"
704020	LL16	1/4"	13/16"	55/16"
704023	LL20	5/16"	15/16"	6"
704026	LL24	3/8"	17/16"	613/16"




LLM Series

Individual Long Metric Hex Keys

A full range of metric sizes from 1.27 mm

SKU No.	Cat. No.	Size and Length		
		W	B	C
704029	LLM127	1.27 mm	19/32"	229/32"
704032	LLM15	1.5 mm	11/16"	33/32"
704035	LLM2	2 mm	13/32"	3"
704038	LLM25	2.5 mm	15/32"	31/4"
704041	LLM3	3 mm	17/32"	315/32"
704044	LLM4	4 mm	21/32"	315/16"
704047	LLM5	5 mm	25/32"	411/32"
704053	LLM6	6 mm	29/32"	413/16"
704057	LLM8	8 mm	1"	5"
704062	LLM10	10 mm	11/16"	51/4"


Hex-Key Sets



L-Style Hex-Key Pouched Sets

Convenient sets of hex keys, packed in press-lock seal-tight vinyl pouches. Keeps wrenches together, keeps dust and dirt out. For detailed hex-key specifications, see individual listings.

SKU No.	Cat. No.	Description and Contents
704119	SLK7	7-Piece Short-Arm Set SL5 (5/64"), SL6 (3/32"), SL8 (1/8"), SL10 (5/32"), SL12 (3/16"), SL14 (7/32"), SL16 (1/4")
704122	SLK13	13-Piece Short-Arm Set SL2 (.050"), SL4 (1/16"), SL5 (5/64"), SL6 (3/32"), SL7 (7/64"), SL8 (1/8"), SL9 (9/64"), SL10 (5/32"), SL12 (3/16"), SL14 (7/32"), SL16 (1/4"), SL20 (5/16"), SL24 (3/8")
704125	SLK17	17-Piece Short-Arm Set SL2 (.050"), SL4 (1/16"), SL5 (5/64"), SL6 (3/32"), SL7 (7/64"), SL8 (1/8"), SL9 (9/64"), SL10 (5/32"), SL12 (3/16"), SL14 (7/32"), SL16 (1/4"), SL20 (5/16"), SL24 (3/8"), SL32 (1/2"), SL36 (9/16"), SL40 (5/8"), SL48 (3/4")
704056	LLK7	7-Piece Long-Arm Set LL5 (5/64"), LL6 (3/32"), LL8 (1/8"), LL10 (5/32"), LL12 (3/16"), LL14 (7/32"), LL16 (1/4")
704059	LLK13	13-Piece Long-Arm Set LL2 (.050"), LL4 (1/16"), LL5 (5/64"), LL6 (3/32"), LL7 (7/64"), LL8 (1/8"), LL9 (9/64"), LL10 (5/32"), LL12 (3/16"), LL14 (7/32"), LL16 (1/4"), LL20 (5/16"), LL24 (3/8")
704128	XLK9	9-Piece Extra-Long Set XL5 (5/64"), XL6 (3/32"), XL8 (1/8"), XL10 (5/32"), XL12 (3/16"), XL14 (7/32"), XL16 (1/4"), LL20 (5/16"), LL24 (3/8")
704146	70161	7-Piece Foot-Long Set FL5 (5/64"), FL6 (3/32"), FL8 (1/8"), FL10 (5/32"), FL12 (3/16"), FL14 (7/32"), SL16 (1/4")
704060	LM10	10-Piece Metric Set LLM127 (1.27 mm), LLM15 (1.5 mm), LLM2 (2 mm), LLM25 (2.5 mm), LLM3 (3 mm), LLM4 (4 mm), LLM5 (5 mm), LLM6 (6 mm), LLM8 (8 mm), LLM10 (10 mm)



Individual Hex-Key Drivers


Specialized hex-keys used in a variety of industrial, electronics, electrical, and appliance applications. Comfordome® handles.

SKU No.	Cat. No.	Handle Size Dia. x Length	Blade Size Dia. x Length	Overall Length	Cap Screw	Set Screw
703954	AL2	3/4" x 3"	.050" x 33/4"	63/4"	0 & 1	3 & 4
703957	AL4	3/4" x 3"	1/16" x 33/4"	63/4"	2	5 & 6
703960	AL5	3/4" x 3"	5/64" x 33/4"	63/4"	3 & 4	8
703963	AL6	7/8" x 31/2"	3/32" x 33/4"	71/4"	5 & 6	10
703966	AL7	7/8" x 31/2"	7/64" x 33/4"	71/4"	6	6
703969	AL8	7/8" x 31/2"	1/8" x 33/4"	71/4"	8	1/4
703975	AL10	7/8" x 31/2"	5/32" x 33/4"	71/4"	10	5/16
703978	AL12	7/8" x 31/2"	3/16" x 31/4"	63/4"	1/4	3/8




**Fold-up TOOLS-
HEX KEYS, TORX®**

2




#20511 (51)
5-in-1
Large Fold-up
HEX KEY SET
3/16"-3/8"

SKU NO.
705210




#20811 (81)
8-in-1
Small Fold-up
HEX KEY SET
.050"-5/32"

SKU NO.
705198




#20812 (812)
8-in-1
Extra Long Fold-up
HEX KEY SET
3/32"-1/4"

SKU NO.
705207




#20911 (91)
9-in-1
Medium Fold-up
HEX KEY SET
5/64"-1/4"

SKU NO.
705204




#20912 (91-S)
9-in-1
Small Fold-up
HEX KEY SET
.050"-3/16"

SKU NO.
705201




#21151 (M-15)
6-in-1
Large Metric Fold-up
HEX KEY SET
3-10mm

SKU NO.
705195



#21171 (M-17)
7-in-1
Small Metric Fold-up
HEX KEY SET
1.5-6mm

SKU NO.
705192



#22571
7-in-1
Medium Fold-up
TORX® KEY SET
Includes: T-10, T-15, T-20
T-25, T-27, T-30, T-40

SKU NO.
705273

Ball-hex Key Sets Ergo-Fold Key Set



Two inch and two metric sets allow 360 degrees of rotation at up to a 25 degree angle.
SKU NO. 705202 MFG NO. 20919



Features a composite grip handle. Soft cushion-grip insert-slip resistance. Hard shell provides maximum strength. Guaranteed forever.


Balldriver



L-wrench set
Packed in Bondhex tool case

SKU NO. 705428 **MFG NO.** 10937

SKU NO.	MFG NO.	SIZE COMBOS
705230	25024	6 IN 1 METRIC
705224	25161	7 IN 1 METRIC
705221	25171	8 IN 1 METRIC
705227	25587	6 IN 1 LARGE
705215	25611	9 IN 1 MEDIUM
705186	25911	9 IN 1 SMALL
705213	25912	9 IN 1 LARGE
705218	25919	




#33610
T-Handle
HEX KEY SERVICE KIT
10-piece 6" arm
3/32"-3/8" w/pouch
SKU NO. 705266




#35165
Metric T-Handle
HEX KEY SERVICE KIT
5-piece 6" arm
2.5-6mm w/pouch
SKU NO. 705270



#33168
T-Handle
HEX KEY SERVICE KIT
8-piece 6" arm
3/32"-1/4" w/pouch
SKU NO. 705267



#35168
Metric T-Handle
HEX KEY SERVICE KIT
8-piece 6" arm
2-10mm w/pouch
SKU NO. 705268



**T-Handle
HEX KEY
SERVICE KITS
with Pouch**

**INDIVIDUAL "T" HANDLES
INCHES**

SKU NO.			
705216	3/32	3"	31606
705219	7/64	3"	31607
705222	1/8	3"	31608
705225	9/64	3"	31609
705228	5/32	3"	31610
705231	3/16	4"	31612
705234	7/32	4"	31614
705237	1/4	4"	31616
705240	5/16	6"	31620
705243	3/8	6"	31624


METRIC

SKU NO.			152MM 6" ARM)
705246	2.5 mm	76 mm (3")	34625
705249	3.0 mm	76 mm (3")	34630
705252	4.0 mm	76 mm (3")	34640
705255	5.0 mm	100 mm (3")	34650
705258	6.0 mm	100 mm (3")	34660

*NOTE: Eklind 5/16", 3/8", 6 mm and 10 mm sizes




Curved Jaw Locking Pliers with Wire Cutter



Four sizes — 10", 7", 5" and 4". All have curved jaws, knurled tips and wire cutters. Properly adjusted and locked to the work, VISE-GRIP tools won't slip. They lock on instantly and release quickly. They also adjust to pliers action.

SKU NO.	Length	Jaw Adj.	Jaw Thick.	
700042	10WR [®]	10"	1 7/8"	3/8"
700039	7WR [®]	7"	1 5/8"	5/16"
700036	5WR [®]	5"	1 1/4"	1/4"
700033	4WR [™]	4"	1 5/16"	1/4"


Curved Jaw Locking Pliers



Two sizes — 10" and 7". Both have curved jaws for better contact on bolt heads, nuts and round work. Simply turn the micro-adjusting screw to set jaws for proper size and pressure, or for pliers action.

SKU NO.	Length	Jaw Adj.	Jaw Thick.	
700027	10CR [®]	10"	1 7/8"	3/8"
700024	7CR [®]	7"	1 5/8"	5/16"


Locking Pinch-Off Tool



Designed for the refrigeration industry. Pinches off and locks on copper tubing instantly. Leaves both hands free. Ideal for emergencies — no shut-off valves needed. Easy release trigger.

SKU NO.	Length	Jaw Thick.	Throat Depth	
700069	RR [®]	7"	1/4"	1"


Locking Sheet Metal Tool



Locks to work with powerful grip for smooth and accurate bending and seaming. Micro-adjusting screw and easy release trigger.

SKU NO.	Length	Jaw Width	Throat Depth	
700060	8R [®]	8"	3 1/8"	1 3/4"


Long Nose Locking Pliers with Wire Cutter*



Long nose jaws reach into tight spots where other tools can't. Built-in wire cutter. Adjusts easily for proper locking pressure. Available in 9", 6" and 4" sizes.

SKU NO.	Length	Jaw Adj. (opens to)	Jaw Thickness
700048	6LN** 6"	2 1/4" at tips, 1" at base	1/8" at tips, 5/16" at base
700045	4LN** 4"	1 3/4" at tips, 3/4" at base	1/8" at tips, 1/4" at base

Locking C-Clamps




9 models — 24", 18", 11", 6" and 4". Micro-adjustment for quick pre-adjusting and repeat clamping. Locks to work with hand squeeze. Easy-release trigger. All clamps except 4" available with regular tips or self-leveling swivel pads.

SKU NO.	Regular Tips	Length	Jaw Adj.	Throat Height	Throat Depth
700057	18R [®]	18"	8"	4 1/2"	9 1/2"
700054	11R [®]	11"	3 3/4"	3 3/4"	2 1/2"
700051	6R [®]	6"	2"	2 1/4"	1 3/8"

Parts For Vise Grips

SKU NO.	MFG. NO.	Item
704242	08	Spring 10-11-20
704251	34	Spring 18 series
704248	52	Spring 5-6 series



Our attractive gift box contains the 10" and 5" curved jaw locking pliers with built-in wire cutters.

MFG. CO. 215G SKU NO. 700072


Side Swiper II



Siding Removal Tool
 • Durable one-piece steel design
 • Easy to grip straight handle
 • Non-slip textured grip
 • Smooth unlocking

SKU NO. 850161
 MFG NO. 524QC
 SIZE 24"


**VISE-GRIP®
 Straight Jaw Locking Pliers**



Two sizes — 10" and 7". Both are modern versions of the original VISE-GRIP locking pliers/wrench. Built rugged. VISE-GRIP tools lock instantly, release quickly and adjust to pliers action.

SKU NO.	Length	Jaw Adj.	Jaw Thick.	
700021	10R [®]	10"	1 1/2"	5/8"
700018	7R [®]	7"	1 1/8"	7/16"


Locking Welding Clamp



Holds parts in proper alignment — even when material is not identical in thickness. Positive lock leaves hands free. Special deep-throated U-shaped jaws provide perfect visibility and working space.

SKU NO.	Length	Jaw Width	Jaw Adj.	
700063	9R [®]	9"	2 3/4"	1 5/8"

Locking Chain Clamp



Holds and locks around any size or shape — anything the chain can be wrapped around. Adjusts to ratchet action in either direction. Won't slip, won't crush thin-walled pipe.

SKU NO.	Chain Length
700066	Complete Clamp: 20R [®] 19"

704224 Replacement Chain: 20 Rep.18"

Home & Hobby Tool Set.™

- 7" curved jaw locking pliers
- 6" long nose locking pliers
- Built-in wire cutter
- Quick lock action for sure, fast grip
- Heavy duty to perform year after year

MFG. NO. 213H

SKU NO. 700030





Large Jaw Locking Pliers

- Heavy-duty jaw grips around work of all shapes
- 3-1/8" / 79 mm maximum jaw opening
- Ideal for plumbers, mechanics, welders, and others who work with large objects

SKU NO. 704254
MFG NO. 12LC-3
SIZE 12"

2

Fyr / Styk

LIGHT
YOUR NEXT
FIRE SAFELY

HOLDS MATCH...

- For Furnace
- For Health
- For Grills
- For Fireplace
- For Deep Candles

73-1006




SKU NO. 703400

QUICK-GRIP™

A Bar Clamp so easy to use we call it the **ONE HANDER™**

- Handle and jaws engineered for strength and light weight.
- High carbon, heat treated steel bar.
- Soft, pliable pads protect fine finishes.



SKU NO.	MFG. NO.	LENGTH
704237	00506	6"
704241	00512	12"

STEEL BAR CLAMP ADAPTOR



- Each Adaptor Kit includes one all-steel: advancing handle, frame, spring, clutch disc and drivescrew.

SKU NO.	MFG NO.
701632	3637

Our catalog does not contain everything in our inventory. If there are products you do not find that are related to those in this catalog call 437-1288 so that we may assist you.




Grip-It® Strap Wrenches

The completely adjustable strap wrench in three different sizes. Urthane-covered, high-strength belting attached to lightweight, I-beam handle with patented cam-action design permits uniform, high-torque application. Under normal conditions, will not scratch, damage or deform polished pipe and fittings, plastic pipe and fittings, oil and water filters, glass pipe, PVC conduit, and polished shafts. Also works on alternator belts, flywheels, and propeller assemblies. Works in the tightest quarters. Can be ratcheted with one hand.

SKU No.	Cat. No.	Handle Length	Diameter Capacity, O.D.
700683	S6H	6" (152 mm)	1 1/2"-5" (38-127 mm)
700686	S12H	12" (305 mm)	1 1/2"-5" (38-127 mm)
700688	S18H	18" (457 mm)	1 1/8"-8" (38-228 mm)


Style 37 "Jorgensen" light-pattern Steel Bar Clamps



"HIGH SPEED"
A very light-weight, low-priced, instant-acting bar clamp made to high-quality standards. Ideal for patternmakers, wood and metal workers, and homecrafters. Multiple Disc Clutch permits instant adjustment — secure hold — easy to release.
Bar is 1/4"x3/4" spring steel; 3/8" dia. steel screw; 2 1/2" reach from edge of bar to C/L of screw; orange baked enamel finish on castings. A quality tool which will give enduring service within its light-load limits.

SKU NO.	Stock No.	Max Opening Capacity
701614	3706	6"
701617	3712	12"
701620	3718	18"
701623	3724	24"
701626	3736	36"

Style 170 "Jorgensen"



Deep-throat
"C" Clamps

Extra deep throat, or "reach", combined with unusual strength. Best grade malleable iron frames, cold-drawn steel screws, V-notch cast into foot of frame. Vise-type handles. Turned steel swivels of patented "JORGENSEN" Design—will stay on!

SKU NO.	Stock No.	Opens Inches	Rated Depth Inches	Extreme Depth Inches
701542	175	5	5	6
701545	176	6	6	7 1/2

Style 200 "Pony" "C" CLAMP

Frames are malleable iron, liberally proportioned for greatest strength; screws are steel with full standard threads, closely fitted; swivels are turned steel, securely fastened to end of screw. All parts are plated for most attractive finish and protection against rust.

Group G—
Deep Throat



SKU NO.	Stock No.	Max. Opening In.	Max. Depth In.	Dia. Screw	Wt. Dozen lbs.	Type Handle
701548	237	1 1/2	3 1/2	3/16	5 1/4	T
701551	245	2 1/2	4 3/4	3/8	23	T

Style 14

"Jorgensen"



Adjustable

SKU NO.	MFG. NO.	SIZE
701557	1410	1" x 1"
701560	1415	1 1/2" x 1 1/2"
701563	1420	2" x 1"
701566	1425	2 1/2" x 2 1/2"
701569	1430	3" x 2"
701572	1440	4" x 3"
701575	1450	5" x 3 1/4"
701578	1460	6" x 3 1/2"
701581	1480	8" x 4"

"C Clamps" Plated

Extra deep "reach" steel screws with sliding-kim handler and steel swivels, Bright plated

Mini Bar Clamps

- 25% smaller than standard QUICK-GRIP bar clamp
- Ideal for smaller projects
- Excellent for working in confined spaces



SKU NO. 704240

MFG NO. 5462

SIZE 6"

Spring Clamps

HIGH-TECH RESIN MATERIAL
 Made of durable glass-reinforced nylon affording lightweight durability

NON-MARRING, SOFT
 PLIABLE PADS

Spring clamps incorporate soft, pliable, removable pads with each clamp to protect work pieces

NON-SLIP HANDLES

Designed for comfortable hand span

Incorporated into the handles are grooves to prevent slipping for the quickest clamping possible

JAWS CONFIGURED TO ODD SHAPES

The jaws are configured to hold odd-shaped work pieces and jaws open to complete parallel position.



SKU NO. 704256
 MFG. NO. 59300


Style 16

"Jorgensen"

Hold-down
Clamps

(U.S. Pat. Nos. 2,221,326-2,512,528-2,661,783-D-195,363


"JORGENSEN" Hold-Down Clamps can be spotted on any work surface, as desired, without being limited to locations near the bench or table edge—a distinct advantage over ordinary clamps and vises. On bench tops, a countersunk hole is bored to accommodate the bolt that engages the clamp frame. Clamp can be put into service in seconds—the work surface is free of obstruction when the clamp is removed. Turns to any angle on work surface. Makes it easy to hold your work in "difficult" locations. Easily mounted, too, on drill-press or machine tables, saw-horse, side of bench, etc. "Shielded" screw on No. 1623-S provides positive protection from spatter or other damage in welding service. Rugged heat-treated malleable iron frame, cold-drawn steel screw 1/4" dia. Depth of throat—1 3/4". Bolt furnished.



No. 1623-S

SKU NO.	Stock No.	Opening Capacity	Normal Load Limit
701584	1623	3"	3,200 lbs.

Style 32 "Pony" Spring Clamps




Light, inexpensive tools of countless uses on metal, wood, plastics, fabric—ready, willing "extra hands" for use wherever "spring pressure" is adequate, and especially where speed is essential.

Modern, highly engineered design: the "spread" between handle-ends is minimized; handle shape and contours are most comfortable in the hands; at full opening capacity the

point-of-pressure remains at the jaw tips; at full nominal opening capacity the jaws do not go "beyond" parallel; handles do not tend to slip out of the hands; full range of four sizes.

Steel jaws, heavily plated for smooth, bright finish and to prevent rust. Heavy, tempered steel springs.

All four sizes are offered with complete options of poly-vinyl "protected" handles, or "protected" tips, or both—for added comfort to the hands and/or to protect the work from the metal jaw tips. See "table" below.



SKU NO.	Stock No.	Description	Max. Open. Btwn. Jaws, inches	Overall Jaw Length, inches
701587	3201	regular stock	1	4
701599	3201-HT	w/protected handles & tips	1	4
701590	3202	regular stock	2	6
701602	3202-HT	w/protected handles & tips	2	6
701593	3203	regular stock	3	9
701605	3203-HT	w/protected handles & tips	3	9
701596	3204	regular stock	4	12
701608	3204-HT	w/protected handles & tips	4	12



Micro Bar Clamp/Spreader

• 2 Tools in 1

- Identical operation to standard QUICK-GRIP bar clamp
- Converts to a spreader by reversing clamp pad
- Perfect size for hobby and craft applications
- Ideal for household and shop clamping needs

SKU NO. 704238

MFG NO. 53006


ADJUSTABLE CLAMP COMPANY

"The Clamp Folks"

Style "J" adjustable steel spindle "Jorgensen" HANDSCREWS


For gluing and assembly of woodwork, furniture, cabinet work, musical instruments, boats, airplanes, body work, patterns, stair work, etc. The hard maple jaws do not mar the work and are less likely to slip than steel jaws. Hence they are also most desirable for holding steel sheets, bars, odd shapes, templates, bakelite, linoleum, fabrics, insulated wire, the veneers, etc. They have deep throat and afford either a broad area of evenly distributed pressure, or concentration at one point. Leverage of screw action gives most secure grip.

Finest straight-grain hard maple jaws, properly seasoned and oiled. Cold-drawn steel screws and nuts. Angle between jaws adjustable to fit the work — also jaws may be adjusted one to overlap the other. Hard maple handles, protected by heavy steel ferrules — will not come loose. Easy operation not affected by humidity conditions.



SKU NO.	Stock No.	Lgth. Jaws In.	Open Btwn. Jaws In.	The "NON-ADJUSTABLE" design (jaws remain parallel, cannot be adjusted to angles)
701515	3/0	6	3	
701518	0	8	4½	
701521	1	10	6	
701524	2	12	8½	

Style 33 3-Way Edging Clamp



Provides a convenient, practical method for applying "right-angle" pressure to the edge, or side, of work. Unique "3-screw" design permits the "right-angle" screw to be centered, or positioned above or below center, on varying thicknesses of work, and also permits clamping over and around "returns" or other obstructions on counter-top edges. Indispensable for installing or repairing moulding, trim, decorative attachments, etc., to furniture, veneers, counter-tops, edge-gluing, soldering, welding. Heavy, correctly designed malleable iron frame, steel screws and swivels — all bright plated.

SKU NO.	Stock No.	Opening Capacity	Throat Depth
701611	3325	2½"	2½"

Style 74 "Pony" Work-Protecting Bar Clamp Pads




Pads slip onto the clamp faces of Clamp Fixtures and Steel Bar Clamps to provide a protective cushion between finished wood, metal or plastic surfaces and the pressure of metal clamp jaws. Easy to slip "on" and "off", the pads protect without marring, staining, sticking or slipping.

Designed primarily for use on the following "Jorgensen" and "Pony" styles, they also may be used on clamps of other manufacture, if the clamping faces are not more than 1¾" wide. Asterisk (*) indicates that minor modification might be made for "perfect" fit.

CLAMP FIXTURES:
No. 50 "Pony" (for use on ¾" black pipe)
*No. 52 "Pony" (for use on ½" black pipe)

SKU NO.	Stock No.	Set of 4 Pads
701629	7456	

Style 50 "Pony" Steel Bar Clamp Fixtures



Fixtures to be used on ordinary ¾-inch black pipe as the bar. No holes, notches or rivets required to assemble; just screw the head on regular pipe threads. The foot has a multiple disc clutch which grips the bar automatically at any point. Most rapid action, secure holding power and easy release. Hardened clutch disc. ¼-inch diameter screw. Clamp faces 1¾-inches square. Baked enamel finish. One "Set" makes one clamp.

SKU NO.	Stock No.	701527. 50 "PONY" Fixtures Only ...

Style 52 "Pony" Steel Bar Clamp Fixtures




A light-service design, to make bar clamps on any length of ½-inch black pipe. Head screws on regular pipe threads—Multiple Disc Clutch in foot grips the pipe automatically at any point, holds securely, releases easily by means of new, exclusive "extended" clutches. Instant adjustment. Clamping faces approximately 1½" square; screw ½" dia. cold-drawn steel, with smoothly cut square threads. Baked enamel finish. One "set" makes one clamp.

SKU NO.	Stock No.	701530 . 52 "PONY" Fixtures Only

Style 37 "Jorgensen" light-pattern Steel Bar Clamps

"HIGH SPEED"




A very light-weight, low-priced, instant-acting bar clamp made to high-quality standards. Ideal for patternmakers, wood and metal workers, and homecrafters. Multiple Disc Clutch permits instant adjustment — secure hold — easy to release.

Bar is ¼"x¾" spring steel; ⅜" dia. steel screw; 2½" reach from edge of bar to C/L of screw; orange baked enamel finish on castings. A quality tool which will give enduring service within its light-load limits.

SKU NO.	Stock No.	Max Opening Capacity
701614	3706	6"
701617	3712	12"
701620	3718	18"
701623	3724	24"
701626	3736	36"


Style 1 "Jorgensen" Carriage Clamps



Here is probably the most universally used class of "C" clamp, made to "JORGENSEN" standards of quality—and available at most attractive prices. Liberally proportioned frames, specially treated for greatest possible strength.

Cold-drawn steel screws, of more than adequate diameters, carefully fitted. Vise-type handles regularly furnished; wing-type handles optional if specified. Swivels are steel, patented "JORGENSEN" design—will stay on! "V"-notch in foot of frame will hold rounded sections.


SKU NO.	Stock No.	Max. Open. In.	Throat Depth, In.
701536	108	8	3¼



No. 2601
4'' 2-Jaw Puller Adjustable
3 1/2'' Reach. 2 Ton

This small but rugged gear puller can be used for removing magneto and generator bearing gears. Ideal for electric motors and refrigerator applications and all light duty pulling.

SKU NO. 702006



No. 2604
9'' 2-Jaw Puller
Reversible
5 1/2'' Reach. 7 Ton

This puller is designed for heavy duty pulling for both automotive and industrial use. The jaws are reversible and one end has slots for cap screw pulling of tapped gears and pulleys. Can be used with No. 2535 Bearing Separator.

SKU NO. 702018




No. 2615
11'' Combination 2 & 3 Jaw Gear Puller. Adjustable
9'' Reach. 7 Ton

This 2&3 jaw puller is built to the same size and capacity as the 2605 Gear Puller. This husky, 3 jaw puller makes a powerful tool for your roughest pulling jobs.

SKU NO. 702039


Pullers



No. 2602
6'' 2-Jaw Puller
Reversible
3 1/2'' Reach. 5 Ton

A very versatile puller, designed for maximum safety and utility. Reversible jaws, wide faces on one end and narrow faces on the other. For medium duty pulling. Can be used with No. 2533 Bearing Separator.


SKU NO. 702009



No. 2605
10'' 2-Jaw Puller
Adjustable
9'' Reach. 7 Ton

A rugged puller for heavy duty pulling. The adjustable 3 position jaws make it a multi-use tool for flywheel, gear and pulley removing.


SKU NO. 702021



No. 2614
10'' Combination 2 & 3 Jaw Gear Puller Reversible
5 1/2'' Reach. 7 Ton.

This 2&3 jaw puller is built to the same size as the No. 2604 Gear Puller. The 3 jaws provide a 3 point grip for extra power many times needed on hard pulling jobs.


SKU NO. 702036



No. 2603
7'' 2-Jaw Puller
Adjustable
5 1/2'' Reach. 5 Ton

A middle-range puller, capable of handling a wide variety of jobs. Adjustable 2 position jaws offer a wide range.


SKU NO. 702012



No. 2611
4'' 3-Jaw Puller Adjustable.
3 1/2'' Reach. 2 Ton

This 3 jaw feature gives added stability where required. Same capacity and size as the 2601. Ideal for removing motor, magneto and generator bearings and gears.

SKU NO. 702024



No. 2613
8'' Combination 2 & 3 Jaw Puller
Adjustable 5 1/2'' Reach. 5 Ton


This 2&3 jaw puller is built to the same dimensions and capacity as the 2603 Gear Puller. The three jaws provide a 3 point grip often needed on different pulling jobs.

SKU NO. 702033

Heavy-Duty Bench Vises with Swivel Bases

The efficient design makes ADJUSTABLE ductile/steel Bench Vises stronger than comparable vise of similar weight. Heavy cold-formed steel channel beams cover and protect the screws of these vises and add to their great strength.

Features swivel bases with dual lock-nuts, replaceable hardened steel serrated jaw faces, large ground and polished anvils, permanent pipe jaws, and large forming horns.



Adjustable bench vises swivel a full 360°

SKU NO.	MFG NO.	SIZE
701646	30404	4"
701648	30505	5"
701651	30606	6"
701654	30608	8"

Light-Duty Clamp

Is designed for light-duty shop, and professional use. It is fully portable, yet mounts easily and securely on edges up to 2" thick. Plated-steel double guide-bars allow smooth operation. 3" jaw width. with 2-1/2" maximum opening capacity


SKU NO.	MFG NO.	SIZE
701634	13025	3"
704639	23530	3.5"
701640	24545	4.5"
701643	26545	6.5"



Corner Splicing Clamp Adjustable


This die cast aluminum clamping device is handy for making all types of frames and for repairing window screens and storm doors, as well as for splicing molding and trim. Fully adjustable to any wide and leaves miter or butt joints fully exposed for miter correction or sawing splicing, doweling, gluing and nailing. Two countersunk holes permit the clamp to be benchtop mounted.

SKU NO.	MFG NO.
701657	9133



Adjustable - A - Clamp

Instant opening and closing with 1 to 50 lbs. of clamping force
Use for models and crafts or heavy duty work holding



SKU NO.	MFG NO.	SIZE OPENING
311019	3251	1"
311092	3257	2"